

CONTENTS

2007 National Bermudagrass Test - 2007 data

LOCATIONS SUBMITTING DATA FOR 2007.....	1
NATIONAL BERMUDAGRASS TEST, 2007 Entries and Sponsors.....	2
Table A - 2007 Locations, Site Descriptions and Management Practices in the 2007 National Bermudagrass Test.....	3
Table B - Locations and Data Collected in 2007.....	4
Table 1A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars Grown at One Location in the U.S. for AMMI Group 1.....	5
Table 1B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded) Cultivars Grown at One Location in the U.S. for AMMI Group 1.....	6
Table 1C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative) Cultivars Grown at One Location in the U.S. for AMMI Group 1.....	6
Table 2A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars Grown at Two Locations in the U.S. for AMMI Group 2.....	7
Table 2B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded) Cultivars Grown at Two Locations in the U.S. for AMMI Group 2.....	8
Table 2C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative) Cultivars Grown at Two Locations in the U.S. for AMMI Group 2.....	8
Table 3A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars Grown at Three Locations in the U.S. for AMMI Group 3.....	9
Table 3B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded) Cultivars Grown at Three Locations in the U.S. for AMMI Group 3.....	10
Table 3C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative) Cultivars Grown at Three Locations in the U.S. for AMMI Group 3.....	10
Table 4A - Mean Turfgrass Quality Ratings of Bermudagrass Cultivars Grown at One Location in the U.S. for AMMI Group 4.....	11
Table 4B - Mean Turfgrass Quality Ratings of Bermudagrass (Seeded) Cultivars Grown at One Location in the U.S. for AMMI Group 4.....	12
Table 4C - Mean Turfgrass Quality Ratings of Bermudagrass (Vegetative) Cultivars Grown at One Location in the U.S. for AMMI Group 4.....	12
Table 5A - Genetic Color Ratings of Bermudagrass Cultivars.....	13
Table 5B - Genetic Color Ratings of Bermudagrass (Seeded) Cultivars.....	14
Table 5C - Genetic Color Ratings of Bermudagrass (Vegetative) Cultivars.....	14
Table 6A - Leaf Texture Ratings of Bermudagrass Cultivars.....	15

CONTENTS (continued)

Table 6B - Leaf Texture Ratings of Bermudagrass (Seeded) Cultivars.....	16
Table 6C - Leaf Texture Ratings of Bermudagrass (Vegetative) Cultivars.....	16
Table 7 - Seedling Vigor Ratings of Bermudagrass (Seeded) Cultivars.....	17
Table 8A - Fall Density Ratings of Bermudagrass Cultivars.....	18
Table 8B - Fall Density Ratings of Bermudagrass (Seeded) Cultivars.....	19
Table 8C - Fall Density Ratings of Bermudagrass (Vegetative) Cultivars.....	19
Table 9A - Winter Color Ratings of Bermudagrass Cultivars.....	20
Table 9B - Winter Color Ratings of Bermudagrass (Seeded) Cultivars.....	21
Table 9C - Winter Color Ratings of Bermudagrass (Vegetative) Cultivars.....	21
Table 10A- Damping-Off Ratings of Bermudagrass Cultivars.....	22
Table 10B- Damping-Off Ratings of Bermudagrass (Seeded) Cultivars.....	23
Table 10C- Damping-Off Ratings of Bermudagrass (Vegetative) Cultivars.....	23
Table 11A- Fall Color (September) Ratings of Bermudagrass Cultivars.....	24
Table 11B- Fall Color (September) Ratings of Bermudagrass (Seeded) Cultivars...	25
Table 11C- Fall Color (September) Ratings of Bermudagrass (Vegetative) Cultivars.....	25
Table 12A- Fall Color (October) Ratings of Bermudagrass Cultivars.....	26
Table 12B- Fall Color (October) Ratings of Bermudagrass (Seeded) Cultivars.....	27
Table 12C- Fall Color (October) Ratings of Bermudagrass (Vegetative) Cultivars.....	27
Table 13A- Fall Color (November) Ratings of Bermudagrass Cultivars.....	28
Table 13B- Fall Color (November) Ratings of Bermudagrass (Seeded) Cultivars....	29
Table 13C- Fall Color (November) Ratings of Bermudagrass (Vegetative) Cultivars.....	29
Table 14A- Fall Color (December) Ratings of Bermudagrass Cultivars.....	30
Table 14B- Fall Color (December) Ratings of Bermudagrass (Seeded) Cultivars....	31
Table 14C- Fall Color (December) Ratings of Bermudagrass (Vegetative) Cultivars.....	31
Table 15A- Seedhead Ratings of Bermudagrass Cultivars.....	32

CONTENTS (continued)

Table 15B- Seedhead Ratings of Bermudagrass (Seeded) Cultivars.....	33
Table 15C- Seedhead Ratings of Bermudagrass (Vegetative) Cultivars.....	33
Table 16A- Weed Ratings of Bermudagrass Cultivars.....	34
Table 16B- Weed Ratings of Bermudagrass (Seeded) Cultivars.....	35
Table 16C- Weed Ratings of Bermudagrass (Vegetative) Cultivars.....	35
Table 17A- Percent Establishment Ratings of Bermudagrass Cultivars.....	36
Table 17B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars....	37
Table 17C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars.....	37
Table 18A- Percent Establishment Ratings of Bermudagrass Cultivars at Baton Rouge, LA.....	38
Table 18B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at Baton Rouge, LA.....	39
Table 18C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at Baton Rouge, LA.....	39
Table 19A- Percent Establishment Ratings of Bermudagrass Cultivars at Mississippi State, MS.....	40
Table 19B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at Mississippi State, MS.....	41
Table 19C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at Mississippi State, MS.....	41
Table 20A- Percent Establishment Ratings of Bermudagrass Cultivars at Raleigh, NC.....	42
Table 20B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at Raleigh, NC.....	43
Table 20C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at Raleigh, NC.....	43
Table 21A- Percent Establishment Ratings of Bermudagrass Cultivars at Stillwater, OK.....	44
Table 21B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at Stillwater, OK.....	45
Table 21C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at Stillwater, OK.....	45

CONTENTS (continued)

Table 22A- Percent Establishment Ratings of Bermudagrass Cultivars at Knoxville, TN.....	46
Table 22B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at Knoxville, TN.....	47
Table 22C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at Knoxville, TN.....	47
Table 23A- Percent Establishment Ratings of Bermudagrass Cultivars at College Station, TX.....	48
Table 23B- Percent Establishment Ratings of Bermudagrass (Seeded) Cultivars at College Station, TX.....	49
Table 23C- Percent Establishment Ratings of Bermudagrass (Vegetative) Cultivars at College Station, TX.....	49

2007 NATIONAL BERMUDAGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2007

<u>State</u>	<u>Location</u>	<u>Code</u>
Arizona	Tucson	AZ1
California	Riverside	CA3
Louisiana	Baton Rouge	LA1
Mississippi	Miss. St.	MS1
North Carolina	Raleigh	NC1
Oklahoma	Stillwater	OK1
Tennessee	Knoxville	TN1
Texas	College Station	TX2

2007 NATIONAL BERMUDAGRASS TEST

Entries and Sponsors

Entry No.	Name	Type	Sponsor
* 1	Riviera	seeded	Standard entry
* 2	Princess 77	seeded	Standard entry
* 3	NuMex-Sahara	seeded	Standard entry
4	SWI-1070	seeded	Seeds West
5	SWI-1081	seeded	Seeds West
6	SWI-1083	seeded	Seeds West
7	SWI-1113	seeded	Seeds West
8	SWI-1117	seeded	Seeds West
9	SWI-1122	seeded	Seeds West
*10	Midlawn	vegetative	Standard entry
*11	Tifway	vegetative	Standard entry
12	Premier	vegetative	Standard entry
13	SWI-1057	seeded	Seeds West
14	BAR 7CD5	seeded	Barenbrug USA
15	PST-R6FLT	seeded	Pure-Seed Testing, Inc.
*16	Sunspart	seeded	LESCO John Deere Landscapes
*17	Patriot	vegetative	Oklahoma Ag. Expt. Station
18	OKC 1119	vegetative	Oklahoma Ag. Expt. Station
19	OKC 1134	vegetative	Oklahoma Ag. Expt. Station
20	RAD-CD1	seeded	Desert Sun Marketing, Inc.
21	OKS 2004-2	seeded	Oklahoma Ag. Expt. Station
22	PSG 91215	seeded	Seed Research/Pickseed
23	PSG 94524	seeded	Pickseed USA
24	IS-01-201	seeded	DLF International Seeds
25	Pyramid 2 (IS-CD10)	seeded	DLF International Seeds
*26	Hollywood (J-720)	seeded	Jacklin Seed by SimplotR
*27	Yukon	seeded	Seed Research of Oregon
*28	Veracruz	seeded	Seed Research/Pickseed
29	PSG 9BAN	seeded	Seed Research of Oregon
30	PSG PROK	seeded	Seed Research/Pickseed
31	PSG 9Y2OK	seeded	Seed Research of Oregon

* COMMERCIALY AVAILABLE IN THE USA IN 2009.

TABLE A. 2007 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN THE 2007 NATIONAL BERMUDAGRASS TEST

LOCATION	SOIL TEXTURE	SOIL PH	SOIL PHOSPHOROUS (LBS/ACRE)	SOIL POTASSIUM (LBS/ACRE)	NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
AZ1	SANDY LOAM	7.6-8.5	0-60	151-240	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
CA3	SANDY LOAM	6.6-7.0	0-60	0-150	3.1-4.0	FULL SUN	1.6-2.0	TO PREVENT STRESS
LA1	SILTY CLAY AND CLAY	6.1-6.5	151-270	241-375	4.1-5.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
MS1	SANDY LOAM	6.1-6.5	271-450	241-375	2.1-3.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
NC1	SILTY CLAY AND CLAY	6.1-6.5	61-150	0-150	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
OK1	LOAM	7.1-7.5	61-150	241-375	2.1-3.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
TN1	SILT LOAM AND SILT	6.1-6.5	0-60	0-150	5.1-6.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
TX2	SANDY CLAY	7.6-8.5	0-60	0-150	4.1-5.0	FULL SUN	1.1-1.5	TO PREVENT DORMANCY

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE B. LOCATIONS AND DATA COLLECTED IN 2007

LOCATION	AUGUST QUALITY RATING	SEPTEMBER QUALITY RATING	OCTOBER QUALITY RATING	NOVEMBER QUALITY RATING	DECEMBER QUALITY RATING	GENETIC COLOR	LEAF TEXTURE	SEEDLING VIGOR	FALL DENSITY	WINTER COLOR	DAMPING -OFF	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
AZ1				X		X	X	X	X	X				X	X
CA3				X	X			X							
LA1	X	X	X	X	X	X	X		X						
MS1	X	X	X	X											
NC1		X	X	X		X	X							X	
OK1			X								X				
TN1	X	X	X	X	X	X				X		X	X	X	X
TX2														X	

TABLE B. (CONT'D) LOCATIONS AND DATA COLLECTED IN 2007

LOCATION	SEEDHEAD RATINGS	WEED RATINGS	PERCENT ESTABLISH- MENT	PERCENT ESTABLISHMENT RATINGS						PERCENT ESTABLISHMENT RATINGS					
				JUNE	JULY	AUG	SEP	OCT	NOV	4-WEEKS	8-WEEKS	10-WEEKS			
AZ1			X												
CA3															
LA1		X								X			X		
MS1	X									X		X			
NC1	X						X	X							
OK1							X	X							
TN1						X	X	X							
TX2							X	X	X						

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	NC1
OKC 1119	8.4
* PREMIER	8.0
* TIFWAY	7.7
OKC 1134	7.6
* PATRIOT	6.9
SWI-1070	6.7
SWI-1083	6.6
OKS 2004-2	6.6
* MIDLAWN	6.5
* HOLLYWOOD (J-720)	6.5
* PRINCESS 77	6.4
* RIVIERA	6.4
PST-R6FLT	6.3
PSG PROK	6.3
SWI-1081	6.3
SWI-1057	6.3
PSG 9BAN	6.2
IS-01-201	6.2
* VERACRUZ	6.2
SWI-1113	6.2
PYRAMID 2 (IS-CD10)	6.1
RAD-CD1	6.1
PSG 9Y20K	6.1
SWI-1122	5.9
* SUNSPORT	5.6
SWI-1117	5.6
PSG 94524	5.6
PSG 91215	5.5
* YUKON	5.4
BAR 7CD5	5.3
* NUMEX-SAHARA	5.2
LSD VALUE	0.9
C.V. (%)	9.0

* COMMERCIALY AVAILABLE IN THE USA IN 2009.

** ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 1B : TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass : 2007 Data report with permission from NTEP
 GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 1 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	NC1
SWI-1070	6.7
SWI-1083	6.6
OKS 2004-2	6.6
HOLLYWOOD (J-720)	6.5
PRINCESS 77	6.4
RIVIERA	6.4
PST-R6FLT	6.3
PSG PROK	6.3
SWI-1081	6.3
SWI-1057	6.3
PSG 9BAN	6.2
IS-01-201	6.2
VERACRUZ	6.2
SWI-1113	6.2
PYRAMID 2 (IS-CD10)	6.1
RAD-CD1	6.1
PSG 9Y2OK	6.1
SWI-1122	5.9
SUNSPORT	5.6
SWI-1117	5.6
PSG 94524	5.6
PSG 91215	5.5
YUKON	5.4
BAR 7CD5	5.3
NUMEX-SAHARA	5.2
LSD VALUE	0.9
C.V. (%)	9.4

TABLE 1C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 1 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	NC1
OKC 1119	8.4
PREMIER	8.0
TIFWAY	7.7
OKC 1134	7.6
PATRIOT	6.9
MIDLAWN	6.5
LSD VALUE	0.9
C.V. (%)	7.6

- * ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.ORG/AMMI_Q&A.PDF
- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 2A. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
GROWN AT TWO LOCATIONS IN THE U.S. FOR AMMI GROUP 2 */
2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/			
NAME	LA1	MS1	MEAN
PREMIER	6.7	6.3	6.5
OKC 1119	6.7	6.2	6.4
SWI-1070	6.4	6.2	6.3
OKS 2004-2	6.2	6.0	6.1
OKC 1134	6.3	5.9	6.1
SWI-1083	6.1	5.9	6.0
TIFWAY	6.2	5.8	6.0
PRINCESS 77	6.1	5.9	6.0
RIVIERA	6.1	5.8	6.0
PSG 9BAN	6.0	5.9	5.9
HOLLYWOOD (J-720)	6.1	5.8	5.9
IS-01-201	6.0	5.8	5.9
PATRIOT	6.1	5.8	5.9
SWI-1113	6.0	5.8	5.9
SWI-1081	6.0	5.8	5.9
PSG PROK	5.9	5.7	5.8
VERACRUZ	5.9	5.7	5.8
PYRAMID 2 (IS-CD10)	5.9	5.7	5.8
PST-R6FLT	5.9	5.6	5.8
SWI-1122	5.8	5.6	5.7
RAD-CD1	5.8	5.6	5.7
PSG 9Y20K	5.8	5.6	5.7
SWI-1117	5.7	5.6	5.7
SWI-1057	5.8	5.5	5.6
SUNSPORT	5.6	5.5	5.5
PSG 91215	5.5	5.4	5.5
PSG 94524	5.5	5.4	5.5
MIDLAWN	5.5	5.2	5.3
NUMEX-SAHARA	5.3	5.2	5.2
BAR 7CD5	5.0	4.7	4.9
YUKON	4.9	4.7	4.8
LSD VALUE	0.9	0.9	0.9
C.V. (%)	9.7	10.1	9.9

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.ORG/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2B. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass : 2007 Data report with permission from NTEP
 GROWN AT TWO LOCATIONS IN THE U.S. FOR AMMI GROUP 2 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	LA1	MS1	MEAN
SWI-1070	6.4	6.2	6.3
OKS 2004-2	6.2	6.0	6.1
SWI-1083	6.1	5.9	6.0
PRINCESS 77	6.1	5.9	6.0
RIVIERA	6.1	5.8	6.0
PSG 9BAN	6.0	5.9	5.9
HOLLYWOOD (J-720)	6.1	5.8	5.9
IS-01-201	6.0	5.8	5.9
SWI-1113	6.0	5.8	5.9
SWI-1081	6.0	5.8	5.9
PSG PROK	5.9	5.7	5.8
VERACRUZ	5.9	5.7	5.8
PYRAMID 2 (IS-CD10)	5.9	5.7	5.8
PST-R6FLT	5.9	5.6	5.8
SWI-1122	5.8	5.6	5.7
RAD-CD1	5.8	5.6	5.7
PSG 9Y2OK	5.8	5.6	5.7
SWI-1117	5.7	5.6	5.7
SWI-1057	5.8	5.5	5.6
SUNSPORT	5.6	5.5	5.5
PSG 91215	5.5	5.4	5.5
PSG 94524	5.5	5.4	5.5
NUMEX-SAHARA	5.3	5.2	5.2
BAR 7CD5	5.0	4.7	4.9
YUKON	4.9	4.7	4.8
LSD VALUE	0.9	0.9	0.9
C.V. (%)	9.8	10.2	10.0

TABLE 2C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 GROWN AT TWO LOCATIONS IN THE U.S. FOR AMMI GROUP 2 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	LA1	MS1	MEAN
PREMIER	6.7	6.3	6.5
OKC 1119	6.7	6.2	6.4
OKC 1134	6.3	5.9	6.1
TIFWAY	6.2	5.8	6.0
PATRIOT	6.1	5.8	5.9
MIDLAWN	5.5	5.2	5.3
LSD VALUE	0.9	0.9	0.9
C.V. (%)	9.2	9.8	9.5

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.ORG/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.

STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3A. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
GROWN AT THREE LOCATIONS IN THE U.S. FOR AMMI GROUP 3 */
2007 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/				
NAME	TN1	OK1	CA3	MEAN
SWI-1070	6.9	5.3	5.7	6.0
OKS 2004-2	6.7	5.0	5.4	5.7
PSG 9BAN	6.6	5.0	5.5	5.7
IS-01-201	6.6	5.0	5.5	5.7
SWI-1113	6.6	5.0	5.4	5.7
PRINCESS 77	6.6	5.0	5.4	5.6
SWI-1117	6.4	5.0	5.5	5.6
RIVIERA	6.6	4.9	5.3	5.6
SWI-1083	6.6	4.9	5.2	5.6
PREMIER	6.9	4.8	5.0	5.6
HOLLYWOOD (J-720)	6.6	4.9	5.3	5.6
SWI-1081	6.5	4.9	5.3	5.5
SWI-1122	6.4	4.9	5.3	5.5
VERACRUZ	6.5	4.8	5.2	5.5
PYRAMID 2 (IS-CD10)	6.4	4.8	5.2	5.5
PSG PROK	6.5	4.8	5.2	5.5
SUNSPORT	6.3	4.8	5.2	5.4
RAD-CD1	6.3	4.7	5.1	5.4
PSG 9Y20K	6.3	4.7	5.1	5.4
PSG 91215	6.2	4.7	5.2	5.4
PST-R6FLT	6.4	4.7	5.0	5.3
PSG 94524	6.2	4.7	5.1	5.3
PATRIOT	6.4	4.6	4.9	5.3
OKC 1119	6.7	4.5	4.6	5.3
NUMEX-SAHARA	6.0	4.5	5.0	5.2
SWI-1057	6.2	4.5	4.8	5.2
OKC 1134	6.4	4.3	4.5	5.1
TIFWAY	6.3	4.2	4.3	5.0
MIDLAWN	5.8	3.9	4.1	4.6
BAR 7CD5	5.5	3.8	4.2	4.5
YUKON	5.4	3.7	4.1	4.4
LSD VALUE	0.9	0.9	0.9	0.9
C.V. (%)	8.9	12.2	11.3	10.6

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.ORG/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3B. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass : 2007 Data report with permission from NTEP
 GROWN AT THREE LOCATIONS IN THE U.S. FOR AMMI GROUP 3 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	TN1	OK1	CA3	MEAN
SWI-1070	6.9	5.3	5.7	6.0
OKS 2004-2	6.7	5.0	5.4	5.7
PSG 9BAN	6.6	5.0	5.5	5.7
IS-01-201	6.6	5.0	5.5	5.7
SWI-1113	6.6	5.0	5.4	5.7
PRINCESS 77	6.6	5.0	5.4	5.6
SWI-1117	6.4	5.0	5.5	5.6
RIVIERA	6.6	4.9	5.3	5.6
SWI-1083	6.6	4.9	5.2	5.6
HOLLYWOOD (J-720)	6.6	4.9	5.3	5.6
SWI-1081	6.5	4.9	5.3	5.5
SWI-1122	6.4	4.9	5.3	5.5
VERACRUZ	6.5	4.8	5.2	5.5
PYRAMID 2 (IS-CD10)	6.4	4.8	5.2	5.5
PSG PROK	6.5	4.8	5.2	5.5
SUNSPORT	6.3	4.8	5.2	5.4
RAD-CD1	6.3	4.7	5.1	5.4
PSG 9Y20K	6.3	4.7	5.1	5.4
PSG 91215	6.2	4.7	5.2	5.4
PST-R6FLT	6.4	4.7	5.0	5.3
PSG 94524	6.2	4.7	5.1	5.3
NUMEX-SAHARA	6.0	4.5	5.0	5.2
SWI-1057	6.2	4.5	4.8	5.2
BAR 7CD5	5.5	3.8	4.2	4.5
YUKON	5.4	3.7	4.1	4.4
LSD VALUE	0.9	0.9	0.9	0.9
C.V. (%)	9.0	12.0	11.0	10.5

TABLE 3C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 GROWN AT THREE LOCATIONS IN THE U.S. FOR AMMI GROUP 3 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	TN1	OK1	CA3	MEAN
PREMIER	6.9	4.8	5.0	5.6
PATRIOT	6.4	4.6	4.9	5.3
OKC 1119	6.7	4.5	4.6	5.3
OKC 1134	6.4	4.3	4.5	5.1
TIFWAY	6.3	4.2	4.3	5.0
MIDLAWN	5.8	3.9	4.1	4.6
LSD VALUE	0.9	0.9	0.9	0.9
C.V. (%)	8.9	13.0	12.5	11.1

* ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.ORG/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	AZ1
SWI-1117	6.5
NUMEX-SAHARA	6.0
SUNSPORT	6.0
PSG 91215	5.9
SWI-1113	5.9
SWI-1122	5.8
SWI-1070	5.8
PSG 94524	5.8
IS-01-201	5.8
PSG 9BAN	5.8
VERACRUZ	5.4
PYRAMID 2 (IS-CD10)	5.4
PRINCESS 77	5.4
OKS 2004-2	5.4
RIVIERA	5.4
SWI-1081	5.3
PSG 9Y20K	5.2
RAD-CD1	5.2
HOLLYWOOD (J-720)	5.1
PSG PROK	5.1
SWI-1083	4.9
PST-R6FLT	4.8
SWI-1057	4.4
BAR 7CD5	4.2
YUKON	4.0
PATRIOT	4.0
PREMIER	3.1
MIDLAWN	2.8
OKC 1134	2.4
TIFWAY	2.0
OKC 1119	1.8
LSD VALUE	0.9
C.V. (%)	11.7

- * ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF
- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4B. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass : 2007 Data report with permission from NTEP
 GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 4 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	AZ1
SWI-1117	6.5
NUMEX-SAHARA	6.0
SUNSPORT	6.0
PSG 91215	5.9
SWI-1113	5.9
SWI-1122	5.8
SWI-1070	5.8
PSG 94524	5.8
IS-01-201	5.8
PSG 9BAN	5.8
VERACRUZ	5.4
PYRAMID 2 (IS-CD10)	5.4
PRINCESS 77	5.4
OKS 2004-2	5.4
RIVIERA	5.4
SWI-1081	5.3
PSG 9Y20K	5.2
RAD-CD1	5.2
HOLLYWOOD (J-720)	5.1
PSG PROK	5.1
SWI-1083	4.9
PST-R6FLT	4.8
SWI-1057	4.4
BAR 7CD5	4.2
YUKON	4.0
LSD VALUE	0.9
C.V. (%)	10.6

TABLE 4C. TURFGRASS QUALITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 4 */

2007 DATA
 TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	AZ1
PATRIOT	4.0
PREMIER	3.1
MIDLAWN	2.8
OKC 1134	2.4
TIFWAY	2.0
OKC 1119	1.8
LSD VALUE	0.9
C.V. (%)	21.3

- * ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.ORG/AMMI_Q&A.PDF
- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	AZ1	LA1	NC1	TN1	MEAN
PREMIER	7.7	7.3	8.3	8.7	8.0
PATRIOT	7.0	7.0	9.0	8.7	7.9
OKC 1119	8.3	6.0	8.0	8.7	7.8
OKC 1134	7.7	6.7	8.0	8.7	7.8
TIFWAY	7.0	7.0	8.0	9.0	7.8
SWI-1113	7.0	6.3	7.3	8.7	7.3
BAR 7CD5	7.0	5.7	7.3	9.0	7.3
PSG 9Y20K	7.0	6.0	6.7	9.0	7.2
HOLLYWOOD (J-720)	6.7	6.3	6.7	8.7	7.1
IS-01-201	7.3	5.7	7.0	8.3	7.1
PSG PROK	6.3	6.7	6.7	8.7	7.1
SWI-1057	6.0	6.3	7.0	9.0	7.1
PRINCESS 77	6.3	6.3	7.0	8.7	7.1
SWI-1070	6.0	6.3	7.3	8.7	7.1
SWI-1081	6.3	6.0	7.0	8.7	7.0
PSG 94524	7.0	6.0	6.0	8.7	6.9
RIVIERA	6.7	6.3	6.0	8.7	6.9
MIDLAWN	6.3	5.7	7.0	8.3	6.8
PSG 91215	6.3	6.3	6.3	8.3	6.8
SWI-1083	6.0	6.0	6.7	8.7	6.8
SWI-1117	6.7	6.3	6.0	8.3	6.8
VERACRUZ	6.0	6.0	6.7	8.7	6.8
PST-R6FLT	5.3	6.3	6.7	9.0	6.8
PSG 9BAN	6.0	6.3	6.3	8.7	6.8
SWI-1122	5.7	6.7	6.0	8.3	6.7
NUMEX-SAHARA	6.0	6.3	5.7	8.7	6.7
OKS 2004-2	5.3	6.3	6.3	8.7	6.7
SUNSPORT	6.3	6.0	6.3	8.0	6.7
YUKON	5.0	6.3	6.7	8.7	6.7
PYRAMID 2 (IS-CD10)	5.7	6.3	6.0	8.3	6.6
RAD-CD1	5.3	5.7	6.0	8.3	6.3
LSD VALUE	1.6	1.1	0.8	0.8	0.6
C.V. (%)	15.6	10.8	7.1	6.0	10.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5B. GENETIC COLOR RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP 2007 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	AZ1	LA1	NC1	TN1	MEAN
SWI-1113	7.0	6.3	7.3	8.7	7.3
BAR 7CD5	7.0	5.7	7.3	9.0	7.3
PSG 9Y20K	7.0	6.0	6.7	9.0	7.2
HOLLYWOOD (J-720)	6.7	6.3	6.7	8.7	7.1
IS-01-201	7.3	5.7	7.0	8.3	7.1
PSG PROK	6.3	6.7	6.7	8.7	7.1
SWI-1057	6.0	6.3	7.0	9.0	7.1
PRINCESS 77	6.3	6.3	7.0	8.7	7.1
SWI-1070	6.0	6.3	7.3	8.7	7.1
SWI-1081	6.3	6.0	7.0	8.7	7.0
PSG 94524	7.0	6.0	6.0	8.7	6.9
RIVIERA	6.7	6.3	6.0	8.7	6.9
PSG 91215	6.3	6.3	6.3	8.3	6.8
SWI-1083	6.0	6.0	6.7	8.7	6.8
SWI-1117	6.7	6.3	6.0	8.3	6.8
VERACRUZ	6.0	6.0	6.7	8.7	6.8
PST-R6FLT	5.3	6.3	6.7	9.0	6.8
PSG 9BAN	6.0	6.3	6.3	8.7	6.8
SWI-1122	5.7	6.7	6.0	8.3	6.7
NUMEX-SAHARA	6.0	6.3	5.7	8.7	6.7
OKS 2004-2	5.3	6.3	6.3	8.7	6.7
SUNSPORT	6.3	6.0	6.3	8.0	6.7
YUKON	5.0	6.3	6.7	8.7	6.7
PYRAMID 2 (IS-CD10)	5.7	6.3	6.0	8.3	6.6
RAD-CD1	5.3	5.7	6.0	8.3	6.3
LSD VALUE	1.6	1.2	0.8	0.8	0.6
C.V. (%)	16.3	11.8	7.5	6.0	10.4

TABLE 5C. GENETIC COLOR RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	AZ1	LA1	NC1	TN1	MEAN
PREMIER	7.7	7.3	8.3	8.7	8.0
PATRIOT	7.0	7.0	9.0	8.7	7.9
OKC 1119	8.3	6.0	8.0	8.7	7.8
OKC 1134	7.7	6.7	8.0	8.7	7.8
TIFWAY	7.0	7.0	8.0	9.0	7.8
MIDLAWN	6.3	5.7	7.0	8.3	6.8
LSD VALUE	1.5	0.7	0.8	0.8	0.5
C.V. (%)	12.9	6.2	5.9	6.1	8.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	AZ1	LA1	NC1	MEAN
OKC 1119	8.0	7.7	8.7	8.1
PREMIER	8.0	7.3	9.0	8.1
TIFWAY	7.3	7.0	8.3	7.6
OKC 1134	7.3	7.0	8.0	7.4
OKS 2004-2	6.7	6.7	7.7	7.0
PATRIOT	6.3	5.7	8.0	6.7
PST-R6FLT	6.7	6.0	7.3	6.7
IS-01-201	6.0	6.0	7.7	6.6
SWI-1113	6.3	5.7	7.7	6.6
MIDLAWN	6.3	6.0	7.3	6.6
PRINCESS 77	6.0	5.7	7.7	6.4
PSG 9BAN	6.3	5.7	7.3	6.4
PYRAMID 2 (IS-CD10)	6.7	5.3	7.0	6.3
SWI-1070	5.7	5.7	7.7	6.3
SWI-1083	6.0	5.7	7.3	6.3
SWI-1117	6.3	5.7	7.0	6.3
VERACRUZ	6.0	5.7	7.3	6.3
RIVIERA	6.0	5.7	7.0	6.2
PSG 91215	5.7	5.7	7.0	6.1
RAD-CD1	6.0	5.7	6.7	6.1
SWI-1081	5.7	5.7	7.0	6.1
YUKON	6.7	5.0	6.7	6.1
HOLLYWOOD (J-720)	5.3	6.0	7.0	6.1
SWI-1057	6.3	5.3	6.7	6.1
SWI-1122	5.7	5.7	6.7	6.0
PSG 9Y20K	5.3	5.7	6.7	5.9
SUNSPORT	5.0	6.0	6.7	5.9
PSG 94524	5.7	5.0	6.7	5.8
PSG PROK	5.3	5.0	7.0	5.8
BAR 7CD5	4.7	5.0	5.3	5.0
NUMEX-SAHARA	5.0	4.0	6.0	5.0
LSD VALUE	1.0	0.9	0.8	0.5
C.V. (%)	10.1	9.5	6.9	8.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6B. LEAF TEXTURE RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 2007 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	AZ1	LA1	NC1	MEAN
OKS 2004-2	6.7	6.7	7.7	7.0
PST-R6FLT	6.7	6.0	7.3	6.7
IS-01-201	6.0	6.0	7.7	6.6
SWI-1113	6.3	5.7	7.7	6.6
PRINCESS 77	6.0	5.7	7.7	6.4
PSG 9BAN	6.3	5.7	7.3	6.4
PYRAMID 2 (IS-CD10)	6.7	5.3	7.0	6.3
SWI-1070	5.7	5.7	7.7	6.3
SWI-1083	6.0	5.7	7.3	6.3
SWI-1117	6.3	5.7	7.0	6.3
VERACRUZ	6.0	5.7	7.3	6.3
RIVIERA	6.0	5.7	7.0	6.2
PSG 91215	5.7	5.7	7.0	6.1
RAD-CD1	6.0	5.7	6.7	6.1
SWI-1081	5.7	5.7	7.0	6.1
YUKON	6.7	5.0	6.7	6.1
HOLLYWOOD (J-720)	5.3	6.0	7.0	6.1
SWI-1057	6.3	5.3	6.7	6.1
SWI-1122	5.7	5.7	6.7	6.0
PSG 9Y20K	5.3	5.7	6.7	5.9
SUNSPORT	5.0	6.0	6.7	5.9
PSG 94524	5.7	5.0	6.7	5.8
PSG PROK	5.3	5.0	7.0	5.8
BAR 7CD5	4.7	5.0	5.3	5.0
NUMEX-SAHARA	5.0	4.0	6.0	5.0
LSD VALUE	1.1	0.9	0.8	0.5
C.V. (%)	11.1	10.4	7.4	9.5

TABLE 6C. LEAF TEXTURE RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	AZ1	LA1	NC1	MEAN
OKC 1119	8.0	7.7	8.7	8.1
PREMIER	8.0	7.3	9.0	8.1
TIFWAY	7.3	7.0	8.3	7.6
OKC 1134	7.3	7.0	8.0	7.4
PATRIOT	6.3	5.7	8.0	6.7
MIDLAWN	6.3	6.0	7.3	6.6
LSD VALUE	0.8	0.7	0.7	0.4
C.V. (%)	6.5	6.0	5.0	5.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

SEEDLING VIGOR RATINGS 1-9; 9=MAXIMUM VIGOR 2/

NAME	AZ1	CA3	MEAN
NUMEX - SAHARA	8.7	7.7	8.2
SWI - 1070	8.0	7.7	7.8
SWI - 1117	7.7	7.3	7.5
IS - 01 - 201	8.3	6.3	7.3
SUNSPORT	8.0	6.7	7.3
PSG 91215	7.3	7.3	7.3
SWI - 1113	8.7	5.7	7.2
PSG 94524	8.0	5.7	6.8
PSG PROK	6.7	7.0	6.8
PSG 9BAN	8.7	5.0	6.8
SWI - 1083	6.3	7.0	6.7
SWI - 1122	7.3	5.7	6.5
OKS 2004 - 2	6.3	6.0	6.2
RIVIERA	7.0	5.3	6.2
PRINCESS 77	6.7	5.3	6.0
PST - R6FLT	4.7	7.3	6.0
RAD - CD1	5.7	6.3	6.0
PSG 9Y20K	5.3	6.3	5.8
PYRAMID 2 (IS - CD10)	6.3	5.3	5.8
SWI - 1081	7.3	4.3	5.8
HOLLYWOOD (J - 720)	6.7	4.7	5.7
VERACRUZ	7.0	3.7	5.3
SWI - 1057	4.3	4.0	4.2
YUKON	3.3	4.3	3.8
BAR 7CD5	3.3	2.3	2.8
LSD VALUE	3.5	3.0	2.3
C.V. (%)	32.1	32.1	32.2

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	LA1	MEAN
SWI-1070	7.7	7.0	7.3
PSG 9BAN	7.7	6.7	7.2
IS-01-201	7.3	7.0	7.2
SUNSPORT	7.3	7.0	7.2
RIVIERA	7.0	7.0	7.0
SWI-1113	7.7	6.3	7.0
SWI-1117	6.7	7.0	6.8
PSG 94524	7.0	6.3	6.7
HOLLYWOOD (J-720)	6.0	7.0	6.5
NUMEX-SAHARA	8.0	5.0	6.5
PRINCESS 77	6.3	6.7	6.5
PSG 91215	6.3	6.7	6.5
SWI-1081	6.3	6.7	6.5
OKS 2004-2	5.7	7.0	6.3
PSG PROK	6.0	6.7	6.3
PYRAMID 2 (IS-CD10)	6.0	6.7	6.3
SWI-1083	5.7	7.0	6.3
SWI-1122	6.3	6.3	6.3
VERACRUZ	6.3	6.0	6.2
RAD-CD1	5.0	6.7	5.8
PSG 9Y20K	5.0	6.3	5.7
PST-R6FLT	4.0	6.3	5.2
OKC 1119	2.3	7.7	5.0
PATRIOT	3.7	6.3	5.0
PREMIER	2.0	7.7	4.8
SWI-1057	4.0	5.7	4.8
OKC 1134	2.0	7.3	4.7
TIFWAY	1.7	6.7	4.2
YUKON	3.3	5.0	4.2
BAR 7CD5	3.0	5.3	4.2
MIDLAWN	1.7	5.7	3.7
LSD VALUE	2.8	1.0	1.5
C.V. (%)	33.1	9.4	22.2

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8B FALL DENSITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP 2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	LA1	MEAN
SWI-1070	7.7	7.0	7.3
PSG 9BAN	7.7	6.7	7.2
IS-01-201	7.3	7.0	7.2
SUNSPORT	7.3	7.0	7.2
RIVIERA	7.0	7.0	7.0
SWI-1113	7.7	6.3	7.0
SWI-1117	6.7	7.0	6.8
PSG 94524	7.0	6.3	6.7
HOLLYWOOD (J-720)	6.0	7.0	6.5
NUMEX-SAHARA	8.0	5.0	6.5
PRINCESS 77	6.3	6.7	6.5
PSG 91215	6.3	6.7	6.5
SWI-1081	6.3	6.7	6.5
OKS 2004-2	5.7	7.0	6.3
PSG PROK	6.0	6.7	6.3
PYRAMID 2 (IS-CD10)	6.0	6.7	6.3
SWI-1083	5.7	7.0	6.3
SWI-1122	6.3	6.3	6.3
VERACRUZ	6.3	6.0	6.2
RAD-CD1	5.0	6.7	5.8
PSG 9Y20K	5.0	6.3	5.7
PST-R6FLT	4.0	6.3	5.2
SWI-1057	4.0	5.7	4.8
YUKON	3.3	5.0	4.2
BAR 7CD5	3.0	5.3	4.2
LSD VALUE	3.1	0.8	1.6
C.V. (%)	31.9	8.0	22.6

TABLE 8C. FALL DENSITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	LA1	MEAN
OKC 1119	2.3	7.7	5.0
PATRIOT	3.7	6.3	5.0
PREMIER	2.0	7.7	4.8
OKC 1134	2.0	7.3	4.7
TIFWAY	1.7	6.7	4.2
MIDLAWN	1.7	5.7	3.7
LSD VALUE	1.0	1.5	0.9
C.V. (%)	28.1	13.3	17.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	TN1	MEAN
OKC 1119	3.3	2.0	2.7
TIFWAY	2.7	2.3	2.5
SWI-1057	1.7	3.0	2.3
VERACRUZ	2.0	2.7	2.3
PRINCESS 77	2.0	2.3	2.2
SWI-1113	2.3	2.0	2.2
OKC 1134	2.7	1.7	2.2
BAR 7CD5	2.0	2.0	2.0
PSG 9BAN	2.0	2.0	2.0
SWI-1070	1.7	2.3	2.0
HOLLYWOOD (J-720)	1.7	2.0	1.8
PSG 9Y20K	1.7	2.0	1.8
SWI-1122	1.3	2.3	1.8
PREMIER	1.7	1.7	1.7
RIVIERA	1.7	1.7	1.7
MIDLAWN	1.3	2.0	1.7
NUMEX - SAHARA	1.3	2.0	1.7
PSG PROK	1.3	2.0	1.7
RAD-CD1	1.3	2.0	1.7
SUNSPORT	1.3	2.0	1.7
SWI-1083	1.3	2.0	1.7
PSG 91215	1.0	2.0	1.5
PSG 94524	1.3	1.7	1.5
PYRAMID 2 (IS-CD10)	1.7	1.3	1.5
SWI-1081	1.3	1.7	1.5
SWI-1117	1.3	1.7	1.5
YUKON	1.0	2.0	1.5
PST-R6FLT	1.0	1.7	1.3
IS-01-201	1.3	1.3	1.3
OKS 2004-2	1.0	1.3	1.2
PATRIOT	1.0	1.0	1.0
LSD VALUE	1.0	0.8	0.6
C.V. (%)	38.8	24.7	31.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9B WINTER COLOR RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP 2007 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	TN1	MEAN
SWI-1057	1.7	3.0	2.3
VERACRUZ	2.0	2.7	2.3
PRINCESS 77	2.0	2.3	2.2
SWI-1113	2.3	2.0	2.2
BAR 7CD5	2.0	2.0	2.0
PSG 9BAN	2.0	2.0	2.0
SWI-1070	1.7	2.3	2.0
HOLLYWOOD (J-720)	1.7	2.0	1.8
PSG 9Y20K	1.7	2.0	1.8
SWI-1122	1.3	2.3	1.8
RIVIERA	1.7	1.7	1.7
NUMEX-SAHARA	1.3	2.0	1.7
PSG PROK	1.3	2.0	1.7
RAD-CD1	1.3	2.0	1.7
SUNSPORT	1.3	2.0	1.7
SWI-1083	1.3	2.0	1.7
PSG 91215	1.0	2.0	1.5
PSG 94524	1.3	1.7	1.5
PYRAMID 2 (IS-CD10)	1.7	1.3	1.5
SWI-1081	1.3	1.7	1.5
SWI-1117	1.3	1.7	1.5
YUKON	1.0	2.0	1.5
PST-R6FLT	1.0	1.7	1.3
IS-01-201	1.3	1.3	1.3
OKS 2004-2	1.0	1.3	1.2
LSD VALUE	0.9	0.8	0.6
C.V. (%)	39.1	25.0	31.2

TABLE 9C. WINTER COLOR RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	TN1	MEAN
OKC 1119	3.3	2.0	2.7
TIFWAY	2.7	2.3	2.5
OKC 1134	2.7	1.7	2.2
PREMIER	1.7	1.7	1.7
MIDLAWN	1.3	2.0	1.7
PATRIOT	1.0	1.0	1.0
LSD VALUE	1.3	0.7	0.7
C.V. (%)	37.0	23.0	32.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

DAMPING-OFF RATINGS 1-9; 9=NO DISEASE 2/

NAME	OK1
BAR 7CD5	9.0
IS-01-201	9.0
MIDLAWN	9.0
OKC 1119	9.0
OKC 1134	9.0
OKS 2004-2	9.0
PATRIOT	9.0
PREMIER	9.0
PSG 94524	9.0
PSG 9BAN	9.0
RIVIERA	9.0
TIFWAY	9.0
VERACRUZ	9.0
PRINCESS 77	8.7
PSG 91215	8.7
RAD-CD1	8.7
SWI-1070	8.7
SWI-1081	8.7
SWI-1083	8.7
SWI-1113	8.7
SWI-1117	8.7
SWI-1122	8.7
PSG 9Y20K	8.3
PST-R6FLT	8.3
SUNSPORT	8.3
HOLLYWOOD (J-720)	8.0
NUMEX-SAHARA	8.0
PSG PROK	8.0
PYRAMID 2 (IS-CD10)	8.0
SWI-1057	7.7
YUKON	7.3
LSD VALUE	1.1
C.V. (%)	7.7

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10B. DAMPING-OFF RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 2007 DATA

DAMPING-OFF RATINGS 1-9; 9=NO DISEASE 2/

NAME	OK1
BAR 7CD5	9.0
IS-01-201	9.0
OKS 2004-2	9.0
PSG 94524	9.0
PSG 9BAN	9.0
RIVIERA	9.0
VERACRUZ	9.0
PRINCESS 77	8.7
PSG 91215	8.7
RAD-CD1	8.7
SWI-1070	8.7
SWI-1081	8.7
SWI-1083	8.7
SWI-1113	8.7
SWI-1117	8.7
SWI-1122	8.7
PSG 9Y20K	8.3
PST-R6FLT	8.3
SUNSPORT	8.3
HOLLYWOOD (J-720)	8.0
NUMEX-SAHARA	8.0
PSG PROK	8.0
PYRAMID 2 (IS-CD10)	8.0
SWI-1057	7.7
YUKON	7.3
LSD VALUE	1.2
C.V. (%)	8.7

TABLE 10C. DAMPING-OFF RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

DAMPING-OFF RATINGS 1-9; 9=NO DISEASE 2/

NAME	OK1
MIDLAWN	9
OKC 1119	9
OKC 1134	9
PATRIOT	9
PREMIER	9
TIFWAY	9
LSD VALUE	0
C.V. (%)	0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
BAR 7CD5	9.0
OKC 1134	9.0
PATRIOT	9.0
SWI-1057	9.0
SWI-1083	9.0
HOLLYWOOD (J-720)	8.7
PREMIER	8.7
PSG 91215	8.7
PSG 9Y20K	8.7
PSG PROK	8.7
PST-R6FLT	8.7
RAD-CD1	8.7
RIVIERA	8.7
SWI-1070	8.7
SWI-1081	8.7
SWI-1113	8.7
SWI-1117	8.7
SWI-1122	8.7
VERACRUZ	8.7
YUKON	8.7
IS-01-201	8.3
MIDLAWN	8.3
OKC 1119	8.3
OKS 2004-2	8.3
PRINCESS 77	8.3
PSG 9BAN	8.3
PYRAMID 2 (IS-CD10)	8.3
SUNSPORT	8.3
NUMEX-SAHARA	8.0
PSG 94524	8.0
TIFWAY	8.0
LSD VALUE	0.8
C.V. (%)	5.8

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11B. FALL COLOR (SEPTEMBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
BAR 7CD5	9.0
SWI-1057	9.0
SWI-1083	9.0
HOLLYWOOD (J-720)	8.7
PSG 91215	8.7
PSG 9Y20K	8.7
PSG PROK	8.7
PST-R6FLT	8.7
RAD-CD1	8.7
RIVIERA	8.7
SWI-1070	8.7
SWI-1081	8.7
SWI-1113	8.7
SWI-1117	8.7
SWI-1122	8.7
VERACRUZ	8.7
YUKON	8.7
IS-01-201	8.3
OKS 2004-2	8.3
PRINCESS 77	8.3
PSG 9BAN	8.3
PYRAMID 2 (IS-CD10)	8.3
SUNSPORT	8.3
NUMEX-SAHARA	8.0
PSG 94524	8.0
LSD VALUE	0.8
C.V. (%)	6.0

TABLE 11C. FALL COLOR (SEPTEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
OKC 1134	9.0
PATRIOT	9.0
PREMIER	8.7
MIDLAWN	8.3
OKC 1119	8.3
TIFWAY	8.0
LSD VALUE	0.7
C.V. (%)	4.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
BAR 7CD5	8.0
HOLLYWOOD (J-720)	8.0
IS-01-201	8.0
NUMEX-SAHARA	8.0
OKC 1119	8.0
OKC 1134	8.0
PATRIOT	8.0
PSG 91215	8.0
PSG 9BAN	8.0
PSG 9Y20K	8.0
SWI-1083	8.0
SWI-1113	8.0
YUKON	8.0
OKS 2004-2	7.7
PREMIER	7.7
PSG 94524	7.7
PSG PROK	7.7
PYRAMID 2 (IS-CD10)	7.7
RIVIERA	7.7
SUNSPORT	7.7
SWI-1081	7.7
SWI-1117	7.7
PRINCESS 77	7.3
PST-R6FLT	7.3
SWI-1057	7.3
SWI-1122	7.3
TIFWAY	7.3
VERACRUZ	7.3
MIDLAWN	7.0
RAD-CD1	7.0
SWI-1070	7.0
LSD VALUE	0.7
C.V. (%)	5.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12B. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
BAR 7CD5	8.0
HOLLYWOOD (J-720)	8.0
IS-01-201	8.0
NUMEX-SAHARA	8.0
PSG 91215	8.0
PSG 9BAN	8.0
PSG 9Y20K	8.0
SWI-1083	8.0
SWI-1113	8.0
YUKON	8.0
OKS 2004-2	7.7
PSG 94524	7.7
PSG PROK	7.7
PYRAMID 2 (IS-CD10)	7.7
RIVIERA	7.7
SUNSPORT	7.7
SWI-1081	7.7
SWI-1117	7.7
PRINCESS 77	7.3
PST-R6FLT	7.3
SWI-1057	7.3
SWI-1122	7.3
VERACRUZ	7.3
RAD-CD1	7.0
SWI-1070	7.0
LSD VALUE	0.7
C.V. (%)	5.4

TABLE 12C. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
OKC 1119	8.0
OKC 1134	8.0
PATRIOT	8.0
PREMIER	7.7
TIFWAY	7.3
MIDLAWN	7.0
LSD VALUE	0.8
C.V. (%)	6.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	NC1	TN1	TX2	MEAN
OKC 1119	8.3	7.3	6.0	8.0	7.4
TIFWAY	7.0	8.0	6.0	7.7	7.2
SWI-1113	7.0	6.3	6.7	8.7	7.2
SWI-1057	6.0	7.0	7.0	8.0	7.0
PRINCESS 77	6.3	6.0	6.7	8.0	6.8
VERACRUZ	6.0	7.0	6.0	7.7	6.7
HOLLYWOOD (J-720)	6.7	5.3	6.7	7.7	6.6
SWI-1070	6.0	6.3	6.0	7.7	6.5
PSG 9Y2OK	7.0	4.7	6.3	7.7	6.4
BAR 7CD5	7.0	6.0	6.3	6.3	6.4
SWI-1083	6.0	6.0	6.3	7.3	6.4
RIVIERA	6.7	4.3	6.0	8.0	6.3
OKC 1134	7.7	3.3	6.0	7.7	6.2
SWI-1122	5.7	6.3	5.7	7.0	6.2
PREMIER	7.7	6.3	6.3	4.3	6.2
PSG 9BAN	6.0	4.7	6.7	7.0	6.1
IS-01-201	7.3	4.3	6.3	6.3	6.1
SWI-1081	6.3	5.3	6.0	6.7	6.1
PSG PROK	6.3	5.0	6.0	6.7	6.0
SUNSPORT	6.3	4.7	6.3	6.7	6.0
PSG 91215	6.3	5.0	6.3	6.3	6.0
SWI-1117	6.7	4.0	6.3	6.7	5.9
RAD-CD1	5.3	4.7	6.3	7.3	5.9
OKS 2004-2	5.3	4.0	6.0	8.0	5.8
PSG 94524	7.0	4.3	6.3	5.7	5.8
YUKON	5.0	4.7	7.0	6.3	5.8
MIDLAWN	6.3	4.7	6.7	5.0	5.7
NUMEX-SAHARA	6.0	3.7	6.3	5.7	5.4
PYRAMID 2 (IS-CD10)	5.7	3.7	6.0	6.0	5.3
PATRIOT	7.0	3.0	5.3	6.0	5.3
PST-R6FLT	5.3	4.0	6.3	5.7	5.3
LSD VALUE	1.6	1.2	0.7	1.3	0.6
C.V. (%)	15.6	14.1	7.2	11.7	12.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13B. FALL COLOR (NOVEMBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/					
NAME	AZ1	NC1	TN1	TX2	MEAN
SWI-1113	7.0	6.3	6.7	8.7	7.2
SWI-1057	6.0	7.0	7.0	8.0	7.0
PRINCESS 77	6.3	6.0	6.7	8.0	6.8
VERACRUZ	6.0	7.0	6.0	7.7	6.7
HOLLYWOOD (J-720)	6.7	5.3	6.7	7.7	6.6
SWI-1070	6.0	6.3	6.0	7.7	6.5
PSG 9Y20K	7.0	4.7	6.3	7.7	6.4
BAR 7CD5	7.0	6.0	6.3	6.3	6.4
SWI-1083	6.0	6.0	6.3	7.3	6.4
RIVIERA	6.7	4.3	6.0	8.0	6.3
SWI-1122	5.7	6.3	5.7	7.0	6.2
PSG 9BAN	6.0	4.7	6.7	7.0	6.1
IS-01-201	7.3	4.3	6.3	6.3	6.1
SWI-1081	6.3	5.3	6.0	6.7	6.1
PSG PROK	6.3	5.0	6.0	6.7	6.0
SUNSPORT	6.3	4.7	6.3	6.7	6.0
PSG 91215	6.3	5.0	6.3	6.3	6.0
SWI-1117	6.7	4.0	6.3	6.7	5.9
RAD-CD1	5.3	4.7	6.3	7.3	5.9
OKS 2004-2	5.3	4.0	6.0	8.0	5.8
PSG 94524	7.0	4.3	6.3	5.7	5.8
YUKON	5.0	4.7	7.0	6.3	5.8
NUMEX-SAHARA	6.0	3.7	6.3	5.7	5.4
PYRAMID 2 (IS-CD10)	5.7	3.7	6.0	6.0	5.3
PST-R6FLT	5.3	4.0	6.3	5.7	5.3
LSD VALUE	1.6	1.2	0.7	1.3	0.6
C.V. (%)	16.3	14.7	7.3	11.8	12.8

TABLE 13C. FALL COLOR (NOVEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/					
NAME	AZ1	NC1	TN1	TX2	MEAN
OKC 1119	8.3	7.3	6.0	8.0	7.4
TIFWAY	7.0	8.0	6.0	7.7	7.2
OKC 1134	7.7	3.3	6.0	7.7	6.2
PREMIER	7.7	6.3	6.3	4.3	6.2
MIDLAWN	6.3	4.7	6.7	5.0	5.7
PATRIOT	7.0	3.0	5.3	6.0	5.3
LSD VALUE	1.5	1.0	0.7	1.1	0.6
C.V. (%)	12.9	11.5	6.7	11.0	11.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
OKC 1119	2.0
TIFWAY	2.3
SWI -1113	2.0
OKC 1134	1.7
PREMIER	1.7
PRINCESS 77	2.3
PSG 9BAN	2.0
SWI -1057	3.0
VERACRUZ	2.7
BAR 7CD5	2.0
SWI -1070	2.3
SUNSPORT	2.0
RIVIERA	1.7
SWI -1122	2.3
HOLLYWOOD (J -720)	2.0
NUMEX -SAHARA	2.0
PSG 9Y20K	2.0
MIDLAWN	2.0
PSG PROK	2.0
RAD -CD1	2.0
PSG 94524	1.7
IS -01 -201	1.3
PSG 91215	2.0
PYRAMID 2 (IS -CD10)	1.3
SWI -1081	1.7
SWI -1083	2.0
SWI -1117	1.7
YUKON	2.0
PATRIOT	1.0
PST -R6FLT	1.7
OKS 2004-2	1.3
LSD VALUE	0.8
C.V. (%)	24.7

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14B. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass : 2007 Data report with permission from NTEP 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
SWI-1113	2.0
PRINCESS 77	2.3
PSG 9BAN	2.0
SWI-1057	3.0
VERACRUZ	2.7
BAR 7CD5	2.0
SWI-1070	2.3
SUNSPORT	2.0
RIVIERA	1.7
SWI-1122	2.3
HOLLYWOOD (J-720)	2.0
NUMEX-SAHARA	2.0
PSG 9Y20K	2.0
PSG PROK	2.0
RAD-CD1	2.0
PSG 94524	1.7
IS-01-201	1.3
PSG 91215	2.0
PYRAMID 2 (IS-CD10)	1.3
SWI-1081	1.7
SWI-1083	2.0
SWI-1117	1.7
YUKON	2.0
PST-R6FLT	1.7
OKS 2004-2	1.3
LSD VALUE	0.8
C.V. (%)	25.0

TABLE 14C. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	TN1
OKC 1119	2.0
TIFWAY	2.3
OKC 1134	1.7
PREMIER	1.7
MIDLAWN	2.0
PATRIOT	1.0
LSD VALUE	0.7
C.V. (%)	23.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	MS1	NC1	MEAN
MIDLAWN	8.3	8.3	8.3
TIFWAY	6.7	8.3	7.5
YUKON	7.3	7.7	7.5
OKC 1119	6.0	8.7	7.3
OKS 2004-2	6.3	7.7	7.0
RIVIERA	6.3	7.7	7.0
BAR 7CD5	7.0	6.7	6.8
SWI-1122	7.7	6.0	6.8
NUMEX-SAHARA	7.3	6.3	6.8
OKC 1134	5.0	8.3	6.7
PREMIER	5.3	8.0	6.7
PATRIOT	5.7	7.3	6.5
PYRAMID 2 (IS-CD10)	7.0	6.0	6.5
RAD-CD1	6.7	6.3	6.5
PSG 91215	6.7	6.0	6.3
VERACRUZ	6.3	6.0	6.2
IS-01-201	6.7	5.3	6.0
PSG 94524	6.0	6.0	6.0
PSG 9Y20K	6.7	5.3	6.0
SWI-1070	6.0	6.0	6.0
SWI-1113	5.7	6.3	6.0
SWI-1083	6.0	5.7	5.8
SWI-1057	5.7	5.7	5.7
SWI-1117	6.7	4.7	5.7
PSG 9BAN	6.0	5.3	5.7
HOLLYWOOD (J-720)	6.0	5.0	5.5
PRINCESS 77	5.3	5.7	5.5
SUNSPORT	7.0	4.0	5.5
SWI-1081	6.7	4.0	5.3
PSG PROK	6.0	4.3	5.2
PST-R6FLT	6.0	2.3	4.2
LSD VALUE	0.9	1.1	0.7
C.V. (%)	8.6	10.9	9.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15B. SEEDHEAD RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 2007 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/			
NAME	MS1	NC1	MEAN
YUKON	7.3	7.7	7.5
OKS 2004-2	6.3	7.7	7.0
RIVIERA	6.3	7.7	7.0
BAR 7CD5	7.0	6.7	6.8
SWI-1122	7.7	6.0	6.8
NUMEX-SAHARA	7.3	6.3	6.8
PYRAMID 2 (IS-CD10)	7.0	6.0	6.5
RAD-CD1	6.7	6.3	6.5
PSG 91215	6.7	6.0	6.3
VERACRUZ	6.3	6.0	6.2
IS-01-201	6.7	5.3	6.0
PSG 94524	6.0	6.0	6.0
PSG 9Y20K	6.7	5.3	6.0
SWI-1070	6.0	6.0	6.0
SWI-1113	5.7	6.3	6.0
SWI-1083	6.0	5.7	5.8
SWI-1057	5.7	5.7	5.7
SWI-1117	6.7	4.7	5.7
PSG 9BAN	6.0	5.3	5.7
HOLLYWOOD (J-720)	6.0	5.0	5.5
PRINCESS 77	5.3	5.7	5.5
SUNSPORT	7.0	4.0	5.5
SWI-1081	6.7	4.0	5.3
PSG PROK	6.0	4.3	5.2
PST-R6FLT	6.0	2.3	4.2
LSD VALUE	0.9	1.1	0.7
C.V. (%)	8.8	11.9	10.3

TABLE 15C. SEEDHEAD RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/			
NAME	MS1	NC1	MEAN
MIDLAWN	8.3	8.3	8.3
TIFWAY	6.7	8.3	7.5
OKC 1119	6.0	8.7	7.3
OKC 1134	5.0	8.3	6.7
PREMIER	5.3	8.0	6.7
PATRIOT	5.7	7.3	6.5
LSD VALUE	0.8	1.1	0.7
C.V. (%)	7.6	8.2	8.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

WEED RATINGS 1-9; 9=NONE 2/

NAME	CA3
NUMEX-SAHARA	9.0
SWI-1117	8.7
PSG 91215	8.3
PYRAMID 2 (IS-CD10)	8.3
RAD-CD1	8.3
SUNSPORT	8.3
HOLLYWOOD (J-720)	8.0
PSG PROK	8.0
PST-R6FLT	8.0
RIVIERA	8.0
SWI-1070	8.0
SWI-1083	8.0
SWI-1122	8.0
IS-01-201	7.7
PSG 94524	7.7
SWI-1057	7.7
SWI-1081	7.7
SWI-1113	7.3
OKS 2004-2	7.0
PSG 9BAN	7.0
PSG 9Y20K	7.0
PRINCESS 77	5.7
VERACRUZ	5.7
BAR 7CD5	5.3
YUKON	4.7
MIDLAWN	4.3
PATRIOT	2.7
OKC 1119	2.3
PREMIER	2.3
TIFWAY	2.3
OKC 1134	2.0
LSD VALUE	1.9
C.V. (%)	18.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16B. WEED RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 2007 DATA

WEED RATINGS 1-9; 9=NONE 2/

NAME	CA3
NUMEX - SAHARA	9.0
SWI - 1117	8.7
PSG 91215	8.3
PYRAMID 2 (IS-CD10)	8.3
RAD-CD1	8.3
SUNSPORT	8.3
HOLLYWOOD (J-720)	8.0
PSG PROK	8.0
PST-R6FLT	8.0
RIVIERA	8.0
SWI-1070	8.0
SWI-1083	8.0
SWI-1122	8.0
IS-01-201	7.7
PSG 94524	7.7
SWI-1057	7.7
SWI-1081	7.7
SWI-1113	7.3
OKS 2004-2	7.0
PSG 9BAN	7.0
PSG 9Y20K	7.0
PRINCESS 77	5.7
VERACRUZ	5.7
BAR 7CD5	5.3
YUKON	4.7
LSD VALUE	1.8
C.V. (%)	15.0

TABLE 16C. WEED RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA

WEED RATINGS 1-9; 9=NONE 2/

NAME	CA3
MIDLAWN	4.3
PATRIOT	2.7
OKC 1119	2.3
PREMIER	2.3
TIFWAY	2.3
OKC 1134	2.0
LSD VALUE	2.2
C.V. (%)	52.3

NAME	AZ1
NUMEX-SAHARA	81.7
IS-01-201	78.3
PSG 9BAN	78.3
SUNSPORT	78.3
SWI-1070	78.3
SWI-1113	78.3
PSG 94524	71.7
SWI-1117	71.7
RIVIERA	70.0
PSG 91215	66.7
SWI-1081	66.7
VERACRUZ	66.7
PRINCESS 77	65.0
SWI-1122	65.0
PSG PROK	63.3
HOLLYWOOD (J-720)	61.7
PYRAMID 2 (IS-CD10)	61.7
OKS 2004-2	58.3
SWI-1083	58.3
RAD-CD1	53.3
PSG 9Y20K	51.7
PST-R6FLT	45.0
SWI-1057	43.3
PATRIOT	40.0
YUKON	36.7
BAR 7CD5	33.3
OKC 1119	25.0
PREMIER	23.3
OKC 1134	21.7
TIFWAY	20.0
MIDLAWN	16.7
LSD VALUE	26.9
C.V. (%)	30.0

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 2007 DATA 2/

NAME	AZ1
NUMEX - SAHARA	81.7
IS - 01 - 201	78.3
PSG 9BAN	78.3
SUNSPORT	78.3
SWI - 1070	78.3
SWI - 1113	78.3
PSG 94524	71.7
SWI - 1117	71.7
RIVIERA	70.0
PSG 91215	66.7
SWI - 1081	66.7
VERACRUZ	66.7
PRINCESS 77	65.0
SWI - 1122	65.0
PSG PROK	63.3
HOLLYWOOD (J - 720)	61.7
PYRAMID 2 (IS - CD10)	61.7
OKS 2004 - 2	58.3
SWI - 1083	58.3
RAD - CD1	53.3
PSG 9Y20K	51.7
PST - R6FLT	45.0
SWI - 1057	43.3
YUKON	36.7
BAR 7CD5	33.3
LSD VALUE	29.6
C.V. (%)	29.0

TABLE 17C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 2007 DATA 2/

NAME	AZ1
PATRIOT	40.0
OKC 1119	25.0
PREMIER	23.3
OKC 1134	21.7
TIFWAY	20.0
MIDLAWN	16.7
LSD VALUE	10.4
C.V. (%)	26.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 18A. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS
AT BATON ROUGE, LA 1/
2007 DATA

NAME	4-WEEKS	10-WEEKS	MEAN
NUMEX-SAHARA	53.3	97.7	75.5
SUNSPORT	46.7	99.0	72.8
PSG PROK	36.7	99.0	67.8
SWI-1070	36.7	99.0	67.8
SWI-1117	36.7	99.0	67.8
PSG 94524	35.0	99.0	67.0
SWI-1083	35.0	97.7	66.3
OKC 1134	33.3	99.0	66.2
HOLLYWOOD (J-720)	30.0	99.0	64.5
PSG 9Y20K	28.3	97.7	63.0
PSG 9BAN	26.7	99.0	62.8
PREMIER	25.0	99.0	62.0
RIVIERA	25.0	97.7	61.3
RAD-CD1	23.3	99.0	61.2
SWI-1122	23.3	97.7	60.5
PYRAMID 2 (IS-CD10)	21.7	99.0	60.3
PSG 91215	23.3	96.3	59.8
SWI-1081	21.7	97.7	59.7
IS-01-201	20.0	97.7	58.8
SWI-1057	18.3	99.0	58.7
PATRIOT	21.7	95.0	58.3
SWI-1113	20.0	96.3	58.2
OKS 2004-2	16.7	99.0	57.8
PRINCESS 77	16.7	99.0	57.8
OKC 1119	16.7	97.7	57.2
VERACRUZ	15.0	99.0	57.0
MIDLAWN	15.0	93.3	54.2
YUKON	15.0	93.0	54.0
PST-R6FLT	10.0	97.7	53.8
BAR 7CD5	13.3	93.0	53.2
TIFWAY	15.0	91.3	53.2
LSD VALUE	17.7	6.6	8.6
C.V. (%)	39.6	2.9	8.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 AT BATON ROUGE, LA 1/
 2007 DATA

NAME	4-WEEKS	10-WEEKS	MEAN
NUMEX-SAHARA	53.3	97.7	75.5
SUNSPORT	46.7	99.0	72.8
PSG PROK	36.7	99.0	67.8
SWI-1070	36.7	99.0	67.8
SWI-1117	36.7	99.0	67.8
PSG 94524	35.0	99.0	67.0
SWI-1083	35.0	97.7	66.3
HOLLYWOOD (J-720)	30.0	99.0	64.5
PSG 9Y20K	28.3	97.7	63.0
PSG 9BAN	26.7	99.0	62.8
RIVIERA	25.0	97.7	61.3
RAD-CD1	23.3	99.0	61.2
SWI-1122	23.3	97.7	60.5
PYRAMID 2 (IS-CD10)	21.7	99.0	60.3
PSG 91215	23.3	96.3	59.8
SWI-1081	21.7	97.7	59.7
IS-01-201	20.0	97.7	58.8
SWI-1057	18.3	99.0	58.7
SWI-1113	20.0	96.3	58.2
OKS 2004-2	16.7	99.0	57.8
PRINCESS 77	16.7	99.0	57.8
VERACRUZ	15.0	99.0	57.0
YUKON	15.0	93.0	54.0
PST-R6FLT	10.0	97.7	53.8
BAR 7CD5	13.3	93.0	53.2
LSD VALUE	20.3	5.7	9.9
C.V. (%)	42.1	2.4	8.9

TABLE 18C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS
 AT BATON ROUGE, LA 1/
 2007 DATA

NAME	4-WEEKS	10-WEEKS	MEAN
OKC 1134	33.3	99.0	66.2
PREMIER	25.0	99.0	62.0
PATRIOT	21.7	95.0	58.3
OKC 1119	16.7	97.7	57.2
MIDLAWN	15.0	93.3	54.2
TIFWAY	15.0	91.3	53.2
LSD VALUE	7.1	8.5	3.4
C.V. (%)	18.7	4.1	3.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 19A. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS 1/
AT MISS. ST., MS 2/
2007 DATA

NAME	4-WEEKS	8-WEEKS	MEAN
SWI-1081	83.3	98.7	91.0
SWI-1122	81.7	97.7	89.7
RIVIERA	80.0	97.7	88.8
SWI-1117	78.3	99.0	88.7
PSG 9Y20K	80.0	97.0	88.5
PST-R6FLT	80.0	96.0	88.0
IS-01-201	81.7	94.0	87.8
RAD-CD1	78.3	96.0	87.2
OKS 2004-2	78.3	95.3	86.8
PYRAMID 2 (IS-CD10)	76.7	96.3	86.5
SWI-1083	78.3	94.7	86.5
SWI-1070	76.7	96.0	86.3
HOLLYWOOD (J-720)	76.7	95.0	85.8
PRINCESS 77	80.0	91.7	85.8
SWI-1113	78.3	93.3	85.8
PSG PROK	75.0	94.0	84.5
PSG 9BAN	73.3	93.3	83.3
SWI-1057	76.7	89.0	82.8
PREMIER	73.3	90.7	82.0
PSG 91215	68.3	92.7	80.5
NUMEX-SAHARA	70.0	90.0	80.0
PATRIOT	70.0	86.7	78.3
PSG 94524	66.7	90.0	78.3
VERACRUZ	68.3	86.7	77.5
MIDLAWN	66.7	86.7	76.7
OKC 1119	68.3	85.0	76.7
SUNSPORT	58.3	91.3	74.8
OKC 1134	56.7	76.7	66.7
YUKON	56.7	70.0	63.3
TIFWAY	56.7	68.3	62.5
BAR 7CD5	41.7	56.7	49.2
LSD VALUE	17.5	11.7	12.7
C.V. (%)	13.4	8.1	9.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 AT MISS. ST., MS 2/
 2007 DATA

NAME	4-WEEKS	8-WEEKS	MEAN
SWI-1081	83.3	98.7	91.0
SWI-1122	81.7	97.7	89.7
RIVIERA	80.0	97.7	88.8
SWI-1117	78.3	99.0	88.7
PSG 9Y20K	80.0	97.0	88.5
PST-R6FLT	80.0	96.0	88.0
IS-01-201	81.7	94.0	87.8
RAD-CD1	78.3	96.0	87.2
OKS 2004-2	78.3	95.3	86.8
PYRAMID 2 (IS-CD10)	76.7	96.3	86.5
SWI-1083	78.3	94.7	86.5
SWI-1070	76.7	96.0	86.3
HOLLYWOOD (J-720)	76.7	95.0	85.8
PRINCESS 77	80.0	91.7	85.8
SWI-1113	78.3	93.3	85.8
PSG PROK	75.0	94.0	84.5
PSG 9BAN	73.3	93.3	83.3
SWI-1057	76.7	89.0	82.8
PSG 91215	68.3	92.7	80.5
NUMEX-SAHARA	70.0	90.0	80.0
PSG 94524	66.7	90.0	78.3
VERACRUZ	68.3	86.7	77.5
SUNSPORT	58.3	91.3	74.8
YUKON	56.7	70.0	63.3
BAR 7CD5	41.7	56.7	49.2
LSD VALUE	17.1	10.6	11.9
C.V. (%)	12.8	7.2	8.7

TABLE 19C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 AT MISS. ST., MS 2/
 2007 DATA

NAME	4-WEEKS	8-WEEKS	MEAN
PREMIER	73.3	90.7	82.0
PATRIOT	70.0	86.7	78.3
MIDLAWN	66.7	86.7	76.7
OKC 1119	68.3	85.0	76.7
OKC 1134	56.7	76.7	66.7
TIFWAY	56.7	68.3	62.5
LSD VALUE	19.4	17.3	17.7
C.V. (%)	13.5	10.2	11.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 20A. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS 1/
AT RALEIGH, NC 2/
2007 DATA

NAME	AUGUST	SEPTEMBER	MEAN
SWI-1070	81.7	99.0	90.3
IS-01-201	80.0	99.0	89.5
OKS 2004-2	80.0	99.0	89.5
SWI-1117	80.0	99.0	89.5
HOLLYWOOD (J-720)	78.3	99.0	88.7
SUNSPORT	78.3	99.0	88.7
SWI-1113	78.3	99.0	88.7
PSG 9Y20K	76.7	99.0	87.8
OKC 1134	75.0	99.0	87.0
PRINCESS 77	75.0	99.0	87.0
RIVIERA	75.0	99.0	87.0
SWI-1122	75.0	99.0	87.0
PSG 9BAN	73.3	99.0	86.2
PYRAMID 2 (IS-CD10)	73.3	99.0	86.2
PSG PROK	71.7	99.0	85.3
RAD-CD1	78.3	91.3	84.8
SWI-1081	70.0	99.0	84.5
NUMEX-SAHARA	70.0	97.7	83.8
PREMIER	68.3	99.0	83.7
SWI-1083	68.3	99.0	83.7
VERACRUZ	66.7	99.0	82.8
PSG 94524	68.3	96.3	82.3
PSG 91215	63.3	99.0	81.2
PATRIOT	61.7	99.0	80.3
PST-R6FLT	60.0	94.7	77.3
SWI-1057	60.0	91.0	75.5
OKC 1119	51.7	97.7	74.7
YUKON	68.3	79.7	74.0
BAR 7CD5	45.0	84.7	64.8
MIDLAWN	31.7	96.0	63.8
TIFWAY	20.0	81.7	50.8
LSD VALUE	6.2	10.7	4.8
C.V. (%)	6.3	5.9	4.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
 Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP
 AT RALEIGH, NC 2/
 2007 DATA

NAME	AUGUST	SEPTEMBER	MEAN
SWI-1070	81.7	99.0	90.3
IS-01-201	80.0	99.0	89.5
OKS 2004-2	80.0	99.0	89.5
SWI-1117	80.0	99.0	89.5
HOLLYWOOD (J-720)	78.3	99.0	88.7
SUNSPORT	78.3	99.0	88.7
SWI-1113	78.3	99.0	88.7
PSG 9Y20K	76.7	99.0	87.8
PRINCESS 77	75.0	99.0	87.0
RIVIERA	75.0	99.0	87.0
SWI-1122	75.0	99.0	87.0
PSG 9BAN	73.3	99.0	86.2
PYRAMID 2 (IS-CD10)	73.3	99.0	86.2
PSG PROK	71.7	99.0	85.3
RAD-CD1	78.3	91.3	84.8
SWI-1081	70.0	99.0	84.5
NUMEX-SAHARA	70.0	97.7	83.8
SWI-1083	68.3	99.0	83.7
VERACRUZ	66.7	99.0	82.8
PSG 94524	68.3	96.3	82.3
PSG 91215	63.3	99.0	81.2
PST-R6FLT	60.0	94.7	77.3
SWI-1057	60.0	91.0	75.5
YUKON	68.3	79.7	74.0
BAR 7CD5	45.0	84.7	64.8
LSD VALUE	6.5	12.3	5.4
C.V. (%)	6.0	6.1	4.1

TABLE 20C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
 AT RALEIGH, NC 2/
 2007 DATA

NAME	AUGUST	SEPTEMBER	MEAN
OKC 1134	75.0	99.0	87.0
PREMIER	68.3	99.0	83.7
PATRIOT	61.7	99.0	80.3
OKC 1119	51.7	97.7	74.7
MIDLAWN	31.7	96.0	63.8
TIFWAY	20.0	81.7	50.8
LSD VALUE	6.6	9.5	3.7
C.V. (%)	7.7	5.3	3.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 21A. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS 1/
AT STILLWATER, OK 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	MEAN
SWI-1117	73.3	91.7	82.5
SWI-1070	70.0	94.7	82.3
SUNSPORT	71.7	90.7	81.2
PYRAMID 2 (IS-CD10)	68.3	93.3	80.8
RAD-CD1	70.0	91.7	80.8
PSG 91215	70.0	91.0	80.5
PSG PROK	66.7	93.3	80.0
PSG 9BAN	68.3	91.3	79.8
SWI-1081	66.7	93.0	79.8
SWI-1083	66.7	91.7	79.2
PSG 94524	65.0	92.3	78.7
NUMEX-SAHARA	65.0	91.3	78.2
SWI-1122	60.0	93.0	76.5
OKS 2004-2	58.3	93.3	75.8
IS-01-201	56.7	90.0	73.3
PATRIOT	48.3	97.0	72.7
PSG 9Y20K	56.7	88.7	72.7
HOLLYWOOD (J-720)	53.3	90.0	71.7
PST-R6FLT	55.0	87.7	71.3
SWI-1113	53.3	88.3	70.8
RIVIERA	48.3	89.3	68.8
MIDLAWN	46.7	89.3	68.0
PREMIER	41.7	93.0	67.3
PRINCESS 77	46.7	87.7	67.2
OKC 1119	41.7	91.0	66.3
SWI-1057	45.0	86.7	65.8
VERACRUZ	41.7	90.0	65.8
OKC 1134	41.7	88.3	65.0
TIFWAY	38.3	82.7	60.5
BAR 7CD5	25.0	70.0	47.5
YUKON	35.0	48.3	41.7
LSD VALUE	11.4	6.1	7.3
C.V. (%)	13.4	4.6	6.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 21B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
AT STILLWATER, OK 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	MEAN
SWI-1117	73.3	91.7	82.5
SWI-1070	70.0	94.7	82.3
SUNSPORT	71.7	90.7	81.2
PYRAMID 2 (IS-CD10)	68.3	93.3	80.8
RAD-CD1	70.0	91.7	80.8
PSG 91215	70.0	91.0	80.5
PSG PROK	66.7	93.3	80.0
PSG 9BAN	68.3	91.3	79.8
SWI-1081	66.7	93.0	79.8
SWI-1083	66.7	91.7	79.2
PSG 94524	65.0	92.3	78.7
NUMEX-SAHARA	65.0	91.3	78.2
SWI-1122	60.0	93.0	76.5
OKS 2004-2	58.3	93.3	75.8
IS-01-201	56.7	90.0	73.3
PSG 9Y20K	56.7	88.7	72.7
HOLLYWOOD (J-720)	53.3	90.0	71.7
PST-R6FLT	55.0	87.7	71.3
SWI-1113	53.3	88.3	70.8
RIVIERA	48.3	89.3	68.8
PRINCESS 77	46.7	87.7	67.2
SWI-1057	45.0	86.7	65.8
VERACRUZ	41.7	90.0	65.8
BAR 7CD5	25.0	70.0	47.5
YUKON	35.0	48.3	41.7
LSD VALUE	12.4	6.3	7.9
C.V. (%)	13.6	4.7	7.1

TABLE 21C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
AT STILLWATER, OK 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	MEAN
PATRIOT	48.3	97.0	72.7
MIDLAWN	46.7	89.3	68.0
PREMIER	41.7	93.0	67.3
OKC 1119	41.7	91.0	66.3
OKC 1134	41.7	88.3	65.0
TIFWAY	38.3	82.7	60.5
LSD VALUE	5.1	6.5	5.0
C.V. (%)	6.2	3.8	4.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 22A. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS 1/
AT KNOXVILLE, TN 2/
2007 DATA

NAME	JULY 17	JULY 31	AUGUST	SEPTEMBER	MEAN
PSG 9BAN	80.0	93.0	97.0	96.0	91.5
PYRAMID 2 (IS-CD10)	78.3	91.7	97.3	95.3	90.7
VERACRUZ	70.0	91.7	98.3	98.3	89.6
SWI-1083	73.3	89.7	96.7	95.7	88.8
NUMEX-SAHARA	76.7	89.0	95.3	93.0	88.5
SWI-1081	70.7	91.3	96.7	95.3	88.5
SWI-1117	70.0	89.0	94.7	95.0	87.2
PSG 9Y20K	70.7	85.0	93.7	98.3	86.9
SUNSPORT	73.3	86.0	94.0	93.0	86.6
RAD-CD1	66.7	86.7	95.0	97.0	86.3
SWI-1122	68.3	86.3	94.0	95.0	85.9
IS-01-201	67.3	81.3	95.0	95.3	84.8
PSG 91215	63.3	82.3	94.7	95.0	83.8
SWI-1070	60.7	79.3	94.0	96.7	82.7
SWI-1057	60.0	80.7	89.7	96.3	81.7
SWI-1113	58.3	80.0	92.0	96.0	81.6
RIVIERA	63.3	75.0	91.0	96.0	81.3
PSG PROK	53.3	79.0	93.3	98.0	80.9
OKS 2004-2	53.3	79.0	90.0	98.7	80.3
PRINCESS 77	53.3	81.7	90.7	95.0	80.2
HOLLYWOOD (J-720)	53.3	79.0	92.7	95.3	80.1
PSG 94524	56.7	76.7	89.3	95.7	79.6
PST-R6FLT	53.3	74.0	89.3	94.0	77.7
YUKON	43.3	70.7	93.0	92.0	74.8
OKC 1134	25.0	56.7	77.3	98.7	64.4
PREMIER	28.3	54.3	70.0	97.3	62.5
BAR 7CD5	28.3	51.7	74.7	95.0	62.4
PATRIOT	22.3	40.0	70.0	96.0	57.1
MIDLAWN	25.0	42.0	60.0	95.0	55.5
TIFWAY	20.7	31.0	50.0	95.0	49.2
OKC 1119	20.0	28.0	51.7	96.0	48.9
LSD VALUE	25.5	19.7	12.8	4.6	12.3
C.V. (%)	28.1	16.8	9.5	2.1	10.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
AT KNOXVILLE, TN 2/
2007 DATA

NAME	JULY 17	JULY 31	AUGUST	SEPTEMBER	MEAN
PSG 9BAN	80.0	93.0	97.0	96.0	91.5
PYRAMID 2 (IS-CD10)	78.3	91.7	97.3	95.3	90.7
VERACRUZ	70.0	91.7	98.3	98.3	89.6
SWI-1083	73.3	89.7	96.7	95.7	88.8
NUMEX-SAHARA	76.7	89.0	95.3	93.0	88.5
SWI-1081	70.7	91.3	96.7	95.3	88.5
SWI-1117	70.0	89.0	94.7	95.0	87.2
PSG 9Y20K	70.7	85.0	93.7	98.3	86.9
SUNSPORT	73.3	86.0	94.0	93.0	86.6
RAD-CD1	66.7	86.7	95.0	97.0	86.3
SWI-1122	68.3	86.3	94.0	95.0	85.9
IS-01-201	67.3	81.3	95.0	95.3	84.8
PSG 91215	63.3	82.3	94.7	95.0	83.8
SWI-1070	60.7	79.3	94.0	96.7	82.7
SWI-1057	60.0	80.7	89.7	96.3	81.7
SWI-1113	58.3	80.0	92.0	96.0	81.6
RIVIERA	63.3	75.0	91.0	96.0	81.3
PSG PROK	53.3	79.0	93.3	98.0	80.9
OKS 2004-2	53.3	79.0	90.0	98.7	80.3
PRINCESS 77	53.3	81.7	90.7	95.0	80.2
HOLLYWOOD (J-720)	53.3	79.0	92.7	95.3	80.1
PSG 94524	56.7	76.7	89.3	95.7	79.6
PST-R6FLT	53.3	74.0	89.3	94.0	77.7
YUKON	43.3	70.7	93.0	92.0	74.8
BAR 7CD5	28.3	51.7	74.7	95.0	62.4
LSD VALUE	44.0	27.2	9.8	4.6	18.3
C.V. (%)	27.2	14.2	5.4	2.2	9.6

TABLE 22C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
AT KNOXVILLE, TN 2/
2007 DATA

NAME	JULY 17	JULY 31	AUGUST	SEPTEMBER	MEAN
OKC 1134	25.0	56.7	77.3	98.7	64.4
PREMIER	28.3	54.3	70.0	97.3	62.5
PATRIOT	22.3	40.0	70.0	96.0	57.1
MIDLAWN	25.0	42.0	60.0	95.0	55.5
TIFWAY	20.7	31.0	50.0	95.0	49.2
OKC 1119	20.0	28.0	51.7	96.0	48.9
LSD VALUE	9.7	36.8	25.8	4.6	17.1
C.V. (%)	18.4	38.9	19.3	2.1	14.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 23A. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS CULTIVARS 1/
AT COLLEGE STATION, TX 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	NOVEMBER	MEAN
SWI -1117	40.0	85.0	85.0	70.0
SUNSPORT	31.7	81.7	83.3	65.6
SWI -1083	30.0	80.0	78.3	62.8
SWI -1070	30.0	75.0	76.7	60.6
SWI -1113	25.0	75.0	81.7	60.6
PSG 94524	31.7	70.0	78.3	60.0
PSG PROK	26.7	73.3	80.0	60.0
NUMEX-SAHARA	48.3	61.7	68.3	59.4
PSG 91215	20.0	76.7	78.3	58.3
PRINCESS 77	20.0	71.7	78.3	56.7
HOLLYWOOD (J-720)	26.7	66.7	75.0	56.1
RAD-CD1	23.3	70.0	75.0	56.1
SWI -1122	23.3	71.7	73.3	56.1
PYRAMID 2 (IS-CD10)	28.3	65.0	70.0	54.4
PSG 9BAN	11.7	71.7	78.3	53.9
RIVIERA	13.3	68.3	76.7	52.8
PSG 9Y20K	21.7	61.7	73.3	52.2
SWI -1057	13.3	58.3	71.7	47.8
OKS 2004-2	9.3	66.7	66.7	47.6
YUKON	16.0	60.0	63.3	46.4
SWI -1081	14.3	56.7	61.7	44.2
PST-R6FLT	10.0	55.0	66.7	43.9
IS-01-201	7.0	55.0	66.7	42.9
VERACRUZ	8.3	55.0	61.7	41.7
BAR 7CD5	6.0	53.3	61.7	40.3
OKC 1134	5.0	40.0	58.3	34.4
OKC 1119	5.0	38.3	55.0	32.8
PREMIER	9.3	36.7	46.7	30.9
MIDLAWN	6.7	33.3	43.3	27.8
PATRIOT	5.0	30.0	45.0	26.7
TIFWAY	6.0	23.3	26.7	18.7
LSD VALUE	14.0	17.5	13.9	12.1
C.V. (%)	46.7	18.2	13.0	15.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the full 2007 Bermudagrass - 2007 Data report with permission from NTEP.

TABLE 23B. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
AT COLLEGE STATION, TX 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	NOVEMBER	MEAN
SWI -1117	40.0	85.0	85.0	70.0
SUNSPORT	31.7	81.7	83.3	65.6
SWI -1083	30.0	80.0	78.3	62.8
SWI -1070	30.0	75.0	76.7	60.6
SWI -1113	25.0	75.0	81.7	60.6
PSG 94524	31.7	70.0	78.3	60.0
PSG PROK	26.7	73.3	80.0	60.0
NUMEX-SAHARA	48.3	61.7	68.3	59.4
PSG 91215	20.0	76.7	78.3	58.3
PRINCESS 77	20.0	71.7	78.3	56.7
HOLLYWOOD (J-720)	26.7	66.7	75.0	56.1
RAD-CD1	23.3	70.0	75.0	56.1
SWI -1122	23.3	71.7	73.3	56.1
PYRAMID 2 (IS-CD10)	28.3	65.0	70.0	54.4
PSG 9BAN	11.7	71.7	78.3	53.9
RIVIERA	13.3	68.3	76.7	52.8
PSG 9Y20K	21.7	61.7	73.3	52.2
SWI -1057	13.3	58.3	71.7	47.8
OKS 2004-2	9.3	66.7	66.7	47.6
YUKON	16.0	60.0	63.3	46.4
SWI -1081	14.3	56.7	61.7	44.2
PST-R6FLT	10.0	55.0	66.7	43.9
IS-01-201	7.0	55.0	66.7	42.9
VERACRUZ	8.3	55.0	61.7	41.7
BAR 7CD5	6.0	53.3	61.7	40.3
LSD VALUE	16.4	25.7	16.6	15.2
C.V. (%)	44.4	17.0	11.1	15.1

TABLE 23C. PERCENT ESTABLISHMENT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
AT COLLEGE STATION, TX 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	NOVEMBER	MEAN
OKC 1134	5.0	40.0	58.3	34.4
OKC 1119	5.0	38.3	55.0	32.8
PREMIER	9.3	36.7	46.7	30.9
MIDLAWN	6.7	33.3	43.3	27.8
PATRIOT	5.0	30.0	45.0	26.7
TIFWAY	6.0	23.3	26.7	18.7
LSD VALUE	3.0	14.1	21.8	10.6
C.V. (%)	24.6	19.9	23.3	18.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.