

CONTENTS

2007 National Seashore Paspalum Test - 2009 data

LOCATIONS SUBMITTING DATA FOR 2009.....1

NATIONAL SEASHORE PASPALUM TEST, 2007

 Entries and Sponsors.....2

Table A - 2009 Locations, Site Descriptions and Management Practices in
the 2007 National Seashore Paspalum Test.....3

Table B - Locations and Data Collected in 2009.....3

Table 1 - Mean Turfgrass Quality Ratings of Seashore Paspalum
Cultivars Grown at Tucson, AZ.....4

Table 2 - Mean Turfgrass Quality Ratings of Seashore Paspalum
Cultivars Grown at Riverside, CA.....4

Table 3 - Mean Turfgrass Quality Ratings of Seashore Paspalum
Cultivars Grown at Gainesville, FL.....5

Table 4 - Mean Turfgrass Quality Ratings of Seashore Paspalum
Cultivars Grown at Jay, FL.....5

Table 5 - Mean Turfgrass Quality Ratings of Seashore Paspalum
Cultivars Grown at Griffin, GA.....6

Table 6 - Mean Turfgrass Quality Ratings of Seashore Paspalum
Cultivars Grown at Baton Rouge, LA.....6

Table 7 - Mean Turfgrass Quality and Other Ratings of Seashore Paspalum
Cultivars Grown under Cold Stress at Fayetteville, AR.....7

Table 8 - Mean Turfgrass Quality and Other Ratings of Seashore Paspalum
Cultivars Grown under salt stress at Las Cruces, NM.....7

Table 9 - Genetic Color Ratings of Seashore Paspalum Cultivars.....8

Table 10- Spring Greenup Ratings of Seashore Paspalum Cultivars.....8

Table 11- Leaf Texture Ratings of Seashore Paspalum Cultivars.....9

Table 12- Spring Density Ratings of Seashore Paspalum Cultivars.....9

Table 13- Summer Density Ratings of Seashore Paspalum Cultivars.....10

Table 14- Fall Density Ratings of Seashore Paspalum Cultivars.....10

Table 15- Percent Living Ground Cover (Spring) Ratings of
Seashore Paspalum Cultivars.....11

Table 16- Percent Living Ground Cover (Summer) Ratings of
Seashore Paspalum Cultivars.....11

CONTENTS (continued)

Table 17-	Percent Living Ground Cover (Fall) Ratings of Seashore Paspalum Cultivars.....	12
Table 18-	Winter Color Ratings of Seashore Paspalum Cultivars.....	12
Table 19-	Fall Color (September) Ratings of Seashore Paspalum Cultivars.....	13
Table 20-	Fall Color (October) Ratings of Seashore Paspalum Cultivars.....	13
Table 21-	Fall Color (November) Ratings of Seashore Paspalum Cultivars.....	14
Table 22-	Fall Color (December) Ratings of Seashore Paspalum Cultivars.....	14
Table 23-	Mole Cricket Ratings of Seashore Paspalum Cultivars.....	15
Table 24-	Dollar Spot Ratings of Seashore Paspalum Cultivars at Gainesville, FL.....	15

2007 NATIONAL SEASHORE PASPALUM TEST

LOCATIONS SUBMITTING DATA FOR 2009

<u>State</u>	<u>Location</u>	<u>Code</u>
Arkansas	Fayetteville (Cold Tolerance)	AR1
Arizona	Tucson	AZ1
California	Riverside	CA3
Florida	Gainesville	FL1
Florida	Jay	FL3
Georgia	Griffin	GA1
Louisiana	Baton Rouge	LA1
New Mexico	Las Cruces (Saline Irrigation)	NM1

2007 NATIONAL SEASHORE PASPALUM TEST

Entries and Sponsors

Entry No.	Name	Type	Sponsor
*1	Salam	vegetative	Standard entry
*2	Sea Isle 1	vegetative	Standard entry
3	SRX 9HSCP	seeded	Seed Research/
4	UGA 7	vegetative	Univ. of Georgia
5	UGA 22	vegetative	Univ. of Georgia
6	UGA 31	vegetative	Univ. of Georgia

* COMMERCIALY AVAILABLE IN THE USA IN 2010.

TABLE A. 2009 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN THE 2007 NATIONAL SEASHORE PASPALUM TEST

LOCATION	SOIL TEXTURE	SOIL PH	SOIL PHOSPHOROUS (LBS/ACRE)	SOIL POTASSIUM (LBS/ACRE)	NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
AR1	SILT LOAM AND SILT	6.6-7.0	151-270	151-240	2.1-3.0	FULL SUN	0.0-0.5	TO PREVENT DORMANCY
AZ1	SANDY LOAM	7.6-8.5	0-60	151-240	3.1-4.0	FULL SUN	0.6-1.0	TO PREVENT STRESS
CA3	SANDY LOAM	7.1-7.5	-	-	-	FULL SUN	0.6-1.0	TO PREVENT STRESS
FL1	SAND	6.6-7.0	-	-	1.1-2.0	FULL SUN	0.0-0.5	TO PREVENT STRESS
FL3	-	-	-	-	-	-	-	-
GA1	SANDY LOAM	5.6-6.0	0-60	241-375	-	FULL SUN	0.0-0.5	TO PREVENT STRESS
LA1	SILTY CLAY AND CLAY	6.1-6.5	151-270	241-375	3.1-4.0	FULL SUN	0.0-0.5	TO PREVENT DORMANCY
NM1	LOAMY SAND	7.6-8.5	-	-	5.1-6.0	FULL SUN	0.6-1.0	TO PREVENT STRESS

TABLE B. LOCATIONS AND DATA COLLECTED IN 2009

LOCATION	JANUARY QUALITY RATING	FEBRUARY QUALITY RATING	MARCH QUALITY RATING	APRIL QUALITY RATING	MAY QUALITY RATING	JUNE QUALITY RATING	JULY QUALITY RATING	AUGUST QUALITY RATING	SEPTEMBER QUALITY RATING	OCTOBER QUALITY RATING	NOVEMBER QUALITY RATING	DECEMBER QUALITY RATING	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE
AR1					X	X	X	X	X				X	X	
AZ1				X	X	X	X	X	X	X	X	X	X	X	X
CA3			X	X	X	X	X	X		X	X		X	X	X
FL1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FL3				X	X	X		X	X	X	X		X		
GA1							X	X	X	X	X		X	X	
LA1			X	X	X	X	X	X	X	X			X	X	X
NM1				X	X	X	X	X	X	X			X	X	

TABLE B. (CONT'D) LOCATIONS AND DATA COLLECTED IN 2009

LOCATION	SPRING DENSITY	SUMMER DENSITY	FALL DENSITY	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	WINTER COLOR	PERCENT WINTER KILL	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER	MOLE CRICKET	DOLLAR MARCH	SPOT APRIL	RATINGS OCTOBER
AR1		X			X			X		X						
AZ1	X	X	X	X	X	X	X		X	X	X	X				
CA3	X	X					X					X				
FL1	X	X	X	X					X	X	X	X	X	X	X	X
FL3	X	X	X							X	X					
GA1			X	X					X	X	X					
LA1	X	X	X								X					
NM1									X	X	X					

TABLE 1. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS
AT TUCSON, AZ 1/
2009 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/									
	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
UGA 7	7.0	7.7	8.0	8.0	7.3	7.7	7.0	7.0	7.0	7.4
UGA 31	6.3	7.3	7.0	6.7	7.7	7.3	7.7	7.7	7.3	7.2
UGA 22	5.0	6.3	7.0	6.0	7.3	8.3	8.0	7.0	6.7	6.9
* SEA ISLE 1	5.7	7.0	7.3	6.0	7.0	6.3	7.0	6.3	6.0	6.5
* SALAM	5.0	6.3	6.0	6.7	6.7	6.3	7.0	5.7	5.3	6.1
SRX 9HSCP	5.7	6.3	6.3	7.3	6.0	6.7	6.0	5.0	5.7	6.1
LSD VALUE	1.5	1.6	1.7	1.6	1.8	1.6	1.4	1.5	1.6	0.7
C.V. (%)	12.5	10.7	11.7	11.3	11.4	10.8	9.5	11.9	12.6	5.7

TABLE 2. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS
AT RIVERSIDE, CA 1/
2009 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/									
	MAR	APR	MAY	JUN	JUL	AUG	OCT	NOV	MEAN	
SRX 9HSCP	5.7	7.3	8.3	6.7	6.7	8.0	8.0	6.7	7.2	
UGA 22	4.7	6.7	8.0	6.3	7.3	9.0	8.0	5.7	7.0	
SEA ISLE 1	4.7	6.7	7.7	6.7	6.3	8.0	7.7	6.3	6.8	
UGA 7	4.0	6.3	7.0	7.0	8.0	8.3	7.3	5.7	6.7	
SALAM	5.3	6.7	7.7	6.0	6.3	8.0	6.7	6.3	6.6	
UGA 31	3.7	6.0	6.0	5.3	7.0	8.0	7.0	6.0	6.1	
LSD VALUE	0.9	0.8	2.1	0.9	1.1	0.4	1.6	1.8	0.6	
C.V. (%)	10.4	6.0	12.9	7.6	8.2	2.9	9.7	12.6	4.6	

* COMMERCIALY AVAILABLE IN THE USA IN 2010.

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS
AT GAINESVILLE, FL 1/
2009 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
SRX 9HSCP	5.0	2.0	5.0	5.3	6.0	6.7	6.3	7.3	6.3	6.7	6.3	6.0	5.8
UGA 31	5.3	2.0	5.0	5.3	6.3	6.7	7.3	6.7	6.0	6.3	6.0	6.0	5.8
UGA 22	4.3	1.7	4.7	5.3	6.7	6.3	7.0	6.7	5.7	7.3	6.3	6.0	5.7
SEA ISLE 1	5.0	2.0	4.3	5.3	6.0	6.7	6.7	6.3	5.7	6.3	6.0	6.0	5.5
SALAM	5.3	2.7	4.3	4.7	5.3	6.0	6.3	6.0	5.0	6.3	6.0	6.3	5.4
UGA 7	4.3	1.7	4.3	4.0	5.3	6.0	6.3	5.0	4.7	5.3	5.0	5.7	4.8
LSD VALUE	0.6	0.9	1.1	1.3	1.8	1.3	1.2	2.2	2.7	2.0	1.4	1.2	1.0
C.V. (%)	6.1	20.4	10.2	12.6	13.3	8.9	8.2	15.5	20.4	13.9	10.5	8.1	8.0

TABLE 4. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS
AT JAY, FL 1/
2009 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/								MEAN
	APR	MAY	JUN	AUG	SEP	OCT	NOV		
UGA 22	3.3	5.0	6.7	7.0	7.3	7.7	5.7	6.1	
SALAM	2.7	4.0	6.7	7.0	8.0	8.0	5.3	6.0	
SEA ISLE 1	2.7	4.7	6.7	7.0	7.7	7.7	5.3	6.0	
UGA 31	3.0	3.7	6.7	7.0	7.3	7.7	5.3	5.8	
SRX 9HSCP	2.7	3.3	5.3	6.7	7.7	7.0	5.3	5.4	
UGA 7	2.7	3.3	6.0	7.0	6.7	7.0	5.3	5.4	
LSD VALUE	1.4	2.7	2.5	0.6	0.7	2.6	1.5	1.3	
C.V. (%)	20.4	29.2	16.6	3.4	4.7	14.0	10.5	9.4	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS
AT GRIFFIN, GA 1/
2009 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	JUL	AUG	SEP	OCT	NOV	MEAN
UGA 31	7.7	8.3	7.7	7.0	7.7	7.7
UGA 22	8.0	8.0	7.0	7.7	7.3	7.6
SALAM	7.3	7.7	7.0	7.3	7.3	7.3
SRX 9HSCP	7.5	8.0	7.0	7.0	7.0	7.3
SEA ISLE 1	7.0	7.7	7.0	7.0	7.3	7.2
UGA 7	6.7	7.3	7.0	7.3	7.3	7.1
LSD VALUE	1.5	0.9	0.5	1.1	1.5	0.5
C.V. (%)	8.9	4.9	3.4	6.3	7.9	2.8

TABLE 6. MEAN TURFGRASS QUALITY RATINGS OF SEASHORE PASPALUM CULTIVARS
AT BATON ROUGE, LA 1/
2009 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	MEAN
SEA ISLE 1	7.0	7.0	5.3	4.7	6.0	7.3	7.0	6.7	6.4
SALAM	6.3	7.0	6.0	5.0	6.0	7.0	6.7	6.7	6.3
UGA 22	6.3	6.7	5.7	5.0	6.0	7.0	6.7	6.7	6.3
UGA 31	7.0	7.0	6.0	5.0	6.7	6.7	6.3	6.0	6.3
UGA 7	7.0	7.0	6.0	5.0	6.3	6.3	6.0	6.3	6.3
SRX 9HSCP	5.7	6.0	5.3	4.7	6.3	7.0	7.0	6.7	6.1
LSD VALUE	0.7	0.4	1.0	0.8	1.0	1.0	0.9	1.8	0.2
C.V. (%)	6.0	3.5	7.6	7.2	7.0	6.3	6.6	10.9	1.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF SEASHORE PASPALUM CULTIVARS GROWN UNDER COLD STRESS AT FAYETTEVILLE, AR 1/ 2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	DENSITY SUMMER	PERCENT COVER SUMMER	PERCENT WINTER KILL	FALL COLOR OCTOBER	QUALITY RATINGS					MEAN
							MAY	JUN	JUL	AUG	SEP	
UGA 31	8.0	4.0	7.0	96.3	20.0	6.3	5.0	6.0	7.3	7.7	7.7	6.7
UGA 7	7.3	4.3	7.0	97.3	10.0	6.3	5.0	6.0	7.3	7.3	7.7	6.7
UGA 22	6.3	6.0	6.7	98.3	13.3	6.3	4.3	5.7	6.7	8.0	7.7	6.5
SEA ISLE 1	6.3	4.0	6.7	96.3	21.7	6.0	4.7	5.3	6.0	7.3	7.0	6.1
SRX 9HSCP	6.3	4.7	6.7	96.0	18.3	6.0	4.0	5.3	6.3	7.3	7.7	6.1
SALAM	6.7	5.3	5.7	95.0	23.3	6.3	3.7	5.0	6.0	7.3	7.0	5.8
LSD VALUE	0.6	1.6	1.2	4.9	24.3	1.3	2.2	2.6	1.1	0.8	0.6	1.1
C.V. (%)	4.6	16.3	8.6	2.1	56.6	8.1	20.8	18.5	8.1	4.9	4.0	8.1

TABLE 8. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF SEASHORE PASPALUM CULTIVARS 1/ GROWN UNDER SALT STRESS AT LAS CRUCES, NM */ 2009 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	QUALITY RATINGS					MEAN		
						APR	MAY	JUN	JUL	AUG		SEP	OCT
UGA 7	8.0	5.0	7.7	7.0	3.7	6.7	7.3	8.0	8.3	7.3	7.3	7.0	7.4
SEA ISLE 1	7.3	4.3	8.0	6.3	3.7	6.3	7.0	7.0	6.3	6.7	6.7	6.3	6.6
SRX 9HSCP	7.3	3.7	7.7	7.0	3.7	6.3	6.3	6.7	6.3	6.0	6.0	6.3	6.3
UGA 31	7.7	4.3	7.7	7.3	4.0	6.3	7.0	6.7	6.0	6.0	5.7	6.7	6.3
UGA 22	7.3	4.3	7.7	7.0	3.7	6.7	7.0	6.3	6.0	5.7	5.3	6.3	6.2
SALAM	7.3	4.0	6.3	6.3	3.0	5.3	6.0	6.0	5.3	5.0	3.7	4.0	5.0
LSD VALUE	2.1	0.9	1.3	1.8	1.3	1.0	2.4	1.6	1.8	1.9	2.1	2.3	1.6
C.V. (%)	11.2	10.2	8.4	11.0	15.7	8.1	14.7	11.3	14.2	14.5	18.3	18.3	12.1

*/ THE FOLLOWING IS INFORMATION ON SALINITY AT THIS SITE:

WATER QUALITY: PH 7.9, TOTAL DISSOLVED SOLIDS 1800, SAR 2.06

SOIL QUALITY (MEASURED IN JUNE, NOV.; 0-4 INCH DEPTH): PH 7.5, 7.9; EC (dS/m) 5.0, 4.9; SAR 4.9, 3.7

SOIL QUALITY (MEASURED IN JUNE, NOV.; 4-8 INCH DEPTH): PH 7.9, 8.2; EC (dS/m) 2.5, 2.3; SAR 4.0, 3.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9. GENETIC COLOR RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/							
NAME	AZ1	CA3	FL1	FL3	GA1	LA1	MEAN
UGA 31	7.7	7.3	7.7	7.7	8.0	6.7	7.5
UGA 7	6.7	8.0	6.7	7.0	7.7	7.0	7.2
SEA ISLE 1	6.7	6.3	6.7	7.0	8.0	6.3	6.8
UGA 22	6.0	6.7	6.0	7.0	8.7	6.7	6.8
SALAM	6.3	6.0	5.3	7.0	8.0	6.0	6.4
SRX 9HSCP	5.7	6.3	6.7	6.3	7.5	6.0	6.4
LSD VALUE	0.8	1.0	1.3	1.6	1.2	0.9	0.5
C.V. (%)	8.1	9.2	12.0	13.9	9.1	9.0	10.4

TABLE 10. SPRING GREENUP RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/						
NAME	AZ1	CA3	FL1	GA1	LA1	MEAN
SALAM	7.0	4.0	3.3	6.7	6.0	5.4
SEA ISLE 1	7.3	3.7	3.7	7.7	4.7	5.4
SRX 9HSCP	6.7	4.3	3.7	7.0	5.3	5.4
UGA 22	7.0	4.0	2.7	7.7	5.3	5.3
UGA 31	7.7	3.7	3.7	7.0	4.3	5.3
UGA 7	7.7	4.0	3.3	6.3	4.7	5.2
LSD VALUE	1.2	1.1	0.9	1.5	1.3	0.5
C.V. (%)	10.3	17.9	17.0	13.4	15.5	14.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11. LEAF TEXTURE RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	AZ1	CA3	FL1	LA1	MEAN
UGA 31	7.7	9.0	7.7	7.0	7.8
UGA 22	6.7	8.3	8.0	6.7	7.4
UGA 7	7.0	7.7	7.3	6.7	7.2
SEA ISLE 1	6.7	7.7	7.3	6.7	7.1
SRX 9HSCP	6.3	8.3	7.3	6.3	7.1
SALAM	6.0	7.7	6.7	6.3	6.7
LSD VALUE	1.0	1.1	0.8	0.8	0.5
C.V. (%)	9.3	8.2	7.1	8.0	8.2

TABLE 12. SPRING DENSITY RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	CA3	FL1	FL3	LA1	MEAN
UGA 22	7.0	7.3	6.3	3.3	6.3	6.1
SRX 9HSCP	7.0	8.0	5.7	2.7	6.7	6.0
SEA ISLE 1	7.3	7.3	6.0	3.0	6.0	5.9
SALAM	6.3	7.3	5.3	3.3	6.7	5.8
UGA 31	7.7	6.0	6.0	3.0	6.3	5.8
UGA 7	7.0	7.3	5.3	2.7	6.3	5.7
LSD VALUE	1.3	0.8	1.5	1.0	0.8	0.5
C.V. (%)	11.6	6.5	16.3	20.8	8.2	11.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13. SUMMER DENSITY RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	CA3	FL1	FL3	LA1	MEAN
UGA 31	8.3	8.3	7.7	7.3	6.0	7.5
UGA 22	7.3	7.7	7.7	6.7	6.3	7.1
UGA 7	8.0	9.0	6.3	7.0	5.3	7.1
SEA ISLE 1	6.7	8.0	7.7	7.3	5.7	7.1
SRX 9HSCP	7.3	7.3	7.0	6.0	6.3	6.8
SALAM	6.3	7.3	7.0	7.0	6.0	6.7
LSD VALUE	0.8	1.0	1.0	0.9	0.8	0.4
C.V. (%)	7.2	7.8	8.6	8.4	7.9	8.0

TABLE 14. FALL DENSITY RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AZ1	FL1	FL3	GA1	LA1	MEAN
UGA 22	8.7	6.7	8.0	7	6.7	7.4
UGA 31	8.3	6.3	7.3	7	6.3	7.1
SALAM	7.0	6.0	8.0	7	7.0	7.0
SRX 9HSCP	7.0	7.0	7.7	7	6.3	7.0
SEA ISLE 1	7.0	6.0	7.3	7	6.7	6.8
UGA 7	7.0	6.0	6.7	7	6.7	6.7
LSD VALUE	1.4	1.1	2.0	0	0.8	0.6
C.V. (%)	11.8	10.5	16.6	0	8.0	11.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	AZ1	FL1	GA1	MEAN
UGA 31	51.7	60.0	86.7	66.1
UGA 7	56.7	53.3	83.3	64.4
SEA ISLE 1	40.0	50.0	93.0	61.0
SALAM	38.3	58.3	83.3	60.0
SRX 9HSCP	38.3	56.7	80.0	58.3
UGA 22	31.7	43.3	90.0	55.0
LSD VALUE	39.9	14.1	11.9	14.6
C.V. (%)	58.0	16.3	8.6	25.9

TABLE 16. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	AZ1
UGA 31	95.3
UGA 7	94.7
SEA ISLE 1	94.3
SALAM	91.7
UGA 22	91.0
SRX 9HSCP	88.3
LSD VALUE	11.2
C.V. (%)	7.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17. PERCENT LIVING GROUND COVER (FALL) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	AZ1
SALAM	60.0
UGA 7	50.0
UGA 22	48.3
UGA 31	46.7
SRX 9HSCP	43.3
SEA ISLE 1	41.7
LSD VALUE	29.1
C.V. (%)	37.4

TABLE 18. WINTER COLOR RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	CA3	MEAN
SALAM	5.3	4.0	4.7
UGA 31	5.7	3.0	4.3
SEA ISLE 1	5.3	3.3	4.3
UGA 22	4.3	4.0	4.2
UGA 7	5.3	3.0	4.2
SRX 9HSCP	4.0	3.3	3.7
LSD VALUE	2.2	1.4	1.3
C.V. (%)	27.9	25.6	27.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19. FALL COLOR (SEPTEMBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	GA1	MEAN
UGA 31	7.3	7.0	8.0	7.4
UGA 7	7.0	6.0	7.3	6.8
SEA ISLE 1	6.7	5.7	7.7	6.7
SALAM	6.3	6.0	7.3	6.6
SRX 9HSCP	6.0	6.3	7.0	6.4
UGA 22	6.3	6.0	7.0	6.4
LSD VALUE	1.2	1.3	0.7	0.6
C.V. (%)	11.3	12.7	5.8	10.1

TABLE 20. FALL COLOR (OCTOBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	FL3	GA1	MEAN
UGA 31	7.0	7.3	8.0	7.3	7.4
SALAM	6.3	6.7	8.7	7.3	7.3
SEA ISLE 1	6.3	7.0	8.3	7.0	7.2
UGA 22	6.3	7.0	8.3	7.0	7.2
UGA 7	6.0	7.0	7.7	7.3	7.0
SRX 9HSCP	5.0	7.3	7.0	7.0	6.6
LSD VALUE	1.3	0.9	1.7	0.7	0.6
C.V. (%)	13.2	8.2	12.8	5.9	10.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21. FALL COLOR (NOVEMBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	FL1	FL3	GA1	LA1	MEAN
UGA 31	6.3	7.3	5.3	7.7	6.0	6.5
SALAM	6.3	6.3	6.0	7.3	6.3	6.5
SEA ISLE 1	6.3	6.0	5.3	7.0	6.0	6.1
UGA 7	6.3	6.0	5.3	7.3	5.7	6.1
UGA 22	5.7	6.7	5.7	7.0	5.3	6.1
SRX 9HSCP	5.3	6.3	4.3	7.0	5.3	5.7
LSD VALUE	1.3	1.0	0.8	1.0	0.8	0.4
C.V. (%)	13.5	9.7	9.9	8.3	8.2	10.1

TABLE 22. FALL COLOR (DECEMBER) RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AZ1	CA3	FL1	MEAN
UGA 31	5.7	6.3	7.0	6.3
SALAM	5.3	6.7	6.7	6.2
SEA ISLE 1	5.3	6.7	5.7	5.9
UGA 22	4.3	6.0	7.3	5.9
UGA 7	5.3	7.0	5.3	5.9
SRX 9HSCP	4.0	5.7	5.7	5.1
LSD VALUE	2.2	1.2	0.8	0.9
C.V. (%)	27.9	11.7	8.4	16.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23. MOLE CRICKET RATINGS OF SEASHORE PASPALUM CULTIVARS 1/
2009 DATA

MOLE CRICKET RATINGS 1-9; 9=NO DAMAGE 2/

NAME	FL1
UGA 7	7.7
SEA ISLE 1	6.7
SALAM	6.0
UGA 22	6.0
UGA 31	6.0
SRX 9HSCP	5.7
LSD VALUE	2.5
C.V. (%)	24.1

TABLE 24. DOLLAR SPOT RATINGS OF SEASHORE PASPALUM CULTIVARS
AT GAINESVILLE, FL 1/
2009 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	MAY	JUNE	JULY	MEAN
SALAM	6.3	3.7	6.0	5.3
SEA ISLE 1	6.7	6.0	7.0	6.6
SRX 9HSCP	6.0	5.7	6.7	6.1
UGA 22	5.7	3.3	6.0	5.0
UGA 31	6.7	5.3	7.0	6.3
UGA 7	5.3	4.3	4.3	4.7
LSD VALUE	1.6	2.6	1.8	1.9
C.V. (%)	11.8	25.8	14.5	15.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.