

Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 38 Kentucky bluegrass entries from data set 17APP1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET₅₀ values.

| Rank | Selection | ET ₇₅ | ET ₅₀ | ET ₂₅ |
|------|--------------|------------------|------------------|------------------|
| 1. | AKB1193 | 4.758 to 5.091 | 5.722 to 6.002 | 6.593 to 7.006 |
| 2. | AKB1820 | 4.598 to 5.029 | 5.668 to 6.023 | 6.615 to 7.140 |
| 3. | AKB1892 | 3.972 to 4.401 | 5.530 to 5.857 | 6.951 to 7.451 |
| 4. | AKB3125 | 3.952 to 4.516 | 5.171 to 5.603 | 6.203 to 6.875 |
| 5. | AKB2274 | 3.723 to 4.358 | 5.138 to 5.614 | 6.345 to 7.078 |
| 6. | Mallard | 3.939 to 4.449 | 5.163 to 5.551 | 6.218 to 6.822 |
| 7. | AKB1925 | 3.551 to 4.142 | 5.102 to 5.540 | 6.459 to 7.132 |
| 8. | Bedazzled | 3.963 to 4.416 | 5.020 to 5.357 | 5.917 to 6.458 |
| 9. | AKB1565 | 3.542 to 4.101 | 4.855 to 5.259 | 5.979 to 6.606 |
| 10. | AKB3169 | 2.843 to 4.060 | 4.617 to 5.491 | 5.988 to 7.327 |
| 11. | Midnight | 3.183 to 4.182 | 4.679 to 5.398 | 5.841 to 6.947 |
| 12. | AKB3605 | 3.302 to 3.753 | 4.834 to 5.157 | 6.217 to 6.710 |
| 13. | AKB2949 | 3.473 to 3.929 | 4.796 to 5.120 | 5.964 to 6.465 |
| 14. | AKB1658 | 3.395 to 3.973 | 4.707 to 5.115 | 5.823 to 6.453 |
| 15. | AKB3201 | 3.354 to 4.094 | 4.534 to 5.042 | 5.459 to 6.245 |
| 16. | AKB3208 | 2.861 to 3.522 | 4.519 to 4.983 | 5.960 to 6.661 |
| 17. | AKB2836 | 3.280 to 3.803 | 4.546 to 4.905 | 5.637 to 6.184 |
| 18. | AKB3179 | 2.958 to 3.606 | 4.451 to 4.901 | 5.731 to 6.408 |
| 19. | AKB2543 | 3.087 to 3.708 | 4.380 to 4.801 | 5.468 to 6.100 |
| 20. | AKB2839 | 3.039 to 3.710 | 4.362 to 4.818 | 5.463 to 6.148 |
| 21. | AKB3241 | 2.663 to 3.303 | 4.265 to 4.705 | 5.661 to 6.314 |
| 22. | AKB2403 | 2.740 to 3.306 | 4.125 to 4.507 | 5.332 to 5.886 |
| 23. | AKB3128 | 2.841 to 3.365 | 4.123 to 4.473 | 5.240 to 5.745 |
| 24. | AKB3241 | 2.663 to 3.303 | 4.265 to 4.705 | 5.661 to 6.314 |
| 25. | Ridgeline | 2.981 to 3.492 | 3.963 to 4.298 | 4.800 to 5.249 |
| 26. | Thermal Blue | 2.282 to 2.953 | 3.897 to 4.352 | 5.303 to 5.959 |
| 27. | AKB2590 | 2.285 to 3.201 | 3.799 to 4.417 | 5.033 to 5.913 |
| 28. | NK-3 | 2.225 to 3.004 | 3.775 to 4.302 | 5.088 to 5.837 |
| 29. | Solar Green | 1.993 to 2.922 | 3.674 to 4.303 | 5.070 to 5.969 |
| 30. | AKB3869 | 2.453 to 3.156 | 3.736 to 4.206 | 4.814 to 5.461 |
| 31. | Geronimo | 2.210 to 2.859 | 3.742 to 4.181 | 5.077 to 5.697 |
| 32. | NK-1 | 2.197 to 2.857 | 3.639 to 4.085 | 4.888 to 5.506 |
| 33. | KH3492 | 2.441 to 2.961 | 3.649 to 3.998 | 4.711 to 5.182 |
| 34. | AKB2769 | 2.393 to 3.034 | 3.596 to 4.027 | 4.620 to 5.198 |
| 35. | AKB2733 | 1.702 to 2.639 | 3.332 to 3.967 | 4.688 to 5.568 |
| 36. | AKB1162 | 2.317 to 2.939 | 3.380 to 3.806 | 4.282 to 4.838 |
| 37. | AKB3216 | 2.469 to 2.823 | 3.449 to 3.693 | 4.337 to 4.654 |
| 38. | AKB2313 | 1.100 to 1.810 | 2.779 to 3.263 | 4.258 to 4.917 |




Figure 2. Confidence intervals (95%) for the moisture lost to evapotranspiration before the 38 Kentucky bluegrass entries from data set 17APP1 reach 75, 50, and 25% green cover.