

Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 24 Kentucky bluegrass entries from data set 18APP1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET₅₀ values.

| Rank | Selection | ET ₇₅ | ET ₅₀ | ET ₂₅ |
|------|-------------------|------------------|------------------|------------------|
| 1. | AKB1812 | 4.075 to 4.708 | 5.309 to 5.762 | 6.376 to 6.983 |
| 2. | Mallard | 3.802 to 4.375 | 5.058 to 5.474 | 6.162 to 6.725 |
| 3. | Bedazzled | 3.845 to 4.399 | 4.867 to 5.273 | 5.747 to 6.289 |
| 4. | AKB1892 | 3.124 to 4.502 | 4.563 to 5.575 | 5.633 to 7.016 |
| 5. | Diva | 3.564 to 4.110 | 4.615 to 5.026 | 5.527 to 6.081 |
| 6. | Ridgeline | 3.622 to 4.079 | 4.548 to 4.895 | 5.359 to 5.825 |
| 7. | AKB3241 (En Gedi) | 3.520 to 3.871 | 4.549 to 4.817 | 5.488 to 5.853 |
| 8. | AKB3587 | 3.306 to 3.865 | 4.458 to 4.882 | 5.463 to 6.046 |
| 9. | Brooklawn | 3.325 to 3.965 | 4.393 to 4.881 | 5.295 to 5.964 |
| 10. | AKB3208 | 3.502 to 3.904 | 4.380 to 4.695 | 5.158 to 5.586 |
| 11. | AKB3581 | 3.215 to 3.777 | 4.322 to 4.753 | 5.280 to 5.878 |
| 12. | Midnight | 3.202 to 3.889 | 4.233 to 4.765 | 5.084 to 5.822 |
| 13. | AKB3169 | 2.878 to 3.687 | 4.194 to 4.802 | 5.287 to 6.141 |
| 14. | AKB1351 | 3.004 to 3.769 | 4.200 to 4.783 | 5.189 to 6.004 |
| 15. | CS4 | 3.350 to 3.609 | 4.147 to 4.359 | 4.874 to 5.179 |
| 16. | Shamrock | 3.201 to 3.608 | 4.015 to 4.346 | 4.714 to 5.199 |
| 17. | AKB1925 | 3.011 to 3.515 | 3.942 to 4.342 | 4.730 to 5.312 |
| 18. | AKB3201 | 3.352 to 3.727 | 3.976 to 4.308 | 4.482 to 5.005 |
| 19. | AKB3456 | 2.961 to 3.444 | 3.843 to 4.225 | 4.580 to 5.151 |
| 20. | AKB3348 | 2.819 to 3.459 | 3.739 to 4.241 | 4.465 to 5.217 |
| 21. | Tejas (KH3492) | 3.025 to 3.366 | 3.826 to 4.096 | 4.520 to 4.933 |
| 22. | AKB3542 | 2.988 to 3.326 | 3.813 to 4.078 | 4.531 to 4.936 |
| 23. | AKB3593 | 2.829 to 3.202 | 3.633 to 3.916 | 4.314 to 4.753 |
| 24. | Snap | 2.422 to 2.742 | 3.313 to 3.544 | 4.101 to 4.449 |




Figure 2. Confidence intervals (95%) for the moisture lost to evapotranspiration before the 24 Kentucky bluegrass entries from data set 18APP1 reach 75, 50, and 25% green cover.