

**Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 53 Kentucky bluegrass entries from data set 19APP1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET<sub>50</sub> values.**

Rank	Selection	ET <sub>75</sub>	ET <sub>50</sub>	ET <sub>25</sub>
1.	Ginney	6.790 to 7.629	8.100 to 8.724	9.127 to 10.10
2.	AKB3355	6.567 to 7.515	7.926 to 8.618	8.962 to 10.04
3.	AKB3469	6.252 to 7.365	7.598 to 8.388	8.569 to 9.786
4.	Apollo H2O (AKB1820)	6.467 to 7.292	7.554 to 8.140	8.370 to 9.260
5.	AKB3548	6.407 to 7.236	7.466 to 8.047	8.249 to 9.131
6.	Deja Blue (AKB1193)	6.646 to 7.248	7.464 to 7.890	8.081 to 8.733
7.	AKB3208	5.931 to 6.882	7.207 to 7.849	8.172 to 9.128
8.	AKB1222	6.732 to 7.192	7.351 to 7.667	7.819 to 8.292
9.	AKB3598	6.161 to 6.955	7.211 to 7.743	7.997 to 8.791
10.	AKB3125	6.847 to 7.236	7.343 to 7.605	7.729 to 8.084
11.	Mallard	5.852 to 7.015	7.023 to 7.794	7.812 to 8.950
12.	AKB1869	6.418 to 6.987	7.206 to 7.585	7.804 to 8.372
13.	Valley Veiw (AKB2839)	6.433 to 7.010	7.140 to 7.525	7.659 to 8.227
14.	Oasis	5.859 to 6.923	6.920 to 7.611	7.636 to 8.640
15.	En Gedi (AKB3241)	6.442 to 6.936	7.067 to 7.401	7.538 to 8.019
16.	AKB2795	6.477 to 7.005	7.038 to 7.412	7.445 to 7.972
17.	AKB2949	6.267 to 6.927	7.010 to 7.440	7.537 to 8.163
18.	Tejas (KH3492)	6.303 to 6.874	7.027 to 7.398	7.565 to 8.105
19.	AKB3216	5.901 to 6.552	6.884 to 7.301	7.665 to 8.248
20.	AKB1884	6.012 to 6.663	6.879 to 7.290	7.542 to 8.119
21.	AKB3582	5.903 to 6.714	6.802 to 7.309	7.437 to 8.147
22.	Ridgeline	5.681 to 6.436	6.547 to 7.019	7.203 to 7.807
23.	AKB1565	5.486 to 6.505	6.697 to 7.357	7.593 to 8.511
24.	AKB3348	5.939 to 6.665	6.764 to 7.210	7.352 to 7.970
25.	AKB1925	5.892 to 6.666	6.727 to 7.205	7.320 to 7.974
26.	Ridgeline	5.681 to 6.436	6.547 to 7.019	7.203 to 7.807
27.	AKB1764	5.717 to 6.403	6.743 to 7.182	7.564 to 8.162
28.	Ridgeline	5.681 to 6.436	6.547 to 7.019	7.203 to 7.807
29.	Ridgeline	5.681 to 6.436	6.547 to 7.019	7.203 to 7.807
30.	AKB1658	5.794 to 6.495	6.654 to 7.090	7.309 to 7.884
31.	AKB2836	5.779 to 6.590	6.577 to 7.066	7.131 to 7.770
32.	Ridgeline	5.681 to 6.436	6.547 to 7.019	7.203 to 7.807
33.	AKB2403	5.364 to 6.349	6.375 to 7.012	7.126 to 7.941
34.	AKB3542	5.327 to 6.164	6.410 to 6.956	7.264 to 7.971
35.	AKB3179	5.504 to 6.318	6.409 to 6.930	7.103 to 7.752
36.	AKB3128	5.443 to 6.259	6.382 to 6.909	7.110 to 7.770
37.	AKB2769	5.335 to 6.269	6.333 to 6.941	7.089 to 7.856
38.	Conquistador (AKB1661)	5.288 to 6.130	6.323 to 6.876	7.140 to 7.841
39.	NK-1	4.891 to 5.942	6.231 to 6.932	7.283 to 8.213

40.	AKB2590	5.279 to 6.064	6.318 to 6.836	7.154 to 7.811
41.	AKB3201	5.388 to 5.980	6.335 to 6.727	7.134 to 7.623
42.	AKB3456	4.663 to 5.740	6.144 to 6.870	7.326 to 8.293
43.	AKB1351	4.716 to 5.961	6.080 to 6.915	7.111 to 8.211
44.	AKB1071	5.268 to 5.896	6.270 to 6.690	7.115 to 7.641
45.	AKB3587	5.113 to 5.887	6.203 to 6.721	7.095 to 7.753
46.	AKB2543	4.983 to 5.866	6.111 to 6.707	7.016 to 7.774
47.	AKB2313	4.803 to 5.790	6.013 to 6.681	6.970 to 7.827
48.	AKB2733	4.674 to 5.592	5.963 to 6.588	7.017 to 7.823
49.	AKB1005	4.758 to 5.740	5.900 to 6.573	6.800 to 7.652
50.	AKB1162	4.495 to 5.781	5.722 to 6.609	6.629 to 7.757
51.	AKB3605	3.996 to 5.367	5.522 to 6.475	6.694 to 7.938
52.	Delta Blue (AKB2404)	4.396 to 5.296	5.651 to 6.279	6.682 to 7.490
53.	Snap	3.893 to 4.484	5.115 to 5.545	6.189 to 6.753

---




Figure 3. Confidence intervals (95%) for the moisture lost to evapotranspiration before the top-performing (top half) of 53 Kentucky bluegrass entries from data set 19APP1 reach 75, 50, and 25% green cover. Both the top and bottom performing entries are included for reference.

