

Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 41 tall fescue entries from data set 13AFA2 reach 75, 50, and 25% green cover. Entries are ranked based on their ET₅₀ values.

Rank	Selection	ET ₇₅	ET ₅₀	ET ₂₅
1.	ATF1782	6.530 to 7.531	9.644 to 10.35	12.41 to 13.52
2.	ATF1758	6.292 to 7.375	9.000 to 9.756	11.37 to 12.47
3.	ATF1748	6.023 to 6.778	8.966 to 9.493	11.67 to 12.45
4.	ATF1785	5.232 to 6.801	8.095 to 9.191	10.49 to 12.05
5.	ATF1786	4.382 to 6.609	7.585 to 9.137	10.11 to 12.35
6.	ATF1757	4.061 to 6.608	7.428 to 9.198	10.01 to 12.58
7.	ATF1746	4.655 to 6.344	7.540 to 8.722	9.929 to 11.60
8.	ATF1341	5.428 to 5.985	7.897 to 8.289	10.21 to 10.75
9.	ATF1375	4.796 to 6.000	7.666 to 8.508	10.18 to 11.37
10.	ATF1426	3.808 to 6.197	6.991 to 8.659	9.466 to 11.83
11.	Rhambler	4.617 to 5.943	7.320 to 8.253	9.644 to 10.94
12.	ATF1742	3.766 to 5.945	6.922 to 8.444	9.435 to 11.59
13.	Crackle	4.545 to 5.393	7.325 to 7.921	9.860 to 10.69
14.	ATF1744	4.588 to 5.693	7.194 to 7.974	9.488 to 10.57
15.	ATF1743	4.492 to 5.332	7.177 to 7.768	9.622 to 10.44
16.	ATF1726	4.228 to 5.642	6.958 to 7.955	9.287 to 10.67
17.	ATF1745	3.660 to 5.769	6.693 to 8.172	9.116 to 11.19
18.	ATF1258	3.589 to 5.780	6.623 to 8.160	9.023 to 11.17
19.	ATF1374	3.723 to 5.728	6.673 to 8.082	9.048 to 11.01
20.	ATF1747	3.400 to 5.854	6.492 to 8.213	8.874 to 11.28
21.	Brockton	4.582 to 5.321	7.063 to 7.586	9.338 to 10.06
22.	ATF1402	3.468 to 5.481	6.598 to 8.004	9.139 to 11.12
23.	ATF1376	3.580 to 5.694	6.525 to 8.013	8.866 to 10.94
24.	2nd Millenium	3.198 to 5.600	6.412 to 8.089	8.922 to 11.28
25.	ATF1756	3.883 to 5.422	6.683 to 7.769	9.046 to 10.55
26.	RK4	4.532 to 5.662	6.809 to 7.615	8.777 to 9.877
27.	ATF1255	3.636 to 5.754	6.452 to 7.950	8.672 to 10.74
28.	ATF1781	3.157 to 5.576	6.351 to 8.041	8.838 to 11.21
29.	Six Point	4.644 to 5.124	6.959 to 7.302	9.142 to 9.611
30.	ATF1492	3.497 to 5.998	6.224 to 7.999	8.254 to 10.70
31.	ATF1622	3.431 to 5.639	6.333 to 7.891	8.609 to 10.77
32.	ATF1199	3.648 to 5.334	6.516 to 7.703	8.903 to 10.55
33.	ATF1223	3.518 to 5.343	6.435 to 7.720	8.831 to 10.62
34.	ATF1727	4.158 to 5.466	6.490 to 7.425	8.464 to 9.742
35.	Falcon IV	3.198 to 5.542	6.062 to 7.719	8.265 to 10.56
36.	KY-31	3.308 to 4.725	6.276 to 7.269	8.836 to 10.22
37.	ATF1377	3.227 to 5.336	5.921 to 7.421	8.028 to 10.09
38.	ATF1725	4.144 to 4.906	6.298 to 6.847	8.245 to 8.995
39.	ATF1200	3.125 to 5.151	5.769 to 7.213	7.849 to 9.838

40.	ATF1373	3.510 to 4.657	5.771 to 6.598	7.716 to 8.854
41.	ATF1787	2.990 to 4.418	5.325 to 6.353	7.261 to 8.684




Figure 3. Confidence intervals (95%) for the moisture lost to evapotranspiration before the top-performing (top half) of 41 tall fescue entries from data set 13AFA2 reach 75, 50, and 25% green cover. Both the top and bottom performing entries are included for reference.




Figure 4. Confidence intervals (95%) for the moisture lost to evapotranspiration before the bottom-performing (bottom half) of 41 tall fescue entries from data set 13AFA2 reach 75, 50, and 25% green cover. Both the top and bottom performing entries are included for reference.