

## **NATIONAL TURFGRASS EVALUATION PROGRAM**

The National Turfgrass Evaluation Program (NTEP) is designed to develop and coordinate uniform evaluation trials of turfgrass varieties and promising selections in the United States and Canada. Test results can be used by national companies and plant breeders to determine the broad picture of the adaptation of a cultivar. Results can also be used to determine if a cultivar is well adapted to a local area or level of turf maintenance.

Briefly, the NTEP is a self-supporting, non-profit program, sponsored by the Beltsville Agricultural Research Center and the National Turfgrass Federation, Inc. Program policy is made by a policy committee consisting of one member from each of the four (4) Regional Turfgrass Research Committees in the United States, one member from the Lawn Seed Division of the American Seed Trade Association, one member from the United States Golf Association (USGA) Green Section, one member from the Golf Course Superintendents Assoc. of America (GCSAA), one member for the Turfgrass Producers International (TPI), one member from the Turfgrass Breeders Association and an executive director. The program does not make variety recommendations. However, the data from tests can be used by extension specialists and others for making recommendations.

The policy committee is responsible for determining program policy including, (1) requirements for submission of entries, (2) scheduling tests, (3) evaluation methods, (4) selecting standard or control test entries, (5) setting entry fees, (6) coordinating tests in their respective regions, (7) establishing guidelines for publication and data distribution and (8) scheduling committee meetings.

Executive Director - Kevin N. Morris, National Turfgrass Evaluation Program, Inc.

### **CURRENT POLICY COMMITTEE MEMBERS:**

Mr. Aaron Kuenzi, Mountain View Seeds  
Mr. Ryan Jeffries, Columbia Seeds, Inc.  
Dr. Mike Kenna, USGA Green Section  
Dr. Charles Fontanier, Oklahoma State University  
Dr. Alec Kowalewski, Oregon State University  
Mr. Mike Selman, Buena Vista Turf Farm  
Mr. Mark Johnson, Golf Course Superintendents Assoc. of America  
Dr. Aaron Patton, Purdue University  
Mr. Steve Reid, DLF Pickseed USA  
Dr. Steve Rackliffe, University of Connecticut

### **FOR ADDITIONAL REPORTS OR INFORMATION CONTACT:**

Kevin Morris, Executive Director  
National Turfgrass Evaluation Program  
Beltsville Agricultural Research Center-West  
Building 005, Room 307  
Beltsville, Maryland 20705  
[kmorris@ntep.org](mailto:kmorris@ntep.org)  
[www.ntep.org](http://www.ntep.org)

CONTENTS

2016 National St. Augustinegrass Test – 2018 data

LOCATIONS SUBMITTING DATA FOR 2018.....	1
NATIONAL ST. AUGUSTINEGRASS TEST, 2016	
Entries and Sponsors.....	2
Table A - 2016 Locations, Site Descriptions and Management Practices in the 2016 National St. Augustinegrass Test.....	3
Table B - Locations and Data Collected in 2018.....	3
Table 1 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars Grown in Location Performance Index (LPI) Group 1.....	5
Table 2 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars Grown in Location Performance Index (LPI) Group 2.....	6
Table 3 - Mean Turfgrass Quality and Other Ratings of St. Augustinegrass Cultivars for a Chinch Bug Study at Citra, FL.....	7
Table 4 - Mean Turfgrass Quality and Other Ratings of St. Augustinegrass Cultivars Grown Under Low Fertilizer at Ft. Lauderdale, FL .....	9
Table 5 - Mean Turfgrass Quality and Other Ratings of St. Augustinegrass Cultivars Grown Under Drought at College Station, TX.....	11
Table 6 - Genetic Color Ratings of St. Augustinegrass Cultivars.....	12
Table 7 - Spring Greenup Ratings of St. Augustinegrass Cultivars.....	13
Table 8 - Leaf Texture Ratings of St. Augustinegrass Cultivars.....	14
Table 9 - Spring Density Ratings of St. Augustinegrass Cultivars.....	15
Table 10- Summer Density Ratings of St. Augustinegrass Cultivars.....	16
Table 11- Fall Density Ratings of St. Augustinegrass Cultivars.....	17
Table 12- Percent Living Ground Cover (Spring) Ratings of St. Augustinegrass Cultivars.....	18
Table 13- Percent Living Ground Cover (Summer) Ratings of St. Augustinegrass Cultivars.....	19
Table 14- Percent Living Ground Cover (Fall) Ratings of St. Augustinegrass Cultivars.....	20
Table 15- Percent Winter Kill Ratings of St. Augustinegrass Cultivars.....	21
Table 16- Brown Patch (Warm Temperature) Ratings of St. Augustinegrass Cultivars.....	22
Table 17- Fairy Ring Ratings of St. Augustinegrass Cultivars.....	23

CONTINUED

Table 18- Gray Leaf Spot Ratings of St. Augustinegrass Cultivars.....	24
Table 19- Fall Color (September) Ratings of St. Augustinegrass Cultivars.....	25
Table 20- Fall Color (October) Ratings of St. Augustinegrass Cultivars.....	26
Table 21- Fall Color (December) Ratings of St. Augustinegrass Cultivars.....	27
Table 22- Gray Leaf Spot Ratings of St. Augustinegrass Cultivars at Raleigh, NC .....	28
Table 23- Seedhead Ratings of St. Augustinegrass Cultivars.....	29
Appendix Table- Summary of Turfgrass Quality Ratings of St. Augustinegrass Cultivars.....	30

## A Guide to NTEP Turfgrass Ratings

### Introduction

The quality and scientific merit of NTEP data is extremely important. However, the evaluation of turfgrass species and cultivars is a difficult and complex issue. Furthermore, turfgrass evaluation is generally a subjective process based on visual estimates of factors, like genetic color, stand density, leaf texture, uniformity and quality. These factors cannot be measured in the same way as other agricultural crops. Turfgrass quality is not a measure of yield or nutritive value. Turfgrass quality is a measure of aesthetics (i.e. density, uniformity, texture, smoothness, growth habit and color), and functional use. The most common way of assessing turfgrass quality is a visual rating system that is based on the turfgrass evaluator's judgement.

### General Considerations

Most visual ratings collected on NTEP trials are based on a 1 to 9 rating scale. One is the poorest or lowest and 9 is the best or highest rating. However, a few characteristics, such as winter kill or percent living ground cover, are rated on a percentage basis, again by using the evaluator's judgement. Most disease ratings found in NTEP reports will use the 1-9 scale, 9=no disease except where the evaluator made a judgement of the percentage of disease in each plot. Percent disease data will be found in separate tables and will normally not be included with disease data using the 1-9 scale.

### Turfgrass Quality

Turfgrass Quality is based on 9 being outstanding or ideal turf and 1 being poorest or dead. A rating of 6 or above is generally considered acceptable. A quality rating value of 9 is reserved for a perfect or ideal grass, but it also can reflect an absolutely outstanding treatment plot. The NTEP requires quality ratings on a monthly basis. Quality ratings take into account the aesthetic and functional aspects of the turf. Quality ratings are not based on color alone, but on a combination of color, density, uniformity, texture, and disease or environmental stress.

Turfgrass quality ratings are grouped and presented by region, management level, a particular stress (shade, traffic, etc.) and in some cases, by individual location (starting with 2001 data, data from each location will be posted separately as well on the NTEP web site, <http://www.ntep.org>). Also available now is a summary table (Appendix) in the back of this report. This summary table includes various statistical measures not previously compiled for NTEP reports. For an explanation of this table and these changes, please go to the NTEP web site at <http://www.ntep.org/pdf/grandmean.mem.pdf>.

### Other Ratings

More detailed information on the ratings of specific characteristics can be found on the NTEP web site at <http://www.ntep.org/reports/ratings.htm>.

2016 NATIONAL ST. AUGUSTINEGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2018

<u>State</u>	<u>Location</u>	<u>Code</u>
Alabama	Auburn	A11
Florida	Ft. Lauderdale	FL5
Florida	Ft. Lauderdale (Low Fertilizer)	FL6
Florida	Citra (Chinch Bug Study)	FL4
Florida	Jay	FL3
Georgia	Griffin	GA1
Mississippi	Mississippi State	MS1
North Carolina	Raleigh	NC1
Texas	Dallas	TX1
Texas	College Station (Drought)	TX2

## 2016 St. Augustinegrass Test Entries and Sponsors

Entry No	Name	Sponsor
*1	Floratam	Standard
*2	Raleigh	Standard
*3	Palmetto	Standard
4	XSA10403	North Carolina University
5	XSA11168	North Carolina University
6	FSA 1601	University of Florida
*7	CitraBlue (FSA 1602)	University of Florida
8	FSA 1603	University of Florida
9	FSA 1604	University of Florida
10	FSA 1605	University of Florida
11	FSA 1606	University of Florida
12	FSA 1607	University of Florida
13	FSA 1608	University of Florida
14	FSA 1609	University of Florida
15	FSA 1610	University of Florida
16	FSA 1611	University of Florida
17	FSA 1612	University of Florida
18	FSA 1613	University of Florida
19	FSA 1614	University of Florida
20	UGA/TX SA26	The University of Georgia
21	DALSA 1623	Texas A&M AgriLife Research-Dallas
22	DALSA 1316	Texas A&M AgriLife Research-Dallas
23	DALSA 1323	Texas A&M AgriLife Research-Dallas
24	DALSA 1404	Texas A&M AgriLife Research-Dallas
25	DALSA 1501	Texas A&M AgriLife Research-Dallas
26	DALSA 1502	Texas A&M AgriLife Research-Dallas
27	DALSA 1618	Texas A&M AgriLife Research-Dallas

\* Commercially Available in the USA in 2019 or any other country

TABLE A.

2018 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN  
THE 2016 NATIONAL ST. AUGUSTINEGRASS TEST

LOCATION	SOIL TEXTURE	SOIL		SOIL		NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
		SOIL PH	PHOSPHOROUS (LBS/ACRE)	POTASSIUM (LBS/ACRE)					
AL1	-	-	-	-	-	-	-	-	-
FL3	SAND	5.6-6.0	151-270	0-150	2.1-3.0	FULL SUN	2.6-3.0	TO PREVENT STRESS	
FL4	-	-	-	-	-	-	2.5-3.5	TO PREVENT STRESS	
FL5	SAND	6.6-7.0	61-150	0-150	4.1-5.0	FULL SUN	3.1-3.5	TO PREVENT STRESS	
FL6	SAND	6.6-7.0	61-150	0-150	2.1-3.0	FULL SUN	3.1-3.5	TO PREVENT STRESS	
GA1	SANDY CLAY LOAM	-	-	-	2.1-3.0	FULL SUN	2.6-3.0	TO PREVENT STRESS	
MS1	SANDY LOAM	6.6-7.0	151-270	241-375	3.1-4.0	FULL SUN	3.1-3.5	TO PREVENT STRESS	
NC1	SILTY CLAY LOAM	6.1-6.5	61-150	0-150	1.1-2.0	FULL SUN	3.1-3.5	TO PREVENT STRESS	
TX1	SILTY CLAY LOAM	7.6-8.5	151-270	241-375	3.1-4.0	FULL SUN	2.6-3.0	TO PREVENT STRESS	
TX2	-	7.6-8.5	-	-	0.0-1.0	FULL SUN	2.1-2.5	TO PREVENT STRESS	

TABLE B.

LOCATIONS AND DATA COLLECTED IN 2018

LOCATION	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE
	QUALITY RATING														
AL1			X	X	X	X	X	X	X				X	X	X
FL3			X	X	X	X	X	X	X	X			X	X	
FL4	X	X	X	X	X	X	X	X	X	X	X	X		X	
FL5	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FL6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
GA1				X	X	X	X	X	X	X	X		X	X	
MS1				X	X	X	X	X	X	X	X		X	X	X
NC1						X	X	X	X	X	X		X	X	
TX1					X	X	X	X	X	X	X		X	X	X
TX2					X	X	X		X	X			X	X	X

TABLE B. (CONT'D)

## LOCATIONS AND DATA COLLECTED IN 2018

LOCATION	SPRING DENSITY	SUMMER DENSITY	FALL DENSITY	PERCENT	PERCENT	PERCENT	PERCENT	DROUGHT	TOLERANCE	BROWN PATCH
				COVER SPRING	COVER SUMMER	COVER FALL	WINTER COLOR			
AL1										
FL3	X	X	X							
FL4				X	X	X	X			X
FL5		X	X	X	X	X				
FL6		X	X	X	X	X				
GA1										
MS1				X						
NC1				X	X	X				
TX1		X					X			X
TX2						X		X	X	X

## LOCATIONS AND DATA COLLECTED IN 2018

LOCATION	FAIRY RING	GRAY LEAF SPOT	INSECT DAMAGE	COLOR	COLOR	COLOR	COLOR	CANOPY HEIGHT
				SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
AL1				X				
FL3				X	X			
FL4		X	X	X	X	X		
FL5	X	X					X	
FL6	X	X					X	
GA1				X	X			
MS1								
NC1								
TX1		X					X	X
TX2								

TABLE 1. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 1 \*\*/  
2018 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	# Entry	NC1	GA1	FL5	MS1	MEAN
FSA 1601	6	7.3	6.2	7.6	6.1	6.8
* CITRABLUE (FSA 1602)	7	6.7	6.0	8.1	5.2	6.5
FSA 1613	18	6.3	5.9	7.0	5.9	6.3
* PALMETTO	3	5.9	6.0	7.0	6.0	6.2
UGA/TX SA26	20	6.0	6.1	7.1	5.7	6.2
FSA 1610	15	5.6	6.1	7.8	5.2	6.2
* RALEIGH	2	6.2	6.1	6.8	5.6	6.1
FSA 1608	13	4.8	6.5	6.9	6.0	6.1
DALSA 1618	27	5.9	5.7	7.2	5.4	6.0
FSA 1609	14	5.8	6.1	7.0	5.0	6.0
FSA 1606	11	4.8	6.0	7.4	5.5	5.9
FSA 1604	9	4.8	6.1	7.1	5.5	5.9
FSA 1614	19	5.5	5.8	7.4	4.8	5.9
DALSA 1404	24	6.5	5.7	6.9	4.3	5.9
XSA10403	4	5.7	6.1	6.9	4.6	5.8
DALSA 1623	21	5.2	5.6	6.8	5.0	5.6
DALSA 1501	25	4.3	5.7	6.9	5.4	5.6
DALSA 1502	26	4.3	5.9	6.6	5.5	5.6
XSA11168	5	4.9	5.9	6.7	4.8	5.6
FSA 1603	8	3.3	5.8	7.1	5.4	5.4
DALSA 1323	23	4.6	5.9	6.1	4.3	5.2
DALSA 1316	22	4.2	6.2	6.2	4.3	5.2
FSA 1605	10	2.5	6.3	6.9	5.0	5.2
FSA 1607	12	2.4	6.0	7.1	4.3	4.9
* FLORATAM	1	3.1	5.8	6.8	4.1	4.9
FSA 1612	17	2.4	5.7	6.3	3.3	4.4
FSA 1611	16	2.6	6.0	6.4	2.6	4.4
LSD VALUE		0.9	0.9	0.9	0.9	0.9
C.V. (%)		11.5	9.4	8.0	11.2	9.8

\*/ COMMERCIALLY AVAILABLE IN THE USA IN 2019

\*\*/ ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS LPI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE A LPI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON LPI, GO TO [WWW.NTEP.ORG/LPI\\_Q&A.PDF](http://WWW.NTEP.ORG/LPI_Q&A.PDF)

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 2. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 2 \*/  
2018 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	# Entry	FL3	AL1	TX1	MEAN
DALSA 1618	27	6.3	7.1	8.2	7.2
DALSA 1623	21	6.2	7.1	7.8	7.0
DALSA 1502	26	5.6	7.6	7.8	7.0
DALSA 1501	25	5.5	6.7	8.2	6.8
DALSA 1404	24	5.5	6.8	7.6	6.6
FSA 1608	13	5.8	5.6	7.8	6.4
FSA 1606	11	5.9	6.5	6.7	6.3
UGA/TX SA26	20	5.6	6.2	7.2	6.3
DALSA 1316	22	6.0	6.2	6.7	6.3
PALMETTO	3	5.8	5.2	7.7	6.2
CITRABLUE (FSA 1602)	7	5.8	5.4	7.4	6.2
FSA 1609	14	6.2	5.6	6.7	6.2
FSA 1605	10	5.6	5.8	6.9	6.1
FSA 1607	12	5.8	5.4	6.9	6.0
FSA 1604	9	5.4	5.9	6.8	6.0
RALEIGH	2	5.8	5.0	7.2	6.0
FSA 1614	19	5.4	5.3	7.2	6.0
DALSA 1323	23	5.4	5.0	7.2	5.9
FSA 1603	8	6.3	4.2	7.1	5.8
FSA 1613	18	4.4	6.0	7.0	5.8
FSA 1610	15	5.1	5.2	6.6	5.7
FLORATAM	1	4.8	5.3	6.3	5.5
XSA10403	4	5.7	5.5	4.9	5.4
FSA 1601	6	4.8	4.7	6.1	5.2
XSA11168	5	5.3	5.0	4.6	5.0
FSA 1611	16	5.3	3.5	5.6	4.8
FSA 1612	17	4.5	4.2	4.9	4.5
LSD VALUE		0.9	0.9	0.9	0.9
C.V. (%)		10.1	10.0	8.2	9.3

\*/ ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS LPI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE A LPI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON LPI, GO TO [WWW.NTEP.ORG/LPI\\_Q&A.PDF](http://WWW.NTEP.ORG/LPI_Q&A.PDF)

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.

STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ST. AUGUSTINEGRASS CULTIVARS  
 IN THE 2016 NATIONAL ST. AUGUSTINEGRASS TEST AT CITRA (CHINCH BUG STUDY), FL 1/  
 2018 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SPRING	PERCENT	GROUND	COVER	WINTER COLOR	QUALITY RATINGS												MEAN
	GREENUP	SPRING	SUMMER	FALL		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
DALSA 1502	6.7	98.0	97.7	99.0	6.7	6.7	7.7	8.0	8.3	8.0	8.7	8.7	8.7	8.3	7.7	8.0	7.7	8.0
DALSA 1618	7.0	98.3	99.0	99.0	5.7	5.3	7.0	7.3	8.0	7.7	8.3	8.7	8.7	9.0	9.0	9.0	8.0	8.0
DALSA 1501	6.3	98.7	98.7	99.0	5.3	5.7	7.3	7.3	8.0	8.0	8.7	8.7	9.0	8.3	8.0	8.0	7.7	7.9
DALSA 1623	6.7	95.7	97.7	99.0	5.7	6.0	8.0	7.7	8.0	8.0	8.7	8.7	8.3	8.3	7.3	8.0	8.0	7.9
CITRABLUE (FSA 1602)	6.7	97.0	98.7	99.0	5.3	4.7	7.3	7.3	8.0	7.7	8.3	8.0	9.0	8.7	8.7	8.7	8.0	7.9
DALSA 1316	7.0	99.0	99.0	99.0	5.3	5.3	7.3	7.3	8.3	8.0	9.0	8.7	8.7	8.0	7.3	7.7	7.7	7.8
FSA 1606	7.0	98.3	99.0	99.0	6.7	6.0	7.3	7.3	7.7	7.7	8.0	8.0	8.3	9.0	8.3	8.0	7.8	
FSA 1601	6.3	94.3	97.7	99.0	6.3	4.7	6.7	7.0	7.7	7.3	8.3	8.3	8.3	7.3	9.0	9.0	6.3	7.5
FSA 1610	6.7	97.7	98.7	99.0	5.3	5.0	7.0	7.0	7.7	7.7	8.0	7.7	8.0	7.3	8.3	8.0	7.5	
FSA 1613	5.7	98.3	99.0	99.0	5.3	5.0	6.7	6.7	7.0	7.7	8.0	8.7	8.0	8.0	8.0	8.3	8.0	7.5
FSA 1607	6.7	94.3	96.3	99.0	6.3	4.7	7.3	7.3	7.7	7.7	8.0	7.3	8.0	8.0	7.7	8.3	7.3	7.4
FSA 1605	6.0	98.3	99.0	99.0	5.7	5.0	6.7	7.0	7.5	7.0	7.3	8.0	7.3	8.7	8.0	8.0	7.7	7.3
FSA 1609	6.7	98.7	99.0	99.0	5.0	5.0	6.7	7.0	7.0	7.3	7.7	7.7	8.0	7.7	7.7	8.0	7.7	7.3
FSA 1614	5.7	97.3	98.5	99.0	5.0	5.0	7.0	7.3	7.3	7.7	7.3	7.7	7.3	7.7	7.7	8.0	8.0	7.3
PALMETTO	4.7	99.0	99.0	99.0	5.7	5.3	6.3	7.0	7.3	7.0	6.7	8.0	8.0	8.3	8.0	8.0	7.7	7.3
DALSA 1323	5.7	96.0	97.3	99.0	5.7	4.7	7.0	7.0	7.7	7.0	7.3	8.0	7.7	7.3	7.0	8.0	7.7	7.2
FSA 1604	6.3	97.3	99.0	99.0	4.0	4.0	6.7	7.0	7.0	7.0	8.0	7.7	7.7	7.7	7.7	8.0	8.3	7.2
DALSA 1404	6.7	98.7	99.0	99.0	5.0	5.0	7.3	7.0	7.7	7.3	8.0	8.0	7.0	7.0	6.3	7.3	7.3	7.1
FSA 1608	5.3	98.7	99.0	99.0	6.7	6.3	6.7	6.7	7.3	7.0	7.0	7.0	7.3	7.7	7.0	7.7	6.7	7.0
UGA/TX SA26	5.0	96.0	99.0	99.0	5.7	6.0	6.0	6.7	7.0	7.0	6.7	7.0	8.0	7.3	7.7	7.3	5.7	6.9
XSA11168	5.7	99.0	99.0	91.0	4.3	4.7	5.7	6.0	7.0	6.7	8.0	7.7	8.0	7.3	7.7	6.7	7.7	6.9
FLORATAM	5.0	98.7	97.7	99.0	4.3	4.0	5.0	6.3	7.0	7.0	8.3	7.0	7.3	8.0	7.3	7.3	7.3	6.8
RALEIGH	4.3	99.0	99.0	99.0	5.3	5.3	6.0	6.3	7.3	7.3	7.3	8.0	7.3	7.0	7.0	7.0	6.0	6.8
FSA 1612	6.3	99.0	99.0	99.0	4.0	4.3	6.3	6.0	7.0	6.7	7.3	8.0	7.3	7.3	7.0	7.3	6.0	6.7
FSA 1603	6.0	91.7	89.7	92.7	5.0	4.0	6.0	5.7	6.7	6.3	7.0	6.3	6.3	6.3	6.3	6.0	7.7	6.2
FSA 1611	5.7	99.0	99.0	91.0	4.0	4.3	5.7	5.7	6.3	6.7	6.3	6.3	6.0	5.7	5.7	8.0	6.1	
XSA10403	5.7	99.0	99.0	48.3	4.3	4.7	5.7	6.3	7.3	7.0	6.7	8.0	5.7	4.3	2.7	3.0	8.3	5.8
LSD VALUE	1.1	4.3	7.1	9.8	0.8	1.0	1.3	1.0	1.2	1.6	1.4	1.4	1.1	1.1	1.5	1.3	4.3	0.6
C.V. (%)	10.5	2.1	2.7	6.5	10.0	11.8	10.5	8.0	7.6	8.8	9.7	9.2	8.5	8.8	12.2	11.0	17.3	5.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.

STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3.  
(CONT'D)

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ST. AUGUSTINEGRASS CULTIVARS  
IN THE 2016 NATIONAL ST. AUGUSTINEGRASS TEST AT CITRA (CHINCH BUG STUDY), FL 1/  
2018 DATA

NAME	TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/											CHINCH BUG LAB STUDY				
	BROWN PATCH	GRAY LEAF WEAR	COLOR SEPTEMBER	COLOR OCTOBER	COLOR NOVEMBER	NYMPH RATINGS	ADULT RATINGS	FIELD STUDY RATINGS	2018 MORTALITY RATINGS	2017 MORTALITY RATINGS	2018 FEEDING RATINGS	2017 FEEDING RATINGS				
DALSA 1502	9.0	8.0	8.0	8.0	8.3	6.3	7.3	6.3	6.0	5.0	7.7	6.3				
DALSA 1618	8.0	9.0	8.7	9.0	9.0	9.0	9.0	9.0	8.3	7.0	6.3	6.7				
DALSA 1501	9.0	8.0	8.0	8.0	7.7	9.0	9.0	9.0	8.3	4.0	5.3	8.0				
DALSA 1623	9.0	9.0	8.7	7.3	8.0	9.0	9.0	9.0	7.0	4.7	8.7	5.7				
CITRABLUE (FSA 1602)	9.0	8.0	8.7	8.7	9.0	9.0	9.0	9.0	8.5	1.0	8.7	7.0				
DALSA 1316	9.0	7.0	7.0	7.0	7.3	9.0	9.0	9.0	6.0	7.3	8.7	7.0				
FSA 1606	8.0	8.0	8.0	9.0	8.3	9.0	9.0	9.0	6.3	6.0	5.7	5.7				
FSA 1601	7.0	9.0	8.3	9.0	9.0	9.0	9.0	9.0	7.0	5.3	6.7	3.3				
FSA 1610	8.0	8.0	7.7	7.7	8.3	9.0	9.0	9.0	8.0	7.0	9.0	5.7				
FSA 1613	9.0	6.0	7.7	8.0	8.0	6.0	7.0	5.7	6.3	1.3	6.7	8.0				
FSA 1607	9.0	7.0	8.0	7.7	8.3	9.0	9.0	9.0	6.7	3.3	8.7	4.0				
FSA 1605	8.0	9.0	8.3	8.3	8.0	9.0	9.0	9.0	7.3	5.7	4.7	3.0				
FSA 1609	6.0	8.0	7.7	7.7	8.0	9.0	9.0	9.0	8.0	2.0	7.0	6.3				
FSA 1614	8.0	7.0	8.3	8.0	8.0	9.0	9.0	9.0	6.5	4.3	6.0	3.3				
PALMETTO	7.0	8.0	8.7	8.3	8.0	9.0	9.0	9.0	7.7	1.7	6.0	5.7				
DALSA 1323	8.0	7.0	7.0	6.7	7.3	9.0	9.0	9.0	5.7	4.3	7.7	7.7				
FSA 1604	7.0	9.0	7.3	8.0	8.3	9.0	9.0	9.0	7.7	7.7	7.3	7.0				
DALSA 1404	8.0	8.0	6.3	6.7	7.7	9.0	9.0	9.0	7.5	6.7	9.0	5.0				
FSA 1608	8.0	8.0	7.0	7.3	7.3	8.3	8.3	8.3	8.3	2.7	8.3	5.7				
UGA/TX SA26	8.0	9.0	7.3	7.3	7.7	9.0	9.0	9.0	6.3	5.0	6.3	5.7				
XSA11168	8.0	9.0	7.0	7.3	8.0	8.7	6.3	6.7	6.0	2.0	7.7	4.3				
FLORATAM	9.0	7.0	8.3	8.0	7.3	9.0	9.0	9.0	4.5	2.0	7.0	5.7				
RALEIGH	8.0	9.0	7.0	6.7	7.0	7.0	6.7	6.3	.	.	7.7	5.7				
FSA 1612	9.0	9.0	7.3	7.3	7.0	6.3	7.3	6.3	4.0	4.7	6.0	7.3				
FSA 1603	7.0	9.0	7.3	7.3	8.0	9.0	9.0	9.0	7.0	3.3	6.0	8.3				
FSA 1611	9.0	9.0	7.0	7.3	6.0	7.7	8.0	7.7	7.0	4.0	8.0	6.7				
XSA10403	8.0	9.0	7.0	4.3	6.3	3.5	6.0	3.5	4.5	2.3	5.0	7.7				
LSD VALUE	3.0	3.2	1.2	1.5	1.4	3.8	3.6	4.4	5.2	4.0	5.0	3.6				
C.V. (%)	14.4	15.4	8.7	11.3	9.4	19.3	16.0	22.0	25.5	49.3	26.4	29.0				

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ST. AUGUSTINEGRASS CULTIVARS  
 IN THE 2016 NATIONAL ST. AUGUSTINEGRASS TEST AT FT. LAUDERDALE (LOW FERTILIZER), FL 1/  
 2018 DATA

## TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	QUALITY RATINGS												MEAN
				JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
CITRABLUE (FSA 1602)	8.3	8.3	3.3	7.0	8.0	8.0	7.3	7.3	8.0	8.0	8.7	8.0	8.0	8.0	7.7	7.8
FSA 1610	8.7	8.7	4.0	7.0	7.0	8.7	7.0	7.3	6.7	6.0	8.0	8.3	7.7	7.7	8.0	7.4
FSA 1601	9.0	8.7	3.7	7.0	7.0	8.7	6.7	7.0	6.3	5.7	8.3	8.0	7.3	7.0	8.0	7.3
FSA 1606	8.0	7.3	3.0	7.0	7.0	7.3	7.0	7.0	6.7	6.3	7.7	7.7	7.7	7.7	7.3	7.2
DALSA 1618	7.7	8.3	2.3	6.7	7.3	7.7	8.0	7.7	7.0	6.3	7.3	7.0	7.0	6.3	6.3	7.1
FSA 1614	8.3	7.3	2.7	6.0	6.3	7.7	7.0	7.3	7.0	6.3	8.0	7.0	7.7	6.7	7.3	7.0
FSA 1607	7.0	6.7	3.0	6.7	7.0	6.7	5.7	6.7	6.7	5.7	7.3	7.7	6.7	7.0	7.3	6.8
PALMETTO	8.0	6.7	3.3	6.7	7.0	6.3	7.0	7.0	6.3	6.0	7.3	7.3	7.0	6.7	7.0	6.8
FSA 1603	7.7	8.0	3.7	6.3	7.0	7.0	6.3	6.3	6.7	6.3	7.0	7.3	6.7	6.7	6.7	6.7
FSA 1605	9.0	7.3	3.0	6.7	7.0	6.0	7.0	7.0	6.7	6.0	7.7	6.7	7.3	6.3	6.3	6.7
FSA 1613	7.7	7.3	2.7	6.0	6.3	7.0	6.7	7.0	7.0	6.3	7.0	7.0	7.0	6.3	7.0	6.7
UGA/TX SA26	7.3	6.7	4.0	6.7	7.0	6.3	7.0	7.0	6.3	5.7	6.7	7.3	6.7	6.7	7.0	6.7
DALSA 1404	6.3	8.3	2.3	6.3	6.7	7.7	7.3	7.0	6.3	6.0	6.7	6.7	6.0	6.0	7.0	6.6
DALSA 1501	6.7	7.3	2.0	7.0	7.0	7.3	6.7	7.0	6.7	6.0	6.7	6.0	6.0	5.7	6.7	6.6
FSA 1604	7.0	7.3	3.7	6.0	7.0	6.7	6.7	7.0	6.3	6.0	7.0	7.0	6.7	6.3	6.7	6.6
DALSA 1623	7.0	8.3	2.3	6.0	6.0	6.7	6.7	7.0	6.7	6.0	7.0	7.0	6.3	6.3	6.7	6.5
FLORATAM	7.7	6.7	2.7	6.0	6.7	6.7	6.7	6.3	6.0	5.7	7.3	6.7	7.0	6.0	6.7	6.5
FSA 1608	7.3	6.3	3.7	6.0	6.0	5.7	6.7	7.0	6.3	6.3	7.0	7.0	7.0	6.3	6.7	6.5
FSA 1609	7.0	7.0	3.3	6.0	6.0	7.0	7.0	6.3	6.7	6.3	6.7	6.3	6.3	6.3	6.7	6.5
RALEIGH	8.0	6.3	3.0	6.0	6.0	6.0	6.3	6.7	6.3	5.7	7.7	7.0	7.0	6.7	6.7	6.5
XSA10403	7.0	7.3	3.0	6.0	6.0	7.0	6.7	6.7	6.7	5.7	7.0	6.7	7.0	6.3	6.7	6.5
XSA11168	7.0	6.7	3.0	6.0	6.0	6.3	6.7	6.3	6.0	5.3	7.0	7.0	7.3	7.0	6.7	6.5
DALSA 1502	7.7	7.0	2.0	6.0	6.0	6.3	7.0	6.7	6.0	5.3	7.0	6.7	6.7	6.0	6.3	6.3
FSA 1611	7.3	6.0	2.7	6.0	6.0	6.0	6.7	6.7	5.7	5.3	6.3	6.0	6.3	5.7	6.0	6.1
FSA 1612	6.7	7.0	2.0	6.0	6.0	6.7	6.7	6.3	6.0	5.7	6.7	6.3	5.7	5.3	6.0	6.1
DALSA 1316	6.7	6.7	2.0	6.0	6.0	7.0	7.3	6.7	5.7	5.3	6.0	5.7	5.7	5.3	5.7	6.0
DALSA 1323	6.7	6.3	2.3	6.0	6.0	6.3	6.7	6.7	6.0	5.7	6.3	6.0	6.0	4.7	6.0	6.0
LSD VALUE	0.8	1.0	0.7	0.4	0.5	1.1	1.3	1.0	1.2	1.2	0.7	0.7	0.8	1.0	1.4	0.3
C.V. (%)	6.9	8.5	15.0	4.2	4.5	9.7	8.2	6.5	8.9	10.2	6.1	6.3	7.2	9.0	9.8	3.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 4. MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ST. AUGUSTINEGRASS CULTIVARS  
 (CONT'D) IN THE 2016 NATIONAL ST. AUGUSTINEGRASS TEST AT FT. LAUDERDALE (LOW FERTILIZER), FL 1/  
 2018 DATA

TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	SUMMER	FALL	PERCENT GROUND COVER			FAIRY RING	GRAY	COLOR DECEMBER
	DENSITY	DENSITY	SPRING	SUMMER	FALL		LEAF SPOT	
CITRABLUE (FSA 1602)	9.0	7.3	99	99	99.0	9.0	9.0	8.3
FSA 1610	8.7	8.0	99	99	99.0	9.0	8.3	8.0
FSA 1601	8.0	7.3	99	99	96.0	9.0	8.0	8.0
FSA 1606	8.0	7.3	99	99	99.0	9.0	9.0	8.0
DALSA 1618	8.7	7.3	99	99	86.3	9.0	6.3	7.3
FSA 1614	8.0	7.3	99	99	99.0	9.0	8.7	8.0
FSA 1607	7.7	7.3	99	99	99.0	9.0	9.0	7.7
PALMETTO	7.3	7.3	99	99	99.0	9.0	9.0	7.3
FSA 1603	8.0	7.3	99	99	88.0	9.0	7.3	7.3
FSA 1605	7.0	6.7	99	99	83.0	9.0	6.3	7.3
FSA 1613	7.3	7.3	99	99	99.0	9.0	9.0	7.7
UGA/TX SA26	7.0	7.0	99	99	89.7	9.0	8.3	7.3
DALSA 1404	8.0	6.7	99	99	96.0	9.0	8.3	7.3
DALSA 1501	7.3	6.7	99	99	97.7	9.0	7.3	7.3
FSA 1604	7.0	7.3	99	99	99.0	9.0	9.0	7.0
DALSA 1623	8.3	7.0	99	99	99.0	9.0	9.0	7.3
FLORATAM	7.3	6.7	99	99	93.0	9.0	8.3	7.0
FSA 1608	7.3	7.0	99	99	99.0	9.0	9.0	7.0
FSA 1609	7.3	7.3	99	99	99.0	9.0	9.0	7.3
RALEIGH	7.0	7.0	99	99	96.0	9.0	8.0	7.0
XSA10403	7.7	7.3	99	99	96.0	9.0	8.3	7.0
XSA11168	7.0	7.3	99	99	97.7	9.0	9.0	7.0
DALSA 1502	7.3	7.0	99	99	79.7	9.0	5.0	6.7
FSA 1611	7.3	6.3	99	99	96.0	9.0	7.7	6.7
FSA 1612	7.0	6.3	99	99	93.3	9.0	7.7	6.3
DALSA 1316	7.0	6.3	99	99	79.7	9.0	5.7	6.7
DALSA 1323	7.3	7.0	99	99	84.7	7.3	4.0	6.3
LSD VALUE	1.6	1.4	0	0	29.3	1.8	3.7	1.0
C.V. (%)	9.7	7.9	0	0	10.7	6.2	21.5	7.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5.

MEAN TURFGRASS QUALITY AND OTHER RATINGS OF ST. AUGUSTINEGRASS CULTIVARS  
 IN THE 2016 NATIONAL ST. AUGUSTINEGRASS TEST AT COLLEGE STATION (DROUGHT), TX 1/  
 2018 DATA

## TURFGRASS QUALITY AND OTHER RATINGS 1-9; 9=BEST 2/

NAME	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE	WINTER COLOR	DROUGHT TOLERANCE			QUALITY RATINGS				MEAN	
					WILTING	DORMANCY	RECOVERY	APR	MAY	JUN	SEP	OCT	
DALSA 1502	7.0	6.0	5.0	4.7	5.7	4.0	6.7	7.0	7.7	7.0	6.3	7.0	7.0
DALSA 1501	6.7	5.7	5.3	3.3	6.7	4.7	6.7	6.7	7.7	7.0	6.3	6.7	6.9
DALSA 1618	7.0	5.3	5.3	3.7	6.3	3.7	6.7	6.7	7.0	7.0	6.7	7.0	6.9
DALSA 1404	6.3	5.7	5.0	3.0	6.3	4.7	6.7	6.0	6.7	7.3	6.0	7.0	6.6
FSA 1613	6.3	5.3	5.0	4.0	5.0	2.7	6.0	6.0	6.3	6.7	6.3	6.7	6.4
PALMETTO	6.7	7.3	6.0	3.7	3.7	1.3	4.7	6.7	6.7	6.3	6.0	5.7	6.3
DALSA 1623	5.7	5.0	5.3	3.0	7.0	4.3	6.3	5.7	6.3	7.0	5.3	6.7	6.2
FSA 1603	7.0	4.7	6.3	2.5	4.5	1.0	3.5	6.5	6.0	6.5	6.5	5.5	6.2
CITRABLUE (FSA 1602)	6.0	4.7	5.7	4.0	5.5	3.0	6.0	5.5	5.5	6.5	6.0	7.0	6.1
FSA 1606	6.7	5.7	6.3	4.0	4.0	1.7	4.7	6.3	5.7	6.3	6.0	6.3	6.1
FSA 1607	7.3	4.7	6.7	4.3	4.7	2.3	5.3	6.0	6.0	5.7	6.3	6.7	6.1
FSA 1608	6.7	6.3	6.0	4.0	5.3	2.0	5.3	5.7	6.7	6.7	5.7	6.0	6.1
FSA 1614	6.3	5.3	5.0	3.7	5.3	3.0	5.3	6.0	5.7	7.0	6.0	5.7	6.1
UGA/TX SA26	6.3	5.7	5.7	4.0	5.0	1.3	4.7	5.7	6.0	6.7	5.7	6.0	6.0
FSA 1601	6.7	5.0	7.3	2.7	4.3	2.0	3.7	6.0	5.3	6.7	5.7	5.7	5.9
RALEIGH	6.0	7.7	5.3	1.5	4.5	1.5	4.0	6.5	6.5	6.0	5.0	5.5	5.9
FLORATAM	7.3	5.7	5.0	3.7	4.0	2.3	4.3	6.0	5.3	6.0	6.0	5.3	5.7
FSA 1604	6.7	4.7	6.0	3.3	4.7	2.7	4.7	5.0	4.3	6.3	6.3	6.3	5.7
FSA 1605	6.7	4.3	6.7	2.3	4.3	1.3	4.7	5.7	5.0	6.3	6.0	5.3	5.7
DALSA 1316	5.7	5.0	5.0	4.0	5.3	3.7	5.3	5.3	5.3	5.7	5.0	6.3	5.5
DALSA 1323	5.3	4.7	5.7	3.7	5.7	2.7	4.7	5.3	5.3	6.7	5.0	5.0	5.5
FSA 1609	6.7	3.7	6.0	3.5	5.0	2.0	3.5	5.0	5.0	6.5	5.5	5.5	5.5
FSA 1611	5.7	5.0	5.7	3.7	4.3	2.0	5.0	5.7	5.0	6.0	5.3	5.0	5.4
FSA 1610	7.0	4.0	6.7	3.7	4.3	2.0	4.0	4.3	5.0	5.3	6.0	6.0	5.3
FSA 1612	5.3	4.0	5.0	3.0	4.7	2.7	5.0	4.7	5.3	6.0	5.3	5.3	5.3
XSA11168	5.0	4.3	5.7	2.3	4.7	3.7	5.7	4.7	4.7	5.0	5.0	5.7	5.0
XSA10403	5.0	3.0	5.3	3.3	3.7	2.0	4.7	4.0	3.7	5.0	5.0	5.3	4.6
LSD VALUE	1.0	1.7	0.8	1.8	1.8	1.6	1.6	1.5	1.5	2.0	1.0	1.1	0.9
C.V. (%)	9.4	18.7	8.7	23.3	18.6	34.2	17.3	13.4	14.4	12.9	9.2	10.2	8.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 6. GENETIC COLOR RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	AL1	FL5	GA1	MS1	TX1	MEAN
CITRABLUE (FSA 1602)	8.7	8.3	6.7	7.7	7.3	7.7
FSA 1601	7.3	9.0	6.7	7.3	8.0	7.7
FSA 1605	6.3	9.0	6.3	7.0	7.0	7.1
FSA 1603	7.7	7.7	6.3	6.3	7.3	7.1
FSA 1610	5.7	8.7	6.7	6.0	7.3	6.9
FSA 1609	7.3	7.0	6.3	6.0	7.0	6.7
FSA 1614	6.7	8.3	6.7	6.0	5.7	6.7
DALSA 1618	7.3	7.7	6.3	5.3	6.7	6.7
FLORATAM	7.3	7.7	6.0	6.0	6.0	6.6
FSA 1613	7.0	7.7	6.7	6.0	5.7	6.6
RALEIGH	6.3	8.0	6.3	6.0	6.3	6.6
DALSA 1502	7.7	7.7	6.3	5.3	5.7	6.5
FSA 1604	7.0	7.0	6.0	6.0	6.3	6.5
FSA 1606	6.3	8.0	6.0	6.0	6.0	6.5
PALMETTO	6.0	8.0	6.3	6.0	6.0	6.5
DALSA 1501	6.7	7.0	6.0	6.0	6.3	6.4
DALSA 1623	6.7	7.0	6.3	5.3	6.7	6.4
FSA 1608	6.0	7.3	6.0	6.0	6.7	6.4
UGA/TX SA26	5.7	7.3	6.7	6.0	6.0	6.3
FSA 1607	5.3	7.0	6.0	6.0	6.7	6.2
DALSA 1404	7.3	6.3	6.0	5.0	5.7	6.1
DALSA 1316	6.7	6.7	6.3	5.0	5.0	5.9
DALSA 1323	4.0	6.7	6.0	5.3	6.7	5.7
FSA 1612	6.3	6.7	6.0	5.0	4.7	5.7
XSA11168	5.7	7.0	6.0	5.3	4.7	5.7
XSA10403	5.3	7.0	6.3	5.3	4.0	5.6
FSA 1611	3.7	7.3	6.3	5.3	4.3	5.4
LSD VALUE	2.4	0.8	0.7	0.6	0.9	0.6
C.V. (%)	23.0	6.8	7.3	6.0	9.4	12.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 7. SPRING GREENUP RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	AL1	FL3	FL5	GA1	MS1	NC1	TX1	MEAN
PALMETTO	3.7	7.3	7.0	5.3	3.0	4.0	3.7	4.9
RALEIGH	4.0	5.0	6.7	6.7	3.3	5.7	2.3	4.8
UGA/TX SA26	5.3	4.7	7.3	5.3	2.7	3.7	3.0	4.6
FSA 1608	5.3	3.7	7.0	5.3	3.3	3.7	2.7	4.4
DALSA 1618	3.7	5.0	8.3	6.3	2.0	3.0	2.3	4.4
DALSA 1623	2.3	7.3	8.3	5.3	2.0	2.7	2.3	4.3
FSA 1601	3.3	1.0	8.7	6.3	2.3	2.7	2.7	3.9
DALSA 1404	2.0	4.0	8.3	6.0	1.0	2.7	2.7	3.8
DALSA 1323	2.3	5.3	7.0	4.7	2.3	2.7	2.3	3.8
CITRABLUE (FSA 1602)	2.0	4.0	8.3	6.3	1.3	2.3	2.0	3.8
DALSA 1502	4.3	1.3	7.0	5.7	2.0	2.3	3.3	3.7
FSA 1609	2.3	5.7	7.0	5.0	1.7	1.3	2.0	3.6
FSA 1613	2.7	1.0	7.3	5.3	2.7	4.3	1.7	3.6
XSA10403	2.7	6.0	7.3	4.7	1.0	2.3	1.0	3.6
DALSA 1316	2.7	3.7	7.0	4.7	1.7	2.3	2.0	3.4
FSA 1614	3.0	1.7	7.3	4.7	2.0	3.0	2.3	3.4
FSA 1610	2.0	1.0	8.7	5.7	1.7	2.3	2.0	3.3
FSA 1607	2.3	4.7	7.0	4.7	1.0	1.3	2.0	3.3
FSA 1604	2.0	2.0	7.7	5.0	2.0	2.3	1.7	3.2
FSA 1606	2.0	3.7	7.3	5.0	1.0	1.7	2.0	3.2
FSA 1605	1.7	4.7	7.3	5.3	1.3	1.3	1.0	3.2
DALSA 1501	2.3	1.7	7.3	5.7	1.3	2.0	2.0	3.2
FSA 1603	1.3	2.0	8.0	5.7	1.7	1.0	2.3	3.1
FLORATAM	2.3	3.0	7.0	5.3	1.0	1.0	1.0	3.0
XSA11168	2.3	1.3	7.0	5.3	1.0	1.7	1.3	2.9
FSA 1611	1.3	2.7	7.0	5.3	1.0	1.3	1.0	2.8
FSA 1612	1.0	2.0	7.0	4.3	1.0	1.3	1.0	2.5
LSD VALUE	1.1	3.2	0.8	1.2	0.8	0.9	0.8	0.6
C.V. (%)	26.2	56.9	6.3	13.7	27.1	23.6	24.1	25.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 8. LEAF TEXTURE RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	AL1	FL5	MS1	TX1	MEAN
FSA 1601	7.7	3.7	6.7	7.0	6.3
FSA 1610	7.7	4.0	6.3	7.0	6.3
FSA 1603	7.3	3.7	6.7	6.7	6.1
XSA10403	7.3	3.0	6.0	6.7	5.8
FSA 1609	6.0	3.3	6.7	6.7	5.7
FSA 1605	6.7	3.0	6.0	6.7	5.6
XSA11168	6.3	3.0	6.0	7.0	5.6
FSA 1608	5.7	3.7	6.3	6.0	5.4
PALMETTO	6.0	3.3	6.0	6.3	5.4
UGA/TX SA26	5.0	4.0	6.0	6.0	5.3
FSA 1607	5.0	3.0	6.0	6.0	5.0
RALEIGH	4.7	3.0	6.0	6.0	4.9
FSA 1604	4.0	3.7	6.0	6.0	4.9
FSA 1606	3.7	3.0	6.0	5.7	4.6
FSA 1611	4.0	2.7	5.7	5.7	4.5
FSA 1613	2.7	2.7	6.0	6.0	4.3
DALSA 1501	3.3	2.0	6.3	5.3	4.3
DALSA 1323	4.3	2.3	5.0	5.0	4.2
CITRABLUE (FSA 1602)	1.3	3.3	5.3	5.3	3.8
FSA 1612	3.0	2.0	5.0	5.0	3.8
DALSA 1404	2.3	2.3	5.3	4.7	3.7
DALSA 1502	2.3	2.0	5.7	4.7	3.7
DALSA 1316	2.7	2.0	5.3	4.3	3.6
DALSA 1623	2.0	2.3	5.3	4.3	3.5
FLORATAM	2.7	2.7	4.0	4.7	3.5
DALSA 1618	1.3	2.3	5.0	4.7	3.3
FSA 1614	1.0	2.7	4.7	4.3	3.2
LSD VALUE	1.3	0.7	0.6	0.7	0.4
C.V. (%)	19.0	14.8	7.0	7.8	11.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9. SPRING DENSITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	FL3
DALSA 1623	6.0
FSA 1609	5.7
PALMETTO	5.7
RALEIGH	5.7
XSA10403	5.7
DALSA 1618	5.0
FSA 1605	5.0
FSA 1606	5.0
FSA 1607	5.0
FSA 1608	5.0
DALSA 1316	4.7
CITRABLUE (FSA 1602)	4.3
DALSA 1323	4.3
DALSA 1404	4.3
FSA 1614	4.3
UGA/TX SA26	4.3
FSA 1604	4.0
DALSA 1501	3.7
FSA 1603	3.7
FSA 1611	3.7
DALSA 1502	3.3
FLORATAM	3.3
FSA 1601	2.7
FSA 1610	2.7
FSA 1612	2.0
XSA11168	2.0
FSA 1613	1.7
LSD VALUE	1.7
C.V. (%)	25.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 10. SUMMER DENSITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	FL3	FL5	TX1	MEAN
CITRABLUE (FSA 1602)	7.3	9.0	7.0	7.8
DALSA 1618	7.0	9.0	7.3	7.8
FSA 1603	7.7	8.3	7.3	7.8
DALSA 1316	7.0	8.3	7.3	7.6
DALSA 1404	6.7	8.3	7.7	7.6
DALSA 1501	6.3	8.3	8.0	7.6
DALSA 1502	7.0	8.0	7.7	7.6
DALSA 1623	6.3	9.0	7.3	7.6
FSA 1610	6.7	8.7	7.3	7.6
FSA 1604	6.3	8.0	8.0	7.4
DALSA 1323	6.0	8.0	8.0	7.3
FSA 1609	7.0	7.3	7.7	7.3
RALEIGH	6.7	8.0	7.3	7.3
FSA 1608	6.7	7.7	7.3	7.2
FSA 1605	6.3	8.0	7.3	7.2
FLORATAM	6.3	8.3	6.7	7.1
FSA 1601	6.0	9.0	6.3	7.1
FSA 1606	6.0	8.0	7.3	7.1
FSA 1614	6.3	8.7	6.3	7.1
FSA 1607	6.3	8.0	6.7	7.0
PALMETTO	6.3	8.0	6.7	7.0
FSA 1613	5.3	8.0	7.3	6.9
XSA10403	6.3	7.7	6.3	6.8
UGA/TX SA26	6.0	7.7	6.3	6.7
XSA11168	6.7	7.3	5.7	6.6
FSA 1611	5.7	7.3	5.7	6.2
FSA 1612	5.3	7.7	5.3	6.1
LSD VALUE	1.2	0.8	1.1	0.6
C.V. (%)	11.3	6.1	10.1	9.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11. FALL DENSITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	FL3	FL5	MEAN
FSA 1603	8.7	8.0	8.3
FSA 1610	7.0	8.7	7.8
CITRABLUE (FSA 1602)	7.3	7.7	7.5
FSA 1601	6.7	8.0	7.3
FSA 1609	7.0	7.7	7.3
PALMETTO	7.0	7.7	7.3
DALSA 1618	7.3	7.3	7.3
FSA 1608	7.3	7.3	7.3
DALSA 1316	7.7	6.7	7.2
DALSA 1501	6.7	7.7	7.2
FSA 1604	6.7	7.7	7.2
FSA 1606	6.7	7.7	7.2
FSA 1607	6.7	7.7	7.2
UGA/TX SA26	6.7	7.7	7.2
DALSA 1502	7.3	7.0	7.2
RALEIGH	7.0	7.3	7.2
XSA11168	7.0	7.3	7.2
FSA 1605	6.7	7.3	7.0
FSA 1614	6.7	7.3	7.0
XSA10403	6.3	7.7	7.0
DALSA 1404	6.3	7.3	6.8
FSA 1611	7.3	6.3	6.8
FLORATAM	6.7	6.7	6.7
DALSA 1323	6.3	7.0	6.7
DALSA 1623	6.3	7.0	6.7
FSA 1613	5.0	7.3	6.2
FSA 1612	5.3	6.7	6.0
LSD VALUE	1.2	0.9	0.7
C.V. (%)	10.6	8.0	9.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 12. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	FL5	MS1	NC1	MEAN
RALEIGH	99	53.3	91.3	81.2
FSA 1608	99	53.3	81.7	78.0
UGA/TX SA26	99	51.7	83.3	78.0
FSA 1613	99	51.7	82.3	77.7
PALMETTO	99	41.7	90.7	77.1
FSA 1601	99	48.3	71.7	73.0
CITRABLUE (FSA 1602)	99	40.0	65.0	68.0
DALSA 1618	99	38.3	65.0	67.4
FSA 1614	99	25.0	71.7	65.2
DALSA 1623	99	25.0	45.0	56.3
DALSA 1323	99	23.3	45.0	55.8
DALSA 1404	99	21.7	45.0	55.2
DALSA 1502	99	41.7	21.7	54.1
XSA10403	99	10.3	51.7	53.7
FSA 1610	99	23.3	38.3	53.6
FSA 1604	99	30.0	26.7	51.9
DALSA 1316	99	22.0	28.3	49.8
FSA 1606	99	20.0	28.3	49.1
XSA11168	99	11.7	35.0	48.6
DALSA 1501	99	31.7	13.3	48.0
FSA 1609	99	15.0	21.7	45.2
FSA 1603	99	28.3	7.0	44.8
FSA 1607	99	12.3	14.3	41.9
FSA 1605	99	12.3	9.3	40.2
FLORATAM	99	8.3	10.0	39.1
FSA 1612	99	5.3	3.0	35.8
FSA 1611	99	1.0	5.3	35.1
LSD VALUE	0	15.8	22.5	9.2
C.V. (%)	0	35.6	32.8	17.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	FL5	NC1	MEAN
RALEIGH	99	97.7	98.3
PALMETTO	99	94.7	96.8
UGA/TX SA26	99	94.7	96.8
FSA 1601	99	93.0	96.0
FSA 1614	99	91.7	95.3
FSA 1613	99	91.3	95.2
FSA 1608	99	88.3	93.7
CITRABLUE (FSA 1602)	99	83.3	91.2
DALSA 1618	99	83.3	91.2
DALSA 1404	99	76.7	87.8
XSA10403	99	76.7	87.8
DALSA 1323	99	75.0	87.0
FSA 1609	99	70.0	84.5
FSA 1610	99	66.7	82.8
XSA11168	99	65.0	82.0
FSA 1606	99	63.3	81.2
DALSA 1623	99	60.0	79.5
FSA 1604	99	55.0	77.0
DALSA 1316	99	53.3	76.2
DALSA 1502	99	36.7	67.8
FSA 1607	99	35.0	67.0
DALSA 1501	99	30.0	64.5
FLORATAM	99	26.7	62.8
FSA 1603	99	25.0	62.0
FSA 1605	99	25.0	62.0
FSA 1611	99	13.3	56.2
FSA 1612	99	10.0	54.5
LSD VALUE	0	24.0	12.0
C.V. (%)	0	24.0	13.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 14. PERCENT LIVING GROUND COVER (FALL) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	FL5	NC1	MEAN
CITRABLUE (FSA 1602)	99.0	99.0	99.0
DALSA 1404	99.0	99.0	99.0
FSA 1608	99.0	99.0	99.0
FSA 1609	99.0	99.0	99.0
FSA 1613	99.0	99.0	99.0
PALMETTO	99.0	99.0	99.0
XSA10403	99.0	99.0	99.0
FSA 1606	99.0	97.7	98.3
FSA 1614	97.7	99.0	98.3
XSA11168	99.0	97.7	98.3
FSA 1610	97.7	97.7	97.7
FSA 1604	99.0	96.0	97.5
RALEIGH	96.0	99.0	97.5
DALSA 1618	94.7	99.0	96.8
FSA 1601	94.7	99.0	96.8
UGA/TX SA26	94.3	99.0	96.7
DALSA 1623	97.7	94.3	96.0
FLORATAM	99.0	91.7	95.3
DALSA 1501	99.0	90.7	94.8
DALSA 1316	84.3	97.7	91.0
DALSA 1323	84.7	95.3	90.0
FSA 1612	95.0	85.0	90.0
DALSA 1502	83.0	91.7	87.3
FSA 1611	97.7	75.0	86.3
FSA 1607	99.0	73.3	86.2
FSA 1603	88.0	81.7	84.8
FSA 1605	84.7	80.0	82.3
LSD VALUE	12.8	9.8	8.1
C.V. (%)	8.3	6.5	7.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15. PERCENT WINTER KILL RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

PERCENT WINTER KILL RATINGS: LOCATIONS 2/

NAME	TX1
FSA 1612	86.7
FSA 1611	83.3
XSA10403	78.3
XSA11168	76.7
FSA 1606	70.0
FSA 1604	68.3
FLORATAM	66.7
FSA 1605	65.0
FSA 1609	50.0
FSA 1607	46.7
FSA 1610	46.7
DALSA 1316	41.7
DALSA 1623	38.3
DALSA 1404	36.7
FSA 1603	36.7
DALSA 1323	35.0
FSA 1613	35.0
FSA 1614	31.7
FSA 1601	30.0
DALSA 1502	26.7
DALSA 1501	25.0
FSA 1608	23.3
RALEIGH	20.0
DALSA 1618	16.7
UGA/TX SA26	16.7
PALMETTO	15.0
CITRABLUE (FSA 1602)	13.3
LSD VALUE	21.1
C.V. (%)	30.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 16. BROWN PATCH (WARM TEMPERATURE) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

BROWN PATCH RATINGS 1-9; 9=NO DISEASE 2/

NAME	TX1
CITRABLUE (FSA 1602)	9.0
DALSA 1323	9.0
DALSA 1618	9.0
FLORATAM	9.0
FSA 1604	9.0
FSA 1608	9.0
FSA 1613	9.0
DALSA 1623	8.7
FSA 1607	8.7
FSA 1610	8.7
RALEIGH	8.7
DALSA 1316	8.3
FSA 1603	8.3
FSA 1606	8.3
FSA 1611	8.3
PALMETTO	8.3
UGA/TX SA26	8.3
XSA10403	8.3
DALSA 1501	8.0
DALSA 1502	8.0
FSA 1605	8.0
FSA 1614	8.0
FSA 1609	7.7
FSA 1612	7.7
XSA11168	7.3
DALSA 1404	7.0
FSA 1601	3.7
LSD VALUE	1.7
C.V. (%)	12.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17.

FAIRY RING RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

FAIRY RING RATINGS 1-9; 9=NO DISEASE 2/

NAME	FL5
CITRABLUE (FSA 1602)	9.0
DALSA 1316	9.0
DALSA 1404	9.0
DALSA 1501	9.0
DALSA 1502	9.0
DALSA 1618	9.0
DALSA 1623	9.0
FLORATAM	9.0
FSA 1601	9.0
FSA 1603	9.0
FSA 1604	9.0
FSA 1605	9.0
FSA 1606	9.0
FSA 1607	9.0
FSA 1608	9.0
FSA 1609	9.0
FSA 1610	9.0
FSA 1611	9.0
FSA 1612	9.0
FSA 1613	9.0
FSA 1614	9.0
PALMETTO	9.0
RALEIGH	9.0
UGA/TX SA26	9.0
XSA10403	9.0
XSA11168	9.0
DALSA 1323	7.7
LSD VALUE	0.7
C.V. (%)	5.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 18.

GRAY LEAF SPOT RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

GRAY LEAF SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	FL5	NC1	MEAN
CITRABLUE (FSA 1602)	9.0	7.7	8.3
DALSA 1404	9.0	7.7	8.3
DALSA 1623	9.0	7.0	8.0
FSA 1609	9.0	6.7	7.8
FSA 1610	9.0	6.7	7.8
DALSA 1618	8.3	7.0	7.7
FSA 1601	7.3	8.0	7.7
FSA 1614	9.0	6.0	7.5
DALSA 1501	8.7	5.3	7.0
FSA 1613	9.0	5.0	7.0
XSA11168	9.0	5.0	7.0
FSA 1604	9.0	4.7	6.8
FLORATAM	8.7	5.0	6.8
FSA 1608	9.0	4.3	6.7
DALSA 1316	7.7	5.3	6.5
PALMETTO	9.0	4.0	6.5
XSA10403	9.0	4.0	6.5
FSA 1611	8.3	3.3	5.8
FSA 1606	9.0	2.7	5.8
FSA 1612	7.7	3.3	5.5
RALEIGH	7.7	3.3	5.5
UGA/TX SA26	7.7	3.3	5.5
DALSA 1502	5.3	5.0	5.2
FSA 1607	9.0	1.0	5.0
FSA 1603	6.3	3.3	4.8
FSA 1605	6.0	2.0	4.0
DALSA 1323	4.7	3.0	3.8
LSD VALUE	2.6	1.9	1.6
C.V. (%)	19.4	24.3	21.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19. FALL COLOR (SEPTEMBER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AL1	FL3	GA1	MEAN
CITRABLUE (FSA 1602)	7.3	8.0	7.0	7.4
FSA 1601	8.0	6.7	7.0	7.2
FLORATAM	7.0	7.7	6.3	7.0
FSA 1603	5.7	9.0	6.3	7.0
FSA 1613	7.7	6.7	6.7	7.0
FSA 1611	6.7	7.7	6.0	6.8
DALSA 1502	6.3	7.3	6.7	6.8
DALSA 1618	6.7	6.7	6.7	6.7
FSA 1610	4.7	7.7	7.0	6.4
DALSA 1316	7.0	6.0	6.3	6.4
FSA 1604	5.3	7.3	6.7	6.4
FSA 1606	4.7	7.7	6.7	6.3
FSA 1612	7.0	5.7	6.0	6.2
DALSA 1404	6.3	5.7	6.3	6.1
DALSA 1501	6.0	6.3	6.0	6.1
DALSA 1623	6.0	6.0	6.3	6.1
FSA 1607	5.0	7.3	6.0	6.1
UGA/TX SA26	4.3	7.0	7.0	6.1
FSA 1609	5.0	6.0	6.7	5.9
XSA10403	5.0	6.3	6.3	5.9
FSA 1614	4.7	6.0	6.7	5.8
FSA 1605	4.0	6.7	6.3	5.7
FSA 1608	4.7	6.3	6.0	5.7
RALEIGH	3.7	6.7	6.7	5.7
XSA11168	4.7	6.0	6.0	5.6
PALMETTO	4.3	6.0	6.3	5.6
DALSA 1323	4.3	5.3	6.3	5.3
LSD VALUE	2.0	1.2	0.7	0.8
C.V. (%)	22.6	10.7	7.1	14.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 20.

FALL COLOR (OCTOBER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL3	GA1	TX1	MEAN
DALSA 1502	7.0	6.7	6.7	6.8
DALSA 1618	6.3	6.7	7.3	6.8
CITRABLUE (FSA 1602)	7.7	7.0	5.3	6.7
FSA 1605	7.3	6.7	5.7	6.6
FSA 1606	7.0	6.7	6.0	6.6
FSA 1610	7.3	7.0	5.0	6.4
FSA 1614	6.7	6.3	6.3	6.4
FSA 1604	7.0	6.7	5.3	6.3
DALSA 1404	6.7	6.0	6.0	6.2
DALSA 1623	6.0	6.7	6.0	6.2
DALSA 1501	6.3	6.0	6.3	6.2
DALSA 1323	6.0	6.7	5.7	6.1
PALMETTO	6.7	6.7	5.0	6.1
FSA 1608	6.0	6.0	6.3	6.1
UGA/TX SA26	7.3	6.7	4.3	6.1
DALSA 1316	6.0	6.3	5.7	6.0
FSA 1603	7.7	6.7	3.7	6.0
FSA 1609	6.7	7.0	4.3	6.0
RALEIGH	6.7	6.7	4.7	6.0
FLORATAM	6.7	6.3	4.7	5.9
FSA 1613	6.0	6.7	5.0	5.9
FSA 1607	6.3	6.0	5.3	5.9
FSA 1601	6.0	7.0	4.3	5.8
FSA 1611	7.0	6.3	3.3	5.6
FSA 1612	6.0	6.3	3.7	5.3
XSA10403	5.7	6.3	3.0	5.0
XSA11168	6.3	6.0	2.7	5.0
LSD VALUE	0.9	0.8	1.9	0.8
C.V. (%)	8.9	7.2	23.2	13.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21.

FALL COLOR (DECEMBER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/  
2018 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL5
CITRABLUE (FSA 1602)	8.7
FSA 1601	8.7
FSA 1610	8.3
FSA 1614	8.3
DALSA 1501	8.0
DALSA 1618	8.0
FSA 1606	8.0
FSA 1607	8.0
FSA 1613	8.0
DALSA 1404	7.7
FLORATAM	7.7
FSA 1604	7.7
FSA 1605	7.7
FSA 1608	7.7
FSA 1609	7.7
UGA/TX SA26	7.7
DALSA 1623	7.3
FSA 1603	7.3
PALMETTO	7.3
RALEIGH	7.3
XSA10403	7.3
DALSA 1316	7.0
DALSA 1502	7.0
FSA 1611	7.0
XSA11168	7.0
DALSA 1323	6.7
FSA 1612	6.7
LSD VALUE	1.0
C.V. (%)	8.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22. GRAY LEAF SPOT RATINGS OF ST. AUGUSTINEGRASS CULTIVARS  
AT RALEIGH, NC 1/  
2018 DATA

GRAY LEAF SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	AUGUST	SEPTEMBER	MEAN
FSA 1601	8.0	8.0	8.0
CITRABLUE (FSA 1602)	7.7	8.0	7.8
DALSA 1404	7.7	7.3	7.5
DALSA 1618	7.0	8.0	7.5
DALSA 1623	7.0	7.3	7.2
FSA 1609	6.7	7.3	7.0
FSA 1610	6.7	6.7	6.7
DALSA 1501	5.3	7.0	6.2
FSA 1614	6.0	6.3	6.2
XSA11168	5.0	7.0	6.0
FSA 1604	4.7	6.7	5.7
FSA 1613	5.0	6.3	5.7
DALSA 1502	5.0	6.0	5.5
XSA10403	4.0	6.7	5.3
FSA 1608	4.3	5.3	4.8
DALSA 1316	5.3	4.0	4.7
PALMETTO	4.0	5.3	4.7
FSA 1603	3.3	5.7	4.5
FLORATAM	5.0	3.3	4.2
FSA 1611	3.3	5.0	4.2
FSA 1606	2.7	5.3	4.0
RALEIGH	3.3	4.7	4.0
UGA/TX SA26	3.3	4.7	4.0
FSA 1612	3.3	3.7	3.5
DALSA 1323	3.0	3.3	3.2
FSA 1605	2.0	4.0	3.0
FSA 1607	1.0	2.0	1.5
LSD VALUE	1.8	1.4	1.4
C.V. (%)	24.2	15.7	17.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23. SEEDHEAD RATINGS OF ST. AUGUSTINEGRASS CULTIVARS  
AT DALLAS, TX 1/  
2018 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	SEEDHEAD RATINGS		MEAN
	JULY	AUGUST	
FSA 1611	9.0	9.0	9.0
FSA 1612	9.0	9.0	9.0
DALSA 1404	9.0	8.7	8.8
DALSA 1502	9.0	8.7	8.8
DALSA 1316	9.0	8.3	8.7
FSA 1603	9.0	8.0	8.5
FSA 1614	8.3	8.0	8.2
FSA 1601	7.7	8.3	8.0
FSA 1607	9.0	7.0	8.0
CITRABLUE (FSA 1602)	8.3	7.3	7.8
DALSA 1623	7.3	8.3	7.8
FLORATAM	8.0	7.7	7.8
FSA 1604	8.7	6.3	7.5
FSA 1613	7.7	7.3	7.5
DALSA 1618	7.3	7.0	7.2
UGA/TX SA26	7.0	7.0	7.0
FSA 1605	8.0	5.7	6.8
XSA10403	8.0	5.3	6.7
XSA11168	8.3	5.0	6.7
PALMETTO	5.7	7.3	6.5
DALSA 1501	5.0	7.0	6.0
FSA 1606	7.7	4.3	6.0
FSA 1608	5.7	6.3	6.0
DALSA 1323	4.3	6.3	5.3
RALEIGH	5.3	5.3	5.3
FSA 1609	6.3	3.7	5.0
FSA 1610	5.3	4.3	4.8
LSD VALUE	0.9	2.0	1.2
C.V. (%)	7.7	17.5	10.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

APPENDIX TABLE. SUMMARY OF TURFGRASS QUALITY RATINGS FOR ST. AUGUSTINEGRASS CULTIVARS  
IN THE 2016 NATIONAL ST. AUGUSTINEGRASS TEST \*/  
2018 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF \*\*/

NAME	QUALITY MEAN 1/	MAXIMUM IN TOP 25% 2/
CITRABLUE (FSA 1602)	6.4	28.6
DALSA 1316	5.7	28.6
DALSA 1323	5.5	0.0
DALSA 1404	6.2	28.6
DALSA 1501	6.1	28.6
DALSA 1502	6.2	28.6
DALSA 1618	6.6	57.1
DALSA 1623	6.2	42.9
FLORATAM	5.2	0.0
FSA 1601	6.1	57.1
FSA 1603	5.6	14.3
FSA 1604	5.9	14.3
FSA 1605	5.6	14.3
FSA 1606	6.1	42.9
FSA 1607	5.4	0.0
FSA 1608	6.2	42.9
FSA 1609	6.0	28.6
FSA 1610	6.0	28.6
FSA 1611	4.5	0.0
FSA 1612	4.5	0.0
FSA 1613	6.1	28.6
FSA 1614	5.9	14.3
PALMETTO	6.2	28.6
RALEIGH	6.1	28.6
UGA/TX SA26	6.3	28.6
XSA10403	5.6	14.3
XSA11168	5.3	0.0
LSD VALUE	0.3	
C.V. (%)	9.6	

\*/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.  
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

\*\*/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

1/ MEAN AN AVERAGE OF ALL THE TURFGRASS QUALITY RATINGS FROM ALL LOCATIONS.

2/ MAXIMUM IN TOP 25% THE PERCENTAGE OF LOCATIONS WHERE THAT ENTRY FINISHED IN THE TOP 25% OF ALL ENTRIES.