

2015 Tall Fescue Turf Trial - 15LFA1
NexGen Turf Research
Salem, NJ

Table color legend:

Top Stat. Grp. Within 2 x LSD Within 3 x LSD Within 4 x LSD Within 5 x LSD > 6 x LSD away

LSD		0.58	0.43
PROGRAM	CULTIVAR	Turf Quality 2017	Turf Quality 2016-2017
Check	Crackle	5.44	5.22
A8260	ATF1979	5.22	5.14
A8260	ATF1974	5.22	5.08
A8260	ATF1966	5.00	5.00
A8260	ATF1978	5.28	4.95
Parent	3rd Millenium	5.22	4.94
A8255	ATF1497	5.11	4.89
A8260	ATF1972	5.50	4.86
A8255	ATF1479	5.11	4.78
A8260	ATF1971	5.11	4.78
A8260	ATF1970	5.06	4.75
A8258	Falcon V	4.84	4.67
A8260	ATF1967	4.72	4.64
A8260	ATF1969	4.94	4.64
Parent	ATF1426	4.94	4.64
A8260	ATF1968	4.83	4.61
A8254	ATF1377E+	4.95	4.59
A8260	ATF1975	4.72	4.50
A8260	ATF1976	4.61	4.50
A8258	Greystone II	4.67	4.47
Parent	ATF1458	4.56	4.41
A8254	ATF1616	4.39	4.39
A8260	ATF1977	4.72	4.31
A8260	ATF1973	4.44	4.25
A8251	ATF1402	4.33	4.25
A8258	Rebel XLR	4.33	4.20
A8255	ATF1434	4.28	4.20
A8254	ATF1376	4.11	4.03
A8260	ATF1965	3.83	3.81
Parent	KY-31	2.50	2.34