

2017 Tall Fescue Turf Trial - 17LFA3
 Steve Langlois
 Pittman, NJ

2019 Data

Table color legend: Top Stat. Grp. Within 2 x LSD Within 3 x LSD Within 4 x LSD Within 5 x LSD > 6 x LSD away

CV	24.04	11.02	14.40	11.19
LSD (0.05)	1.39	0.73	0.83	0.69

CULTIVAR	Brown Patch 2018	Turf Quality 2018	Turf Quality 2019	Average Turf Quality 2018 - 2019
ATF1612	4.87	5.44	4.89	5.17
NT-3	4.00	5.22	4.89	5.06
ATF1880	5.00	5.22	4.89	5.05
ATF1753	5.33	5.33	4.78	5.05
ATF1768	3.67	5.22	4.67	4.95
Rhambler 2	5.33	5.67	4.22	4.94
ATF2115	3.67	5.22	4.66	4.94
ATF1704	4.33	5.11	4.67	4.89
ATF1601	4.33	5.22	4.45	4.84
ATF1822	5.33	5.33	4.34	4.84
Rebel V (ATF1736)	4.87	5.33	4.34	4.84
South Fork (ATF1738)	4.00	5.22	4.44	4.83
ATF2116	3.67	4.78	4.67	4.72
ATF1885	3.67	4.89	4.34	4.61
ATF1787	3.33	4.89	4.22	4.56
ATF1820	4.87	4.89	4.22	4.55
ATF1467	5.00	4.89	4.00	4.45
ATF1376	2.33	4.55	4.11	4.33
ATF1552	3.67	4.78	3.78	4.28
ATF1809	5.67	4.78	3.78	4.28
ATF1835	4.00	4.55	4.00	4.28
ATF1254	2.67	4.56	3.89	4.23
ATF1832	3.33	4.34	3.44	3.89
ATF1492 AgR E+	5.00	3.89	3.45	3.67
Traverse 2	4.33	3.66	3.56	3.61
KY-31	4.00	2.44	2.44	2.44

2018 Brown Patch = 1-9; 9=Most Resistant (1 rating: Aug. 21, 2018)
 2018 Turf Quality = 1-9; 9=Best (3 ratings)
 2019 Turf Quality = 1-9; 9=Best (3 ratings)
 2018 - 2019 Average Turf Quality = 1-9; 9=Best (6 ratings)