


**Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 20 Kentucky bluegrass entries from data set 11APP1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET<sub>50</sub> values.**

Rank	Selection	ET <sub>75</sub>	ET <sub>50</sub>	ET <sub>25</sub>
1.	AKB1812	3.991 to 4.739	5.332 to 5.827	6.456 to 7.131
2.	Mallard	3.693 to 4.471	5.139 to 5.659	6.359 to 7.072
3.	A98-344	3.716 to 4.462	4.769 to 5.294	5.628 to 6.318
4.	AKB1764	3.289 to 4.063	4.760 to 5.290	6.018 to 6.729
5.	A05-344	3.456 to 3.947	4.698 to 5.040	5.813 to 6.260
6.	A06-33	3.334 to 4.112	4.517 to 5.062	5.500 to 6.212
7.	KH3488	3.059 to 3.888	4.286 to 4.870	5.299 to 6.065
8.	AKB1765	2.853 to 3.718	4.239 to 4.848	5.399 to 6.202
9.	KH3489	2.918 to 3.785	4.134 to 4.749	5.128 to 5.935
10.	KH3494	2.838 to 3.519	3.970 to 4.459	4.928 to 5.572
11.	Guinness	2.946 to 3.333	4.026 to 4.304	5.007 to 5.374
12.	KH3492	2.563 to 3.412	3.822 to 4.434	4.863 to 5.674
13.	A96-425	2.945 to 3.419	3.890 to 4.235	4.717 to 5.168
14.	Geronimo	2.344 to 3.327	3.656 to 4.367	4.714 to 5.661
15.	AKB2543	2.699 to 3.046	3.824 to 4.077	4.860 to 5.197
16.	Brooklawn	2.556 to 3.318	3.646 to 4.205	4.541 to 5.287
17.	Midnight	2.442 to 3.175	3.614 to 4.150	4.595 to 5.314
18.	KH3490	2.455 to 3.172	3.615 to 4.140	4.590 to 5.293
19.	Parade	2.593 to 2.843	3.607 to 3.792	4.556 to 4.808
20.	Snap	1.619 to 1.866	2.622 to 2.803	3.558 to 3.807



Cumulative ET (inches)

Figure 2. Confidence intervals (95%) for the moisture lost to evapotranspiration before 20 Kentucky bluegrass entries from data set 11APP1 reach 75, 50, and 25% green cover.