

**Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 58 Kentucky bluegrass entries from data set 13APP1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET<sub>50</sub> values.**

Rank	Selection	ET <sub>75</sub>	ET <sub>50</sub>	ET <sub>25</sub>
1.	AKB1812	3,680 to 4,361	5,193 to 5,744	6,507 to 7,328
2.	AKB1820	3,368 to 4,197	4,821 to 5,496	6,035 to 7,035
3.	AKB3169	2,885 to 3,458	4,847 to 5,312	6,617 to 7,358
4.	AKB1892	2,842 to 3,352	4,542 to 4,956	6,079 to 6,721
5.	AKB3201	3,016 to 3,603	4,293 to 4,779	5,401 to 6,125
6.	AKB1925	2,860 to 3,250	4,328 to 4,646	5,676 to 6,162
7.	AKB3226	2,577 to 3,210	4,140 to 4,652	5,502 to 6,296
8.	AKB1856	2,539 to 3,004	4,140 to 4,512	5,590 to 6,172
9.	KH3492	2,367 to 3,005	3,990 to 4,499	5,404 to 6,201
10.	AKB1193	2,609 to 3,409	3,905 to 4,567	4,959 to 5,967
11.	AKB2274	2,100 to 2,746	3,940 to 4,438	5,556 to 6,354
12.	AKB3241	2,113 to 2,831	3,904 to 4,461	5,449 to 6,337
13.	AKB3208	2,340 to 3,117	3,844 to 4,469	5,097 to 6,072
14.	A12-10	2,559 to 3,112	3,908 to 4,360	5,083 to 5,782
15.	AKB2192	2,150 to 2,505	3,855 to 4,128	5,438 to 5,873
16.	AKB2543	2,300 to 2,861	3,713 to 4,161	4,941 to 5,646
17.	Diva	2,707 to 2,952	3,827 to 4,031	4,872 to 5,187
18.	AKB2403	1,871 to 2,393	3,720 to 4,110	5,383 to 6,013
19.	Midnight	2,253 to 3,014	3,558 to 4,173	4,614 to 5,580
20.	AKB3151	2,065 to 2,934	3,434 to 4,125	4,512 to 5,606
21.	KH3494	2,175 to 2,618	3,593 to 3,939	4,861 to 5,411
22.	KH3490	2,296 to 2,661	3,609 to 3,898	4,799 to 5,258
23.	AKB3257	2,642 to 2,814	3,658 to 3,802	4,618 to 4,845
24.	AKB3027	2,149 to 2,670	3,490 to 3,899	4,654 to 5,306
25.	AKB1658	2,590 to 2,830	3,525 to 3,728	4,381 to 4,705
26.	AKB3044	1,877 to 2,457	3,387 to 3,824	4,692 to 5,395
27.	AKB3237	2,098 to 2,701	3,332 to 3,805	4,357 to 5,117
28.	A04-1260	2,161 to 2,547	3,400 to 3,700	4,505 to 4,987
29.	AKB3019	2,218 to 2,763	3,267 to 3,705	4,126 to 4,838
30.	Thermal Blue Blaze	2,365 to 2,618	3,381 to 3,585	4,309 to 4,641
31.	AKB3125	2,120 to 2,648	3,223 to 3,636	4,138 to 4,812
32.	KH3489	1,480 to 2,607	2,991 to 3,819	4,097 to 5,436
33.	A05-312	1,583 to 2,389	3,081 to 3,668	4,288 to 5,238
34.	AKB3256	2,016 to 2,379	3,237 to 3,510	4,328 to 4,772
35.	AKB1614	2,084 to 2,604	3,153 to 3,554	4,033 to 4,694
36.	AKB1050	2,042 to 2,599	3,137 to 3,563	4,028 to 4,731
37.	AKB3066	2,093 to 2,370	3,209 to 3,417	4,223 to 4,566
38.	AKB3179	1,772 to 2,468	3,033 to 3,545	4,039 to 4,877

39.	AKB3216	1.927 to 2.539	3.053 to 3.511	3.953 to 4.708
40.	AKB1661	2.083 to 2.466	3.124 to 3.412	4.021 to 4.501
41.	AKB3128	2.124 to 2.625	3.049 to 3.430	3.777 to 4.431
42.	AKB3275	1.990 to 2.332	3.079 to 3.328	4.038 to 4.452
43.	AKB1164	1.581 to 2.411	2.897 to 3.492	3.908 to 4.878
44.	A05-303	1.829 to 2.358	2.957 to 3.336	3.886 to 4.512
45.	AKB3035	0.8092 to 1.957	2.752 to 3.512	4.266 to 5.495
46.	A12-11	1.910 to 2.215	2.988 to 3.204	3.951 to 4.308
47.	AKB3146	1.600 to 2.018	2.901 to 3.189	4.047 to 4.514
48.	AKB2120	1.521 to 1.988	2.863 to 3.183	4.034 to 4.550
49.	Geronimo	1.859 to 2.337	2.841 to 3.165	3.635 to 4.183
50.	AKB2313	1.025 to 1.545	2.750 to 3.086	4.282 to 4.820
51.	AKB2998	1.518 to 1.859	2.736 to 2.961	3.828 to 4.189
52.	AKB3008	1.641 to 2.021	2.591 to 2.826	3.403 to 3.770
53.	AKB2990	1.407 to 1.884	2.448 to 2.746	3.324 to 3.773
54.	AKB707	1.526 to 1.906	2.415 to 2.647	3.182 to 3.511
55.	AKB3232	1.405 to 1.995	2.344 to 2.704	3.092 to 3.603
56.	AKB3247	1.596 to 1.998	2.402 to 2.644	3.086 to 3.413
57.	AKB2310	0.9473 to 1.452	2.201 to 2.515	3.288 to 3.744
58.	Snap	0.9371 to 1.525	1.917 to 2.295	2.738 to 3.223

---




Figure 3. Confidence intervals (95%) for the moisture lost to evapotranspiration before the top-performing (top half) of 58 Kentucky bluegrass entries from data set 13APP1 reach 75, 50, and 25% green cover. Both the top and bottom performing entries are included for reference.