


**Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 47 Kentucky bluegrass entries from data set 15APP1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET<sub>50</sub> values.**

Rank	Selection	ET <sub>75</sub>	ET <sub>50</sub>	ET <sub>25</sub>
1.	Mallard(1)	6.366 to 7.338	7.727 to 8.416	8.830 to 9.753
2.	AKB3582	6.075 to 7.075	7.673 to 8.395	8.997 to 9.991
3.	ABK3598	6.315 to 7.231	7.696 to 8.348	8.833 to 9.710
4.	AKB3456	5.456 to 7.358	7.324 to 8.712	8.655 to 10.60
5.	AKB1812	6.483 to 7.260	7.707 to 8.259	8.730 to 9.458
6.	AKB1820	6.363 to 7.241	7.669 to 8.295	8.746 to 9.579
7.	AKB1892	5.975 to 7.039	7.537 to 8.308	8.811 to 9.864
8.	AKB3587	6.224 to 7.092	7.532 to 8.157	8.615 to 9.447
9.	AKB3568	6.020 to 7.043	7.460 to 8.202	8.630 to 9.629
10.	AKB3348	5.434 to 7.107	7.146 to 8.376	8.408 to 10.10
11.	Mallard(2)	5.976 to 6.996	7.339 to 8.083	8.439 to 9.434
12.	AKB3542	5.858 to 6.892	7.195 to 7.957	8.266 to 9.287
13.	AKB3581	5.701 to 6.720	7.150 to 7.905	8.332 to 9.353
14.	KH3492	5.737 to 6.971	7.054 to 7.968	8.055 to 9.279
15.	AKB1925	6.075 to 6.845	7.147 to 7.722	8.019 to 8.792
16.	AKB3469	5.450 to 6.833	6.907 to 7.938	8.005 to 9.401
17.	AKB3562	5.314 to 6.766	6.766 to 7.857	7.842 to 9.323
18.	AKB3355	6.197 to 6.819	7.021 to 7.511	7.671 to 8.378
19.	AKB3312	5.992 to 6.533	6.992 to 7.400	7.846 to 8.412
20.	America	6.098 to 6.536	7.006 to 7.338	7.791 to 8.263
21.	AKB3576	5.690 to 6.525	6.847 to 7.476	7.784 to 8.645
22.	AKB3564	5.267 to 6.467	6.672 to 7.584	7.766 to 9.012
23.	AKB3327	5.992 to 6.467	6.908 to 7.264	7.687 to 8.198
24.	ABK3605	5.323 to 6.062	6.710 to 7.276	7.904 to 8.683
25.	AKB3548	5.581 to 6.352	6.664 to 7.244	7.536 to 8.345
26.	Midnight	5.741 to 6.265	6.682 to 7.067	7.471 to 8.022
27.	AKB3593	5.660 to 6.126	6.583 to 6.922	7.371 to 7.853
28.	Diva	5.708 to 6.110	6.592 to 6.880	7.358 to 7.769
29.	AKB3288	5.564 to 5.959	6.521 to 6.813	7.367 to 7.778
30.	AKB3588	4.852 to 6.032	6.153 to 7.072	7.142 to 8.424
31.	AKB3332	5.486 to 5.959	6.433 to 6.782	7.249 to 7.736
32.	Brooklawn	5.358 to 6.119	6.322 to 6.878	7.074 to 7.849
33.	Geronimo	5.523 to 5.897	6.430 to 6.704	7.234 to 7.614
34.	Ridgeline	5.433 to 5.874	6.319 to 6.641	7.087 to 7.527
35.	Bedazzled	5.178 to 5.878	6.209 to 6.741	7.053 to 7.792
36.	AKB3364	5.315 to 5.801	6.288 to 6.653	7.130 to 7.636
37.	AKB3320	5.210 to 5.695	6.188 to 6.558	7.038 to 7.550
38.	AKB3399	5.302 to 5.721	6.211 to 6.525	7.010 to 7.439
39.	AKB3301	5.218 to 5.610	6.171 to 6.472	7.021 to 7.436

40.	AKB3363	4.951 to 5.490	5.933 to 6.359	6.776 to 7.366
41.	AKB3336	4.874 to 5.594	5.850 to 6.418	6.641 to 7.426
42.	AKB3455	4.879 to 5.320	5.880 to 6.234	6.767 to 7.263
43.	AKB3286	4.585 to 5.211	5.750 to 6.256	6.746 to 7.471
44.	AKB3347	5.015 to 5.253	5.886 to 6.078	6.696 to 6.962
45.	AKB3314	4.946 to 5.194	5.742 to 5.948	6.476 to 6.765
46.	Snap(1)	3.274 to 3.923	4.557 to 5.051	5.617 to 6.401
47.	Snap(2)	3.328 to 3.862	4.428 to 4.833	5.341 to 5.992

---



Cumulative ET (inches)

Figure 3. Confidence intervals (95%) for the moisture lost to evapotranspiration before the top-performing (top half) of 47 Kentucky bluegrass entries from data set 15APP1 reach 75, 50, and 25% green cover. Both the top and bottom performing entries are included for reference.