

Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 47 Kentucky bluegrass entries from data set 15APP1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET₅₀ values.

Rank	Selection	ET ₇₅	ET ₅₀	ET ₂₅
1.	Mallard-1	4.352 to 5.411	6.374 to 7.136	8.056 to 9.199
2.	AKB1812	4.636 to 5.374	6.392 to 6.920	7.920 to 8.692
3.	AKB1820	4.306 to 5.229	6.208 to 6.871	7.826 to 8.798
4.	AKB3598	3.972 to 5.045	6.107 to 6.879	7.899 to 9.056
5.	AKB3587	3.984 to 5.106	5.957 to 6.762	7.586 to 8.763
6.	Mallard-2	4.276 to 4.942	6.084 to 6.561	7.690 to 8.381
7.	AKB3469	3.193 to 5.315	5.538 to 7.062	7.207 to 9.485
8.	AKB3348	3.246 to 5.112	5.629 to 6.969	7.408 to 9.429
9.	AKB3456	3.259 to 5.291	5.448 to 6.906	7.012 to 9.147
10.	AKB3582	3.334 to 4.655	5.545 to 6.492	7.344 to 8.740
11.	KH3492	3.492 to 5.109	5.434 to 6.593	6.896 to 8.555
12.	AKB3568	3.048 to 4.477	5.451 to 6.472	7.395 to 8.927
13.	AKB3327	3.877 to 5.042	5.542 to 6.374	6.870 to 8.042
14.	AKB3542	3.191 to 4.309	5.527 to 6.326	7.506 to 8.700
15.	AKB1892	3.057 to 4.213	5.470 to 6.294	7.510 to 8.749
16.	AKB3355	2.916 to 4.799	5.129 to 6.481	6.772 to 8.735
17.	Midnight	3.455 to 4.578	5.376 to 6.183	6.967 to 8.119
18.	AKB3312	3.425 to 4.520	5.378 to 6.165	7.008 to 8.134
19.	AKB3581	3.078 to 4.560	5.152 to 6.217	6.785 to 8.316
20.	AKB3288	3.892 to 4.532	5.331 to 5.788	6.590 to 7.223
21.	AKB3562	2.928 to 4.389	5.024 to 6.075	6.687 to 8.195
22.	America	2.904 to 4.338	4.959 to 5.992	6.592 to 8.068
23.	AKB3576	3.215 to 4.201	5.117 to 5.828	6.732 to 7.740
24.	AKB1925	3.049 to 4.428	4.894 to 5.890	6.347 to 7.746
25.	AKB3593	2.835 to 4.315	4.702 to 5.775	6.149 to 7.655
26.	AKB3605	2.644 to 3.629	4.883 to 5.584	6.821 to 7.841
27.	AKB3332	3.135 to 4.142	4.868 to 5.598	6.319 to 7.338
28.	Bedazzled	3.285 to 4.024	4.915 to 5.451	6.339 to 7.084
29.	AKB3588	2.723 to 4.139	4.490 to 5.523	5.862 to 7.301
30.	AKB3320	2.842 to 3.854	4.631 to 5.368	6.134 to 7.166
31.	AKB3564	2.115 to 3.649	4.440 to 5.528	6.297 to 7.876
32.	AKB3364	2.787 to 3.790	4.541 to 5.273	6.013 to 7.037
33.	AKB3548	2.668 to 3.840	4.461 to 5.317	5.925 to 7.124
34.	Ridgeline	2.814 to 3.838	4.496 to 5.246	5.894 to 6.937
35.	Brooklawn	2.498 to 3.786	4.388 to 5.326	5.911 to 7.232
36.	Geronimo	2.772 to 3.567	4.452 to 5.036	5.911 to 6.725
37.	AKB3399	2.795 to 3.735	4.355 to 5.050	5.659 to 6.619
38.	AKB3363	2.291 to 3.693	4.144 to 5.169	5.600 to 7.043
39.	AKB3314	2.790 to 3.395	4.314 to 4.764	5.673 to 6.298

40.	Diva	2.641 to 3.308	4.281 to 4.774	5.735 to 6.425
41.	AKB3301	2.385 to 3.115	4.117 to 4.652	5.641 to 6.398
42.	AKB3336	2.090 to 3.149	3.957 to 4.728	5.518 to 6.614
43.	AKB3455	2.353 to 3.203	3.942 to 4.576	5.294 to 6.187
44.	AKB3347	2.341 to 2.970	3.914 to 4.383	5.310 to 5.974
45.	AKB3286	2.020 to 2.877	3.836 to 4.458	5.400 to 6.291
46.	Snap-2	1.237 to 1.878	2.951 to 3.389	4.459 to 5.107
47.	Snap-1	1.003 to 1.474	2.564 to 2.871	3.968 to 4.425




Figure 3. Confidence intervals (95%) for the moisture lost to evapotranspiration before the top-performing (top half) of 47 Kentucky bluegrass entries from data set 15APP1 reach 75, 50, and 25% green cover. Both the top and bottom performing entries are included for reference.