

Table 2. Confidence intervals (95%) for the amount of moisture lost to evapotranspiration before 71 tall fescue entries from data set 14AFA1 reach 75, 50, and 25% green cover. Entries are ranked based on their ET₅₀ values.

Rank	Selection	ET ₇₅	ET ₅₀	ET ₂₅
1.	Greystone	6.584 to 7.259	8.975 to 9.437	11.13 to 11.85
2.	ATF1832	6.685 to 7.348	8.789 to 9.242	10.68 to 11.34
3.	Falcon V	6.415 to 7.201	8.472 to 9.011	10.29 to 11.06
4.	ATF1839	6.244 to 6.846	8.255 to 8.671	10.09 to 10.67
5.	ATF1845	6.127 to 6.539	8.167 to 8.452	10.09 to 10.49
6.	ATF1850	5.736 to 6.586	8.013 to 8.597	10.03 to 10.87
7.	ATF1585	5.949 to 6.493	8.115 to 8.490	10.12 to 10.65
8.	Regenerate	5.876 to 6.797	7.976 to 8.613	9.809 to 10.70
9.	ATF1911	5.926 to 6.407	8.073 to 8.405	10.08 to 10.55
10.	ATF1753	6.026 to 6.428	7.998 to 8.277	9.856 to 10.24
11.	ATF1900	5.646 to 6.405	7.857 to 8.382	9.845 to 10.58
12.	ATF1402	5.900 to 6.442	7.891 to 8.268	9.729 to 10.25
13.	ATF1879	5.825 to 6.446	7.865 to 8.296	9.727 to 10.32
14.	ATF1829	5.635 to 6.201	7.843 to 8.233	9.884 to 10.43
15.	ATF1847	5.304 to 6.524	7.616 to 8.458	9.568 to 10.75
16.	ATF1854	5.694 to 6.141	7.831 to 8.140	9.837 to 10.27
17.	ATF1835	5.745 to 6.149	7.792 to 8.073	9.723 to 10.11
18.	ATF1833	5.818 to 6.335	7.751 to 8.112	9.538 to 10.03
19.	ATF1945	5.685 to 6.145	7.763 to 8.083	9.709 to 10.15
20.	ATF1831	5.573 to 5.960	7.781 to 8.048	9.875 to 10.25
21.	ATF1838	5.397 to 6.241	7.590 to 8.176	9.540 to 10.35
22.	ATF1852	5.629 to 6.307	7.601 to 8.076	9.384 to 10.03
23.	ATF1722R	5.753 to 6.175	7.653 to 7.949	9.435 to 9.840
24.	ATF1736	5.825 to 6.227	7.639 to 7.922	9.342 to 9.727
25.	ATF1754	5.426 to 6.553	7.374 to 8.167	9.013 to 10.09
26.	KY-31	4.811 to 5.503	7.535 to 8.007	10.04 to 10.73
27.	ATF1594	5.692 to 6.258	7.537 to 7.935	9.226 to 9.767
28.	ATF1612	5.958 to 6.279	7.614 to 7.841	9.183 to 9.489
29.	ATF1552	5.485 to 5.942	7.561 to 7.879	9.507 to 9.946
30.	ATF1897	5.510 to 6.024	7.522 to 7.882	9.390 to 9.884
31.	ATF1842	5.404 to 6.309	7.382 to 8.017	9.109 to 9.975
32.	ATF1846	5.074 to 5.973	7.359 to 7.982	9.383 to 10.25
33.	ATF1853	5.594 to 5.945	7.533 to 7.778	9.374 to 9.709
34.	ATF1938	5.471 to 5.976	7.457 to 7.810	9.302 to 9.786
35.	ATF1888	5.396 to 6.083	7.382 to 7.864	9.177 to 9.836
36.	ATF1891	5.305 to 6.082	7.348 to 7.892	9.174 to 9.919
37.	ATF1851	5.370 to 6.024	7.387 to 7.845	9.222 to 9.850
38.	ATF1704	5.596 to 5.990	7.439 to 7.716	9.173 to 9.551
39.	ATF1788	5.326 to 5.853	7.386 to 7.754	9.298 to 9.804

40.	ATF1883	5.503 to 5.911	7.425 to 7.711	9.233 to 9.624
41.	ATF1587	5.464 to 5.809	7.419 to 7.662	9.279 to 9.610
42.	ATF1426	4.986 to 5.682	7.260 to 7.743	9.333 to 10.00
43.	ATF1848	5.141 to 5.570	7.285 to 7.584	9.306 to 9.719
44.	ATF1617	5.260 to 5.648	7.270 to 7.542	9.172 to 9.544
45.	ATF1898	5.105 to 6.014	7.079 to 7.718	8.801 to 9.674
46.	ATF1880	5.219 to 5.617	7.251 to 7.530	9.172 to 9.554
47.	ATF1894	5.270 to 5.968	7.127 to 7.621	8.792 to 9.465
48.	ATF1836	4.918 to 5.804	7.047 to 7.667	8.928 to 9.778
49.	ATF1887	5.213 to 5.645	7.193 to 7.496	9.052 to 9.468
50.	ATF1881	5.327 to 5.815	7.166 to 7.512	8.872 to 9.342
51.	ATF1867	5.311 to 5.898	7.107 to 7.523	8.742 to 9.309
52.	ATF1895	5.334 to 5.730	7.134 to 7.414	8.825 to 9.207
53.	ATF1885	5.051 to 5.617	7.069 to 7.467	8.930 to 9.474
54.	ATF1893	5.169 to 5.562	7.078 to 7.355	8.878 to 9.257
55.	B23	5.393 to 5.815	7.054 to 7.355	8.600 to 9.011
56.	Crackle	5.071 to 5.424	7.052 to 7.301	8.935 to 9.275
57.	ATF1889	4.527 to 5.415	6.858 to 7.474	8.935 to 9.787
58.	ATF1884	4.812 to 5.477	6.912 to 7.377	8.825 to 9.463
59.	ATF1886	5.133 to 5.410	7.015 to 7.210	8.820 to 9.087
60.	ATF1849	4.591 to 5.633	6.741 to 7.470	8.599 to 9.599
61.	ATF1868	4.907 to 5.354	6.947 to 7.261	8.863 to 9.292
62.	ATF1377 E+	4.879 to 5.673	6.781 to 7.343	8.465 to 9.232
63.	ATF1882	4.706 to 5.634	6.684 to 7.338	8.404 to 9.299
64.	ATF1750	4.739 to 5.182	6.855 to 7.164	8.846 to 9.271
65.	ATF1896	4.782 to 5.220	6.776 to 7.084	8.648 to 9.069
66.	ATF1890	4.603 to 5.326	6.593 to 7.102	8.382 to 9.079
67.	ATF1878	4.146 to 5.615	6.332 to 7.361	8.107 to 9.517
68.	ATF1899	4.713 to 5.235	6.479 to 6.849	8.100 to 8.607
69.	ATF1892	4.322 to 4.812	6.112 to 6.457	7.765 to 8.239
70.	APMT003	2.697 to 3.388	4.596 to 5.078	6.306 to 6.957
71.	APMT004	1.545 to 2.327	3.357 to 3.908	4.953 to 5.704
